


2024/06/09 1247Z

MMMX XOSOK **UJ38** PIVOL 2200N09800W TAM **UM575** CLONN **M575** KENG5 **M345** TBD HRV **J37** AJFEB **J14** SPA **J37**
 GVE **J75** GREKI TRIBS **Q406** BAF **Q480** ENE **Q822** ALLEX **N205B** NICSO V GISTI 5300N01300W 5300N01200W
 5300N01100W 5300N01000W 5300N0900W 5300N0800W 5300N0700W 5300N0600W LIPGO **UL18** GAVGO **UL9** KONAN
UL607 KOK KOK **UL607** MATUG **UZ660** ENITA **Z660** ROKEM **Z650** PEPIK BERA ABITU INVED **L606** TIMUR **L867**
 RILEX LTFM

6272.73 nm / 11617.10 km



Notes

Using NAT tracks from 3/2/2023

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MMMX APT	-	19.43630 -99.07210	0 ft 0 m	-	Benito Juarez Intl
XOSOK FIX	-	20.85330 -98.15560	35,000 ft 10,668 m	99	-
PIVOL FIX	UJ38 AWY-HI	21.24500 -98.26390	35,000 ft 10,668 m	24	-
2200N09800W LATLON	-	22.00000 -98.00000	35,000 ft 10,668 m	47	-
TAM VOR	-	22.28960 -97.86300	35,000 ft 10,668 m	18	TAMPICO
USBIL FIX	UM575 AWY-HI	23.14750 -97.27470	35,000 ft 10,668 m	60	-
TULUN FIX	UM575 AWY-HI	23.29780 -97.17080	35,000 ft 10,668 m	10	-
AVRAV FIX	UM575 AWY-HI	24.05190 -96.64470	35,000 ft 10,668 m	53	-
XOTUG FIX	UM575 AWY-HI	24.65970 -96.21530	35,000 ft 10,668 m	43	-
TIMAS FIX	UM575 AWY-HI	24.95210 -96.00690	35,000 ft 10,668 m	20	-
CLONN FIX	UM575 AWY-HI	25.63330 -95.51670	35,000 ft 10,668 m	48	-
CATFS FIX	M575 AWY-HI	27.08450 -93.88890	35,000 ft 10,668 m	123	-
ANKRR FIX	M575 AWY-HI	27.68210 -93.20040	35,000 ft 10,668 m	51	-
KENG5 FIX	M575 AWY-HI	28.10430 -92.70720	35,000 ft 10,668 m	36	-
WAHOO FIX	M345 AWY-HI	28.25000 -92.53540	35,000 ft 10,668 m	12	-
TBD VOR	M345 AWY-HI	29.66430 -90.82910	35,000 ft 10,668 m	123	TIBBY (THIBODAUX)
HRV VOR	-	29.85020 -90.00300	35,000 ft 10,668 m	44	HARVEY (NEW ORLEANS)
SJI VOR	J37 AWY-HI	30.72600 -88.35930	35,000 ft 10,668 m	100	SEMMES (MOBILE)
CATLN FIX	J37 AWY-HI	31.30720 -87.57990	35,000 ft 10,668 m	53	-
MGM VOR	J37 AWY-HI	32.22230 -86.31970	35,000 ft 10,668 m	84	MONTGOMERY
AJFEB FIX	J37 AWY-HI	33.64040 -84.17050	35,000 ft 10,668 m	137	-
SPA VOR	J14 AWY-HI	35.03360 -81.92700	35,000 ft 10,668 m	139	SPARTANBURG
COLZI FIX	J37 AWY-HI	36.22760 -80.50880	35,000 ft 10,668 m	99	-
SANNY FIX	J37 AWY-HI	37.00070 -79.55590	35,000 ft 10,668 m	65	-
LYH VOR	J37 AWY-HI	37.25460 -79.23640	35,000 ft 10,668 m	21	LYNCHBURG
GVE VOR	J37 AWY-HI	38.01360 -78.15300	35,000 ft 10,668 m	68	GORDONSVILLE
BINKS	J75	39.05200	35,000 ft	81	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-77.02990	10,668 m		
MURPH	J75	39.46420	35,000 ft	38	-
FIX	AWY-HI	-76.38530	10,668 m		
SACRI	J75	39.60200	35,000 ft	12	-
FIX	AWY-HI	-76.17350	10,668 m		
STOEN	J75	39.83820	35,000 ft	22	-
FIX	AWY-HI	-75.79860	10,668 m		
MXE	J75	39.91800	35,000 ft	7	MODENA
VOR	AWY-HI	-75.67080	10,668 m		
COPE	J75	40.13070	35,000 ft	18	-
FIX	AWY-HI	-75.37680	10,668 m		
BIGGY	J75	40.41970	35,000 ft	25	-
FIX	AWY-HI	-74.97270	10,668 m		
SBJ	J75	40.58300	35,000 ft	14	SOLBERG
VOR	AWY-HI	-74.74180	10,668 m		
JERSY	J75	40.79140	35,000 ft	19	-
FIX	AWY-HI	-74.39940	10,668 m		
DUEYS	J75	41.15260	35,000 ft	34	-
FIX	AWY-HI	-73.79680	10,668 m		
CMK	J75	41.28010	35,000 ft	12	CARMEL
VOR	AWY-HI	-73.58130	10,668 m		
GREKI	J75	41.48000	35,000 ft	17	-
FIX	AWY-HI	-73.31420	10,668 m		
TRIBS	-	41.65810	35,000 ft	10	-
FIX	-	-73.31750	10,668 m		
BIGGO	Q406	41.95580	35,000 ft	21	-
FIX	AWY-HI	-73.06790	10,668 m		
BAF	Q406	42.16200	35,000 ft	19	BARNES (WESTFIELD/SPRINGFIELD)
VOR	AWY-HI	-72.71620	10,668 m		
ENE	Q480	43.42570	35,000 ft	119	KENNEBUNK
VOR	AWY-HI	-70.61350	10,668 m		
AJJAY	Q822	43.72790	35,000 ft	47	-
FIX	AWY-HI	-69.60230	10,668 m		
ALLEX	Q822	44.41670	35,000 ft	119	-
FIX	AWY-HI	-67.00000	10,668 m		
NICSO	N205B	47.50000	35,000 ft	651	-
FIX	AWY-HI	-52.00000	10,668 m		
48/50	V	48.00000	35,000 ft	86	-
LATLON	NAT	-50.00000	10,668 m		
50/40	V	50.00000	35,000 ft	411	-
LATLON	NAT	-40.00000	10,668 m		
52/30	V	52.00000	35,000 ft	396	-
LATLON	NAT	-30.00000	10,668 m		
53/20	V	53.00000	35,000 ft	370	-
LATLON	NAT	-20.00000	10,668 m		
MALOT	V	53.00000	35,000 ft	180	-
FIX	NAT	-15.00000	10,668 m		
GISTI	V	53.00000	35,000 ft	36	-
FIX	NAT	-14.00000	10,668 m		
5300N01300W	-	53.00000	35,000 ft	36	-
LATLON	-	-13.00000	10,668 m		
5300N01200W	-	53.00000	35,000 ft	36	-
LATLON	-	-12.00000	10,668 m		
5300N01100W	-	53.00000	35,000 ft	36	-
LATLON	-	-11.00000	10,668 m		
5300N01000W	-	53.00000	35,000 ft	36	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-10.00000	10,668 m		
5300N0900W	-	53.00000	35,000 ft	36	-
LATLON	-	-9.00000	10,668 m		
5300N0800W	-	53.00000	35,000 ft	36	-
LATLON	-	-8.00000	10,668 m		
5300N0700W	-	53.00000	35,000 ft	36	-
LATLON	-	-7.00000	10,668 m		
5300N0600W	-	53.00000	35,000 ft	36	-
LATLON	-	-6.00000	10,668 m		
LIPGO	-	53.06390	35,000 ft	18	-
FIX	-	-5.50000	10,668 m		
BADSI	UL18	52.65830	35,000 ft	35	-
FIX	AWY-HI	-4.77139	10,668 m		
LANON	UL18	52.43110	35,000 ft	19	-
FIX	AWY-HI	-4.37250	10,668 m		
MEDOG	UL18	51.95030	35,000 ft	41	-
FIX	AWY-HI	-3.54944	10,668 m		
DIKAS	UL18	51.77690	35,000 ft	14	-
FIX	AWY-HI	-3.25917	10,668 m		
GAVGO	UL18	51.56390	35,000 ft	59	-
FIX	AWY-HI	-1.71000	10,668 m		
KENET	UL9	51.52060	35,000 ft	9	-
FIX	AWY-HI	-1.45500	10,668 m		
CPT	UL9	51.49160	35,000 ft	8	COMPTON
VOR	AWY-HI	-1.21969	10,668 m		
NORRY	UL9	51.47970	35,000 ft	3	-
FIX	AWY-HI	-1.12333	10,668 m		
LINDY	UL9	51.47060	35,000 ft	2	-
FIX	AWY-HI	-1.04917	10,668 m		
GOXUL	UL9	51.35890	35,000 ft	33	-
FIX	AWY-HI	-0.17583	10,668 m		
BIG	UL9	51.33090	35,000 ft	8	BIGGIN
VOR	AWY-HI	0.03481	10,668 m		
DIKVU	UL9	51.29640	35,000 ft	10	-
FIX	AWY-HI	0.31722	10,668 m		
LAVRI	UL9	51.26360	35,000 ft	10	-
FIX	AWY-HI	0.58028	10,668 m		
EMKAD	UL9	51.24720	35,000 ft	4	-
FIX	AWY-HI	0.70944	10,668 m		
UMTUM	UL9	51.20760	35,000 ft	11	-
FIX	AWY-HI	1.01744	10,668 m		
DVR	UL9	51.16260	35,000 ft	13	DOVER
VOR	AWY-HI	1.35909	10,668 m		
KONAN	UL9	51.13080	35,000 ft	24	-
FIX	AWY-HI	2.00000	10,668 m		
KOK	UL607	51.09470	35,000 ft	24	KOKSY
VOR	AWY-HI	2.65167	10,668 m		
KOK	-	51.09920	35,000 ft	0	KOKSY VORTAC
DME	-	2.65472	10,668 m		
FERDI	UL607	50.91260	35,000 ft	38	-
FIX	AWY-HI	3.63697	10,668 m		
BUPAL	UL607	50.72310	35,000 ft	38	-
FIX	AWY-HI	4.60111	10,668 m		
REMBA	UL607	50.66220	35,000 ft	12	-
FIX	AWY-HI	4.91403	10,668 m		
SPI	UL607	50.51470	35,000 ft	28	SPRIMONT

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	5.62361	10,668 m		
PELIX	UL607	50.49690	35,000 ft	5	-
FIX	AWY-HI	5.76250	10,668 m		
MATUG	UL607	50.41670	35,000 ft	23	-
FIX	AWY-HI	6.36972	10,668 m		
GUBAX	UZ660	50.29030	35,000 ft	59	-
FIX	AWY-HI	7.91120	10,668 m		
RASPU	UZ660	50.07280	35,000 ft	85	-
FIX	AWY-HI	10.09860	10,668 m		
BOREP	UZ660	49.96580	35,000 ft	21	-
FIX	AWY-HI	10.62780	10,668 m		
BAMAS	UZ660	49.88000	35,000 ft	16	-
FIX	AWY-HI	11.04580	10,668 m		
KEPOM	UZ660	49.80810	35,000 ft	13	-
FIX	AWY-HI	11.38280	10,668 m		
ENITA	UZ660	49.70210	35,000 ft	42	-
FIX	AWY-HI	12.47390	10,668 m		
ETVIS	Z660	49.65380	35,000 ft	13	-
FIX	AWY-HI	12.81740	10,668 m		
ROKEM	Z660	49.52530	35,000 ft	35	-
FIX	AWY-HI	13.69470	10,668 m		
IVOLI	Z650	49.00060	35,000 ft	112	-
FIX	AWY-HI	16.45790	10,668 m		
PEPIK	Z650	48.78280	35,000 ft	27	-
FIX	AWY-HI	17.07920	10,668 m		
BERVA	-	48.61750	35,000 ft	20	-
FIX	-	17.54110	10,668 m		
ABITU	-	48.33330	35,000 ft	35	-
FIX	-	18.32470	10,668 m		
INVED	-	46.15780	35,000 ft	155	-
FIX	-	20.40140	10,668 m		
PADGU	L606	44.77860	35,000 ft	124	-
FIX	AWY-HI	22.61060	10,668 m		
OVDOT	L606	44.53890	35,000 ft	21	-
FIX	AWY-HI	22.97690	10,668 m		
NULGO	L606	44.04500	35,000 ft	43	-
FIX	AWY-HI	23.71720	10,668 m		
TIMUR	L606	43.68890	35,000 ft	31	-
FIX	AWY-HI	24.23920	10,668 m		
RILEX	L867	41.97110	20,800 ft	151	-
FIX	AWY-HI	26.76640	6,340 m		
LTFM	-	41.28010	0 ft	97	Istanbul
APT	-	28.72500	0 m		

MMM

Region: MEXICO
Timezone: AMERICA/MEXICO_CITY
Runways: 2

Elevation: 7,315 ft / 2,230 m
Location: 19.436300 -99.072100
Magnetic Var: 3.893 E

METAR

MMM 091145Z 07005KT 7SM OVC100 17/13 A3029 NOSIG RMK SLP075 52004 958 8/07/ HZY

TAF

TAF MMM 091106Z 0912/1012 03005KT P6SM SCT020 TX30/0921Z TN16/0912Z FM091800 06010KT P6SM SCT020 FM092100 08012K

Frequencies

REC - 127.65 MHz - D-ATIS	CLD - 122.10 MHz - CLEARANCE DELIVERY
GND - 121.85 MHz - MEXICO GROUND	GND - 121.00 MHz - MEXICO GROUND
GND - 122.80 MHz - MEXICO GROUND	TWR - 118.55 MHz - MEXICO TOWER
TWR - 118.70 MHz - MEXICO TOWER	TWR - 118.15 MHz - MEXICO TOWER
APP - 119.75 MHz - MEXICO APPROACH	APP - 121.20 MHz - MEXICO APPROACH
DEP - 129.10 MHz - MEXICO DEPARTURE	DEP - 120.50 MHz - MEXICO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	148 ft	13,427 ft	59.24	ASPHALT	1,841 ft	325 ft
	45 m	4,093 m	55.35		561 m	99 m
23L	148 ft	13,427 ft	239.25	ASPHALT	289 ft	0 ft
	45 m	4,093 m	235.36		88 m	0 m
05L	148 ft	12,912 ft	59.25	ASPHALT	1,568 ft	0 ft
	45 m	3,936 m	55.36		478 m	0 m
23R	148 ft	12,912 ft	239.26	ASPHALT	1,670 ft	177 ft
	45 m	3,936 m	235.37		509 m	54 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IMWX	109.10 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
23L	DME	IMEX	109.70 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
05R	LOC-ILS	IMWX	109.10 MHz	18 nm	59.25	-	7,315 ft
				33 km	55.36		7,315 m
23L	LOC-ILS	IMEX	109.70 MHz	18 nm	239.25	-	7,315 ft
				33 km	235.36		7,315 m
05R	GS	IMWX	109.10 MHz	10 nm	59.25	3.00	7,315 ft
				19 km	55.36		7,315 m
23L	GS	IMEX	109.70 MHz	10 nm	239.25	3.00	7,315 ft
				19 km	235.36		7,315 m

LTFM

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 5

Elevation: 325 ft / 99 m
Location: 41.280100 28.725000
Magnetic Var: 6.112 E

METAR

LTFM 091220Z 05011KT CAVOK 26/17 Q1012 NOSIG RMK RWY17L 05011KT RWY34L 02011KT 350V050 RWY16R 04010KT 350V060 RWY

TAF

TAF LTFM 091040Z 0912/1018 03013KT CAVOK BECMG 0917/0920 11006KT SCT015 PROB30 1001/1005 3200 BR BKN006 BECMG 100

Frequencies

REC - 126.35 MHz - ATIS ARRIVAL	REC - 128.85 MHz - ATIS DEPARTURE
TWR - 118.07 MHz - ISTANBUL TOWER	TWR - 120.05 MHz - ISTANBUL TOWER
TWR - 120.95 MHz - ISTANBUL TOWER	TWR - 122.70 MHz - ISTANBUL TOWER
TWR - 124.25 MHz - ISTANBUL TOWER	TWR - 124.85 MHz - ISTANBUL TOWER
TWR - 130.27 MHz - ISTANBUL TOWER	TWR - 130.62 MHz - ISTANBUL TOWER
TWR - 130.80 MHz - ISTANBUL TOWER	TWR - 131.02 MHz - ISTANBUL TOWER
TWR - 131.10 MHz - ISTANBUL TOWER	GND - 121.55 MHz - ISTANBUL GROUND
GND - 121.57 MHz - ISTANBUL GROUND	GND - 121.62 MHz - ISTANBUL GROUND
GND - 121.67 MHz - ISTANBUL GROUND	GND - 121.72 MHz - ISTANBUL GROUND
GND - 121.75 MHz - ISTANBUL GROUND	GND - 121.77 MHz - ISTANBUL GROUND
GND - 121.80 MHz - ISTANBUL GROUND	GND - 121.82 MHz - ISTANBUL GROUND
GND - 121.87 MHz - ISTANBUL GROUND	GND - 121.92 MHz - ISTANBUL GROUND
GND - 122.60 MHz - ISTANBUL GROUND	GND - 124.72 MHz - ISTANBUL GROUND
GND - 124.92 MHz - ISTANBUL GROUND	GND - 126.30 MHz - ISTANBUL GROUND
GND - 126.82 MHz - ISTANBUL GROUND	GND - 126.92 MHz - ISTANBUL GROUND
GND - 127.92 MHz - ISTANBUL GROUND	GND - 130.20 MHz - ISTANBUL GROUND
CLD - 121.70 MHz - CLEARANCE DELIVERY	CLD - 129.17 MHz - CLEARANCE DELIVERY
APP - 132.95 MHz - YESILKOY APPROACH	APP - 128.72 MHz - YESILKOY APPROACH
APP - 130.30 MHz - YESILKOY APPROACH	APP - 131.12 MHz - YESILKOY APPROACH
APP - 132.05 MHz - YESILKOY APPROACH	APP - 132.32 MHz - YESILKOY APPROACH
APP - 132.47 MHz - YESILKOY APPROACH	APP - 132.77 MHz - YESILKOY APPROACH
APP - 127.82 MHz - YESILKOY APPROACH	APP - 133.07 MHz - YESILKOY APPROACH
APP - 133.22 MHz - YESILKOY APPROACH	APP - 127.10 MHz - YESILKOY APPROACH
APP - 120.70 MHz - YESILKOY APPROACH	APP - 126.42 MHz - YESILKOY APPROACH
APP - 122.67 MHz - YESILKOY APPROACH	APP - 120.50 MHz - YESILKOY APPROACH
APP - 122.47 MHz - YESILKOY APPROACH	APP - 118.95 MHz - YESILKOY APPROACH
APP - 119.35 MHz - YESILKOY APPROACH	APP - 119.47 MHz - YESILKOY APPROACH
APP - 120.12 MHz - YESILKOY APPROACH	APP - 120.45 MHz - YESILKOY APPROACH
APP - 121.10 MHz - YESILKOY APPROACH	APP - 121.25 MHz - YESILKOY APPROACH
APP - 122.57 MHz - YESILKOY APPROACH	APP - 118.95 MHz - YESILKOY RADAR
APP - 119.35 MHz - YESILKOY RADAR	APP - 119.47 MHz - YESILKOY RADAR
APP - 120.12 MHz - YESILKOY RADAR	APP - 120.45 MHz - YESILKOY RADAR
APP - 120.50 MHz - YESILKOY RADAR	APP - 120.70 MHz - YESILKOY RADAR
APP - 121.10 MHz - YESILKOY RADAR	APP - 121.25 MHz - YESILKOY RADAR
APP - 122.47 MHz - YESILKOY RADAR	APP - 122.57 MHz - YESILKOY RADAR
APP - 122.67 MHz - YESILKOY RADAR	APP - 126.42 MHz - YESILKOY RADAR
APP - 127.10 MHz - YESILKOY RADAR	APP - 127.82 MHz - YESILKOY RADAR
APP - 128.72 MHz - YESILKOY RADAR	APP - 130.30 MHz - YESILKOY RADAR
APP - 131.12 MHz - YESILKOY RADAR	APP - 132.05 MHz - YESILKOY RADAR
APP - 132.32 MHz - YESILKOY RADAR	APP - 132.47 MHz - YESILKOY RADAR
APP - 132.77 MHz - YESILKOY RADAR	APP - 132.95 MHz - YESILKOY RADAR
APP - 133.75 MHz - YESILKOY RADAR	APP - 133.22 MHz - YESILKOY RADAR
DEP - 131.12 MHz - YESILKOY DEPARTURE	DEP - 132.05 MHz - YESILKOY DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	10,098 ft	178.89	ASPHALT	0 ft	190 ft
	45 m	3,078 m	172.78		0 m	58 m
36	148 ft	10,098 ft	358.89	ASPHALT	0 ft	197 ft
	45 m	3,078 m	352.78		0 m	60 m
17L	197 ft	13,478 ft	179.11	ASPHALT	0 ft	194 ft
	60 m	4,108 m	173.00		0 m	59 m
35R	197 ft	13,478 ft	359.11	ASPHALT	0 ft	197 ft
	60 m	4,108 m	353.00		0 m	60 m
17R	146 ft	13,479 ft	179.12	ASPHALT	0 ft	197 ft
	45 m	4,108 m	173.01		0 m	60 m
35L	146 ft	13,479 ft	359.12	ASPHALT	0 ft	197 ft
	45 m	4,108 m	353.01		0 m	60 m
16L	142 ft	12,326 ft	179.11	ASPHALT	0 ft	197 ft
	43 m	3,757 m	173.00		0 m	60 m
34R	142 ft	12,326 ft	359.12	ASPHALT	0 ft	197 ft
	43 m	3,757 m	353.00		0 m	60 m
16R	197 ft	12,325 ft	179.11	ASPHALT	0 ft	197 ft
	60 m	3,757 m	173.00		0 m	60 m
34L	197 ft	12,325 ft	359.11	ASPHALT	0 ft	203 ft
	60 m	3,757 m	353.00		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16R	LOC-ILS	IUCB	110.35 MHz	18 nm	179.11	-	325 ft
				33 km	173.00		325 m
17L	LOC-ILS	IUCF	111.95 MHz	18 nm	179.11	-	325 ft
				33 km	173.00		325 m
18	LOC-ILS	IUCD	110.95 MHz	18 nm	178.89	-	325 ft
				33 km	172.78		325 m
34L	LOC-ILS	IUCA	108.55 MHz	18 nm	359.11	-	325 ft
				33 km	353.00		325 m
35R	LOC-ILS	IUCE	109.55 MHz	18 nm	359.11	-	325 ft
				33 km	353.00		325 m
36	LOC-ILS	IUCC	111.35 MHz	18 nm	358.89	-	325 ft
				33 km	352.78		325 m
16R	GS	IUCB	110.35 MHz	10 nm	179.11	3.00	325 ft
				19 km	173.00		325 m
17L	GS	IUCF	111.95 MHz	10 nm	179.11	3.00	325 ft
				19 km	173.00		325 m
18	GS	IUCD	110.95 MHz	10 nm	178.89	3.00	325 ft
				19 km	172.78		325 m
34L	GS	IUCA	108.55 MHz	10 nm	359.11	3.00	325 ft
				19 km	353.00		325 m
35R	GS	IUCE	109.55 MHz	10 nm	359.11	3.00	325 ft
				19 km	353.00		325 m
36	GS	IUCC	111.35 MHz	10 nm	358.89	3.00	325 ft
				19 km	352.78		325 m