


2024/05/05 0502Z

BGSF D272Q BADEG PEMOS DANOR EBAVA CH442 RUBAT EKCH

2006.11 nm / 3715.32 km



## Notes

Requested: BGSF D272Q BADEG PEMOS DANOR EBAVA CH442 RUBAT EKCH

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
BGSF	-	67.01700	0 ft	-	Kangerlussuaq
APT	-	-50.68930	0 m	-	
D272Q	-	66.88470	0 ft	16	-
FIX	-	-51.31640	0 m	-	-
BADEG	-	66.31670	0 ft	97	-
FIX	-	-47.50000	0 m	-	-
PEMOS	-	61.00000	0 ft	1175	-
FIX	-	-4.00000	0 m	-	-
DANOR	-	56.20190	0 ft	374	-
FIX	-	3.64528	0 m	-	-
EBAVA	-	54.71670	0 ft	256	-
FIX	-	10.70000	0 m	-	-
CH442	-	55.38610	0 ft	67	-
FIX	-	12.28740	0 m	-	-
RUBAT	-	55.56900	0 ft	14	-
FIX	-	12.56770	0 m	-	-
EKCH	-	55.61790	0 ft	4	Kastrup
APT	-	12.65600	0 m	-	

## BGSF

Region: GREENLAND  
Timezone: AMERICA/GODTHAB  
Runways: 1

Elevation: 165 ft / 50 m  
Location: 67.017000 -50.689300  
Magnetic Var: 26.472 W

## METAR

BGSF 050350Z AUTO 07004KT 9999NDV OVC036/// M06/M14 Q1022

## TAF

TAF TAF BGSF 042301Z 0500/0606 05008KT 9999 BKN040 TEMPO 0500/0606 BKN030

## Frequencies

TWR - 118.30 MHz -

APP - 126.20 MHz - APP/DEP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	197 ft	9,171 ft	61.58	ASPHALT	0 ft	489 ft
	60 m	2,795 m	88.05		0 m	149 m
28	197 ft	9,171 ft	241.63	ASPHALT	0 ft	164 ft
	60 m	2,795 m	268.10		0 m	50 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	ISF	109.55 MHz	18 nm	-	-	172 ft
				33 km	-		172 m
10	LOC-LOC	ISF	109.55 MHz	18 nm	61.60	-	165 ft
				33 km	88.07		165 m

## EKCH

Region: DENMARK / FAROE ISLANDS  
Timezone: EUROPE/COPENHAGEN  
Runways: 3

Elevation: 17 ft / 5 m  
Location: 55.617900 12.656000  
Magnetic Var: 4.669 E

## METAR

EKCH 050420Z 11004KT 3000 BR FEW018 BKN080 10/09 Q1010 BECMG 8000

## TAF

TAF EKCH 042322Z 0500/0524 11002KT 9999 SCT025 TEMPO 0500/0505 2000 BR TEMPO 0505/0509 SHRA SCT030CB BECMG 0509/0512 11002KT 3000 BR FEW018 BKN080 10/09 Q1010 BECMG 8000

## Frequencies

REC - 122.75 MHz - KASTRUP ARRIVAL INFORMATION	REC - 122.85 MHz - KASTRUP DEPARTURE INFORMATION
CLD - 119.90 MHz - CLEARANCE DELIVERY	GND - 121.62 MHz - APRON
GND - 121.72 MHz - APRON	GND - 121.90 MHz - APRON
TWR - 118.10 MHz - TOWER (ARRIVAL)	TWR - 118.57 MHz - TOWER
TWR - 118.70 MHz - TOWER (VFR)	TWR - 119.35 MHz - TOWER (DEPARTURE)
APP - 120.20 MHz - FINAL	APP - 119.80 MHz - COPENHAGEN APPROACH
DEP - 120.25 MHz - DEPARTURE	DEP - 124.95 MHz - DEPARTURE
APP - 118.45 MHz - ARRIVAL	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	148 ft	11,695 ft	41.13	ASPHALT	0 ft	0 ft
	45 m	3,565 m	36.46		0 m	0 m
22R	148 ft	11,695 ft	221.16	ASPHALT	1,870 ft	0 ft
	45 m	3,565 m	216.49		570 m	0 m
04R	148 ft	10,814 ft	41.14	ASPHALT	0 ft	0 ft
	45 m	3,296 m	36.48		0 m	0 m
22L	148 ft	10,814 ft	221.17	ASPHALT	0 ft	0 ft
	45 m	3,296 m	216.50		0 m	0 m
12	148 ft	10,046 ft	123.21	ASPHALT	2,306 ft	0 ft
	45 m	3,062 m	118.54		703 m	0 m
30	148 ft	10,046 ft	303.24	ASPHALT	886 ft	0 ft
	45 m	3,062 m	298.58		270 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	CH	110.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
12	DME	KA	109.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
22L	DME	OXS	109.50 MHz	18 nm	-	-	7 ft
				33 km	-		7 m
22R	DME	KLK	110.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
30	DME	OY	108.90 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
04L	LOC-ILS	CH	110.50 MHz	18 nm	41.16	-	17 ft
				33 km	36.49		17 m
04R	LOC-ILS	NE	109.30 MHz	18 nm	41.18	-	17 ft
				33 km	36.51		17 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	KA	109.90 MHz	18 nm	123.25	-	17 ft
				33 km	118.58		17 m
22L	LOC-ILS	OXS	109.50 MHz	18 nm	221.14	-	17 ft
				33 km	216.47		17 m
22R	LOC-ILS	KLK	110.90 MHz	18 nm	221.14	-	17 ft
				33 km	216.48		17 m
30	LOC-ILS	OY	108.90 MHz	18 nm	303.23	-	17 ft
				33 km	298.56		17 m
04L	GS	CH	110.50 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.66		17 m
04R	GS	NE	109.30 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.65		17 m
12	GS	KA	109.90 MHz	10 nm	123.46	3.00	17 ft
				19 km	118.79		17 m
22L	GS	OXS	109.50 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.65		17 m
22R	GS	KLK	110.90 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.66		17 m
30	GS	OY	108.90 MHz	10 nm	303.46	3.00	17 ft
				19 km	298.79		17 m