


2024/05/03 2056Z

OMDB ORSAR **B416** GOGMA **UB416** AMBIK IMDOX BOXIK **UL602** RALKA **G795** TASMI **L602** LOVEK **UL602** DELMI **G202**
TAN **A21** KTN **R785** NIKAS **UL619** VESAR **UN135** AYT AYT AYT **UN135** IMR **UG802** PIVOS **UN130** ETRUD **UW58** SKP
AGH **UV651** YNN **UM600** KRK **UL995** TIGRA **Q772** XAPAT **M603** BRD **L995** TEA **Z803** LAT OST **Q160** MEDAL **M729** ELB
M616 DOBIM **UM616** AKUTI LFMN

2675.26 nm / 4954.58 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no

- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMDB	-	25.25110	0 ft	-	Dubai Intl
APT	-	55.37110	0 m		
ORSAR	-	26.07500	32,500 ft	91	-
FIX	-	53.95830	9,906 m		
LEVNA	B416	26.25970	35,000 ft	20	-
FIX	AWY-HI	53.64920	10,668 m		
EGMIT	B416	26.56110	35,000 ft	32	-
FIX	AWY-HI	53.14030	10,668 m		
PEGET	B416	27.07610	35,000 ft	56	-
FIX	AWY-HI	52.25420	10,668 m		
DURSI	B416	27.20530	35,000 ft	14	-
FIX	AWY-HI	52.02890	10,668 m		
IMDAT	B416	27.68330	35,000 ft	53	-
FIX	AWY-HI	51.18330	10,668 m		
KUVER	B416	28.15690	35,000 ft	64	-
FIX	AWY-HI	50.10000	10,668 m		
GOGMA	B416	28.23920	35,000 ft	9	-
FIX	AWY-HI	49.93670	10,668 m		
GEVAL	UB416	28.35030	35,000 ft	13	-
FIX	AWY-HI	49.71670	10,668 m		
TESSO	UB416	28.48110	35,000 ft	15	-
FIX	AWY-HI	49.45640	10,668 m		
AMBIK	UB416	28.53940	35,000 ft	7	-
FIX	AWY-HI	49.34030	10,668 m		
IMDOX	-	28.58190	35,000 ft	5	-
FIX	-	49.24390	10,668 m		
BOXIK	-	28.80390	35,000 ft	27	-
FIX	-	48.79280	10,668 m		
RALKA	UL602	29.43640	35,000 ft	45	-
FIX	AWY-HI	48.30530	10,668 m		
TASMI	G795	30.02220	35,000 ft	40	-
FIX	AWY-HI	47.91810	10,668 m		
GADSI	L602	30.56610	35,000 ft	50	-
FIX	AWY-HI	47.18780	10,668 m		
ALPET	L602	31.20530	35,000 ft	59	-
FIX	AWY-HI	46.31220	10,668 m		
ITBIT	L602	31.79310	35,000 ft	55	-
FIX	AWY-HI	45.48810	10,668 m		
MUTLO	L602	32.17190	35,000 ft	35	-
FIX	AWY-HI	44.95080	10,668 m		
LOVEK	L602	32.36890	35,000 ft	18	-
FIX	AWY-HI	44.66690	10,668 m		
DELMi	UL602	33.32170	35,000 ft	92	-
FIX	AWY-HI	43.22440	10,668 m		
PUSTO	G202	33.35000	35,000 ft	23	-
FIX	AWY-HI	42.75000	10,668 m		
RAPLU	G202	33.38330	35,000 ft	49	-
FIX	AWY-HI	41.75830	10,668 m		
MODIK	G202	33.46830	35,000 ft	137	-
FIX	AWY-HI	39.01670	10,668 m		
TAN	G202	33.48240	35,000 ft	18	TANF
VOR	AWY-HI	38.65410	10,668 m		
FIRAS	A21	33.87190	35,000 ft	43	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	37.92000	10,668 m		
KTN	A21	34.21330	35,000 ft	38	KARIATAIN
VOR	AWY-HI	37.26420	10,668 m		
BRAVO	R785	34.69300	35,000 ft	41	-
FIX	AWY-HI	36.65300	10,668 m		
BAN	R785	35.22830	35,000 ft	46	BANIAS
NDB	AWY-HI	35.95790	10,668 m		
Ø7BAN	R785	35.20780	35,000 ft	6	-
FIX	AWY-HI	35.82110	10,668 m		
NIKAS	R785	35.19330	35,000 ft	5	-
FIX	AWY-HI	35.71670	10,668 m		
VESAR	UL619	35.91560	35,000 ft	93	-
FIX	AWY-HI	34.01610	10,668 m		
NEKES	UN135	36.15360	35,000 ft	38	-
FIX	AWY-HI	33.28470	10,668 m		
TUKTU	UN135	36.33470	35,000 ft	29	-
FIX	AWY-HI	32.71610	10,668 m		
KULOL	UN135	36.68300	35,000 ft	58	-
FIX	AWY-HI	31.59370	10,668 m		
ADASU	UN135	36.75110	35,000 ft	10	-
FIX	AWY-HI	31.38890	10,668 m		
AYT	UN135	36.92140	35,000 ft	30	ANTALYA VOR-DME
DME	AWY-HI	30.79690	10,668 m		
AYT	-	36.92080	35,000 ft	0	ANTALYA
VOR	-	30.79450	10,668 m		
AYT	-	36.91560	35,000 ft	0	ANTALYA TACAN
DME	-	30.78280	10,668 m		
ERGIN	UN135	37.23000	35,000 ft	42	-
FIX	AWY-HI	29.99940	10,668 m		
NESIL	UN135	37.34310	35,000 ft	14	-
FIX	AWY-HI	29.72310	10,668 m		
BALSU	UN135	37.45830	35,000 ft	15	-
FIX	AWY-HI	29.42360	10,668 m		
LAVTA	UN135	37.72170	35,000 ft	37	-
FIX	AWY-HI	28.70330	10,668 m		
BAPSI	UN135	38.00230	35,000 ft	41	-
FIX	AWY-HI	27.90430	10,668 m		
KUMAN	UN135	38.03170	35,000 ft	3	-
FIX	AWY-HI	27.83280	10,668 m		
IMR	UN135	38.31740	35,000 ft	42	IZMIR
VOR	AWY-HI	27.00720	10,668 m		
VEXOL	UG802	38.34890	35,000 ft	37	-
FIX	AWY-HI	26.20500	10,668 m		
HOS	UG802	38.34950	35,000 ft	2	CHIOS
VOR	AWY-HI	26.14270	10,668 m		
KERMA	UG802	38.36860	35,000 ft	13	-
FIX	AWY-HI	25.86000	10,668 m		
NEMIS	UG802	38.37310	35,000 ft	3	-
FIX	AWY-HI	25.78780	10,668 m		
PIVOS	UG802	38.37470	35,000 ft	1	-
FIX	AWY-HI	25.75030	10,668 m		
ETRUD	UN130	39.10780	35,000 ft	62	-
FIX	AWY-HI	24.81110	10,668 m		
ATROX	UW58	39.11170	35,000 ft	3	-
FIX	AWY-HI	24.73580	10,668 m		
ETEKKA	UW58	39.15780	35,000 ft	34	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	24.00640	10,668 m		
SKP	UW58	39.18060	35,000 ft	18	SKOPELOS
VOR	AWY-HI	23.61590	10,668 m		
AGH	-	39.21620	35,000 ft	38	ANCHIALOS
VOR	-	22.79190	10,668 m		
LUSES	UV651	39.31470	35,000 ft	18	-
FIX	AWY-HI	22.40690	10,668 m		
YNN	UV651	39.70000	35,000 ft	77	IOANNINA
VOR	AWY-HI	20.82130	10,668 m		
PARAX	UM600	39.56000	35,000 ft	20	-
FIX	AWY-HI	20.40970	10,668 m		
KRK	UM600	39.44390	35,000 ft	17	KERKIRA
VOR	AWY-HI	20.07280	10,668 m		
TIGRA	UL995	40.05670	35,000 ft	61	-
FIX	AWY-HI	19.00000	10,668 m		
XAPAT	Q772	40.60810	35,000 ft	46	-
FIX	AWY-HI	18.29060	10,668 m		
BRD	M603	40.61090	35,000 ft	13	BRINDISI
VOR	AWY-HI	18.00290	10,668 m		
ROBOT	L995	40.70970	35,000 ft	25	-
FIX	AWY-HI	17.46940	10,668 m		
LUXIL	L995	40.81920	35,000 ft	28	-
FIX	AWY-HI	16.87080	10,668 m		
TOPNO	L995	40.95170	35,000 ft	35	-
FIX	AWY-HI	16.10780	10,668 m		
DOGUS	L995	41.02000	35,000 ft	18	-
FIX	AWY-HI	15.70330	10,668 m		
EKTOL	L995	41.10780	35,000 ft	24	-
FIX	AWY-HI	15.17140	10,668 m		
AMSOR	L995	41.15720	35,000 ft	13	-
FIX	AWY-HI	14.86920	10,668 m		
AKAMO	L995	41.19080	35,000 ft	9	-
FIX	AWY-HI	14.65330	10,668 m		
TEA	L995	41.29680	35,000 ft	31	TEANO
VOR	AWY-HI	13.97070	10,668 m		
SIPRO	Z803	41.44600	35,000 ft	15	-
FIX	AWY-HI	13.68050	10,668 m		
LAT	Z803	41.54110	35,000 ft	34	LATINA
VOR	AWY-HI	12.91810	10,668 m		
OST	-	41.80380	35,000 ft	34	OSTIA
VOR	-	12.23750	10,668 m		
MEDAL	Q160	42.05280	35,000 ft	41	-
FIX	AWY-HI	11.37640	10,668 m		
GILIO	M729	42.36670	35,000 ft	27	-
FIX	AWY-HI	10.92610	10,668 m		
ELB	M729	42.73070	32,100 ft	32	ELBA
VOR	AWY-HI	10.39570	9,784 m		
DOBIM	M616	42.95390	25,400 ft	31	-
FIX	AWY-HI	9.75000	7,742 m		
GIRAG	UM616	42.99500	24,100 ft	5	-
FIX	AWY-HI	9.63000	7,346 m		
AKUTI	UM616	43.22720	17,000 ft	33	-
FIX	AWY-HI	8.94028	5,182 m		
LFMN	-	43.65840	0 ft	79	Nice-Cote d'Azur
APT	-	7.21576	0 m		

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.352 E

METAR

OMDB 032000Z 12007KT CAVOK 28/21 Q1008 NOSIG

TAF

TAF OMDB 031700Z 0318/0500 16005KT CAVOK BECMG 0408/0410 34013KT BECMG 0416/0418 13005KT

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.18		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m

LFMN

Region: FRANCE
Timezone: UNKNOWN
Runways: 2

Elevation: 12 ft / 4 m
Location: 43.658400 7.215760
Magnetic Var: 2.734 E

METAR

LFMN 032030Z 09012KT CAVOK 15/13 Q1012 NOSIG

TAF

TAF LFMN 032000Z 0321/0503 08015KT CAVOK BECMG 0321/0324 34008KT PROB40 TEMPO 0400/0406 09010KT BKN015 BECMG 0408

Frequencies

REC - 129.60 MHz - NICE ATIS	GND - 121.70 MHz - NICE GROUND
TWR - 118.70 MHz - NICE TOWER	TWR - 123.15 MHz - NICE TOWER
APP - 134.47 MHz - NICE WEST APPROACH	APP - 120.65 MHz - NICE APPROACH
APP - 128.20 MHz - NICE APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,706 ft	44.86	ASPHALT	0 ft	417 ft
	45 m	2,958 m	42.13		0 m	127 m
22L	148 ft	9,706 ft	224.88	ASPHALT	0 ft	525 ft
	45 m	2,958 m	222.14		0 m	160 m
04L	148 ft	8,992 ft	44.86	ASPHALT	0 ft	161 ft
	45 m	2,741 m	42.12		0 m	49 m
22R	148 ft	8,992 ft	224.88	ASPHALT	564 ft	0 ft
	45 m	2,741 m	222.14		172 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	NI	109.95 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04R	DME	NA	110.70 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04L	LOC-ILS	NI	109.95 MHz	18 nm	44.87	-	12 ft
				33 km	42.14		12 m
04R	LOC-ILS	NA	110.70 MHz	18 nm	44.87	-	12 ft
				33 km	42.14		12 m
04L	GS	NI	109.95 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.14		12 m
04R	GS	NA	110.70 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.14		12 m