


2024/06/04 0817Z

LSGG MEDAM NITAM MOGBO LOGDI TORPO DIXUM GORAV GINAM NISVA **L614** ADORU BAG **UL333** DASIS **M317** KUPTO  
**G666** LAM **UL223** SIR **L223** VUTEB OMDB

2799.79 nm / 5185.21 km



## Notes

Requested: LSGG MEDAM NITAM MOGBO LOGDI TORPO DIXUM GORAV GINAM NISVA L614 ADORU UL614 BAG UL333 DASIS M317 KUPTO

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LSGG	-	46.23810	0 ft	-	Geneva
APT	-	6.10901	0 m		
MEDAM	-	45.26440	0 ft	68	-
FIX	-	6.94000	0 m		
NITAM	-	45.10610	0 ft	13	-
FIX	-	7.15778	0 m		
MOGBO	-	44.98170	0 ft	12	-
FIX	-	7.40806	0 m		
LOGDI	-	44.71310	0 ft	119	-
FIX	-	10.19610	0 m		
TORPO	-	43.56420	0 ft	194	-
FIX	-	14.42470	0 m		
DIXUM	-	43.49580	0 ft	120	-
FIX	-	17.19940	0 m		
GORAV	-	43.30810	0 ft	82	-
FIX	-	19.07780	0 m		
GINAM	-	43.30860	0 ft	100	-
FIX	-	21.37640	0 m		
NISVA	-	42.97280	0 ft	65	-
FIX	-	22.79750	0 m		
BLO	L614	42.66720	0 ft	48	BAILOVO
VOR	AWY-HI	23.81390	0 m		
DEDIN	L614	42.59420	0 ft	12	-
FIX	AWY-HI	24.07940	0 m		
GERGI	L614	42.18330	0 ft	68	-
FIX	AWY-HI	25.52190	0 m		
ADORU	L614	41.87170	0 ft	50	-
FIX	AWY-HI	26.56830	0 m		
BAG	-	40.06990	0 ft	302	BAGLUM (ANKARA)
VOR	-	32.81040	0 m		
ELDEN	UL333	39.90970	0 ft	120	-
FIX	AWY-HI	35.42920	0 m		
SIV	UL333	39.78970	0 ft	67	SIVAS
VOR	AWY-HI	36.89340	0 m		
ELNEM	UL333	39.75670	0 ft	60	-
FIX	AWY-HI	38.19810	0 m		
EBEDI	UL333	39.72500	0 ft	42	-
FIX	AWY-HI	39.12360	0 m		
ERN	UL333	39.70840	0 ft	18	ERZINCAN
VOR	AWY-HI	39.52930	0 m		
GELSU	UL333	39.55830	0 ft	48	-
FIX	AWY-HI	40.55690	0 m		
NEGOL	UL333	39.47640	0 ft	24	-
FIX	AWY-HI	41.07920	0 m		
LATSU	UL333	39.42080	0 ft	15	-
FIX	AWY-HI	41.41390	0 m		
DORUK	UL333	39.27920	0 ft	36	-
FIX	AWY-HI	42.18530	0 m		
DASIS	UL333	38.90860	0 ft	96	-
FIX	AWY-HI	44.20810	0 m		
KHY	M317	38.43370	0 ft	45	KHOY
VOR	AWY-HI	44.96640	0 m		
RABEM	M317	37.81140	0 ft	44	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	45.49690	0 m		
PARAS	M317	37.52580	0 ft	19	-
FIX	AWY-HI	45.69280	0 m		
ROVON	M317	37.26690	0 ft	18	-
FIX	AWY-HI	45.88940	0 m		
PAREX	M317	36.09080	0 ft	84	-
FIX	AWY-HI	46.86500	0 m		
KEBEP	M317	35.08170	0 ft	72	-
FIX	AWY-HI	47.67060	0 m		
NOTSA	M317	33.29580	0 ft	127	-
FIX	AWY-HI	49.05420	0 m		
RADID	M317	30.41470	0 ft	211	-
FIX	AWY-HI	51.42750	0 m		
IMGOD	M317	30.23860	0 ft	11	-
FIX	AWY-HI	51.51390	0 m		
KUPTO	M317	28.40500	0 ft	132	-
FIX	AWY-HI	52.90890	0 m		
LAM	G666	27.37280	0 ft	63	LAMERD
VOR	AWY-HI	53.18400	0 m		
KIS	UL223	26.52520	0 ft	65	KISH ISLAND
VOR	AWY-HI	53.96240	0 m		
SIR	UL223	25.91460	0 ft	47	SIRRI ISLAND
VOR	AWY-HI	54.53510	0 m		
TATLA	L223	25.79810	0 ft	10	-
FIX	AWY-HI	54.66890	0 m		
VUTEB	L223	25.61250	0 ft	15	-
FIX	AWY-HI	54.86360	0 m		
OMDB	-	25.25110	0 ft	35	Dubai Intl
APT	-	55.37110	0 m		

## LSGG

Region: SWITZERLAND  
Timezone: EUROPE/ZURICH  
Runways: 1

Elevation: 1,411 ft / 430 m  
Location: 46.238100 6.109010  
Magnetic Var: 2.519 E

## METAR

LSGG 040750Z AUTO 07005KT 040V100 9999 FEW021 17/12 Q1016 NOSIG

## TAF

TAF TAF LSGG 040525Z 0406/0512 05004KT 9999 BKN040 TX22/0415Z TN15/0406Z TN12/0505Z

## Frequencies

REC - 124.75 MHz - ATIS	REC - 135.57 MHz - ATIS
GND - 121.75 MHz - GENEVA APRON	GND - 121.85 MHz - GENEVA APRON
GND - 121.67 MHz - GENEVA GROUND	GND - 119.70 MHz - GENEVA GROUND
TWR - 118.70 MHz - GENEVA TOWER	TWR - 119.90 MHz - GENEVA TOWER
DEP - 131.32 MHz - GENEVA DEPARTURE	DEP - 119.52 MHz - GENEVA DEPARTURE
APP - 136.45 MHz - GENEVA TRANSIT	APP - 136.25 MHz - GENEVA ARRIVAL
APP - 130.55 MHz - GENEVA APPROACH	APP - 120.30 MHz - GENEVA FINAL

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	164 ft	12,806 ft	45.42	CONCRETE	1,076 ft	0 ft
	50 m	3,903 m	42.90		328 m	0 m
22	164 ft	12,806 ft	225.45	CONCRETE	0 ft	0 ft
	50 m	3,903 m	222.93		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	INE	110.90 MHz	18 nm	45.44	-	1,411 ft
				33 km	42.92		1,411 m
22	LOC-ILS	ISW	109.90 MHz	18 nm	225.44	-	1,411 ft
				33 km	222.92		1,411 m
04	GS	INE	110.90 MHz	10 nm	45.44	3.00	1,411 ft
				19 km	42.92		1,411 m
22	GS	ISW	109.90 MHz	10 nm	225.44	3.00	1,411 ft
				19 km	222.92		1,411 m

## OMDB

Region: UNITED ARAB EMIRATES  
Timezone: ASIA/DUBAI  
Runways: 2

Elevation: 62 ft / 19 m  
Location: 25.251100 55.371100  
Magnetic Var: 2.356 E

## METAR

OMDB 040800Z 31012KT 270V340 CAVOK 36/26 Q1003 NOSIG

## TAF

TAF OMDB 032300Z 0400/0506 VRB02KT 8000 NSC PROB30 0401/0404 4000 HZ BKN008 BECMG 0403/0405 19010KT BECMG 0408/0410 31012KT 270V340 CAVOK

## Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.14		302 m	115 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.13		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.18		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.18		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.13		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.13		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.18		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.18		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.13		62 m