

LSGG

Geneva


OMDB

Dubai Intl

2024/06/04 1354Z

LSGG BIBAN **Z927** EKDIR **M872** LOMED **M730** LIKNO **Q95** PAPIZ PINDO VEDIX ELPIS TSL **UM603** GOLDO **UG12** YAA
UG8 PIMAV **UL614** TOKER **UG8** GEM GEM **UW73** ERH ERH **UW73** DYB **UP975** NOLDO **P975** SIDAD **R784** IMDAT **B416**
ORSAR OMDB

2763.49 nm / 5117.98 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LSGG	-	46.23810	0 ft	-	Geneva
APT	-	6.10901	0 m		
BIBAN	-	45.92560	21,000 ft	58	-
FIX	-	7.45083	6,401 m		
EKDIR	Z927	44.20470	35,000 ft	172	-
FIX	AWY-HI	10.71000	10,668 m		
LOMED	M872	44.02720	35,000 ft	16	-
FIX	AWY-HI	11.00330	10,668 m		
VABMO	M730	43.92170	35,000 ft	27	-
FIX	AWY-HI	11.62420	10,668 m		
BAGNO	M730	43.89060	35,000 ft	7	-
FIX	AWY-HI	11.80220	10,668 m		
PIDEP	M730	43.81780	35,000 ft	18	-
FIX	AWY-HI	12.21750	10,668 m		
LIKNO	M730	43.79390	35,000 ft	5	-
FIX	AWY-HI	12.34830	10,668 m		
UTENO	Q95	43.25080	35,000 ft	66	-
FIX	AWY-HI	13.68220	10,668 m		
ETRAM	Q95	42.81500	35,000 ft	52	-
FIX	AWY-HI	14.72940	10,668 m		
PAPIZ	Q95	40.89170	35,000 ft	221	-
FIX	AWY-HI	18.95170	10,668 m		
PINDO	-	40.48080	35,000 ft	94	-
FIX	-	20.95580	10,668 m		
VEDIX	-	40.34810	35,000 ft	23	-
FIX	-	21.44030	10,668 m		
ELPIS	-	40.32610	35,000 ft	53	-
FIX	-	22.60310	10,668 m		
TSL	-	40.45680	35,000 ft	19	THESSALONIKI
VOR	-	22.99110	10,668 m		
ARNAS	UM603	40.52810	35,000 ft	22	-
FIX	AWY-HI	23.48060	10,668 m		
PEREN	UM603	40.59670	35,000 ft	22	-
FIX	AWY-HI	23.96780	10,668 m		
ASKOS	UM603	40.63810	35,000 ft	14	-
FIX	AWY-HI	24.27030	10,668 m		
SUTIS	UM603	40.70190	35,000 ft	22	-
FIX	AWY-HI	24.74860	10,668 m		
SOSUS	UM603	40.74420	35,000 ft	14	-
FIX	AWY-HI	25.07330	10,668 m		
IDILO	UM603	40.79060	35,000 ft	16	-
FIX	AWY-HI	25.43940	10,668 m		
ALX	UM603	40.85390	35,000 ft	23	ALEXANDROUPOLIS
VOR	AWY-HI	25.95670	10,668 m		
GOLDO	UM603	40.88220	35,000 ft	13	-
FIX	AWY-HI	26.24940	10,668 m		
GELBU	UG12	40.93530	35,000 ft	40	-
FIX	AWY-HI	27.14080	10,668 m		
EKI	UG12	40.95110	35,000 ft	12	TEKIRDAG
VOR	AWY-HI	27.42620	10,668 m		
YAA	UG12	40.47500	35,000 ft	85	YALOVA
VOR	AWY-HI	29.20750	10,668 m		
EKDAM	UG8	40.43480	35,000 ft	18	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	29.61730	10,668 m		
PIMAV	UG8	40.40060	35,000 ft	15	-
FIX	AWY-HI	29.95370	10,668 m		
TOKER	UL614	40.31330	35,000 ft	37	-
FIX	AWY-HI	30.77220	10,668 m		
UMRUN	UG8	40.18610	35,000 ft	51	-
FIX	AWY-HI	31.87790	10,668 m		
PETAR	UG8	40.17110	35,000 ft	9	-
FIX	AWY-HI	32.08140	10,668 m		
BAG	UG8	40.06990	35,000 ft	34	BAGLUM (ANKARA)
VOR	AWY-HI	32.81040	10,668 m		
KUBER	UG8	39.83220	35,000 ft	39	-
FIX	AWY-HI	33.61060	10,668 m		
GOBIT	UG8	39.77610	35,000 ft	13	-
FIX	AWY-HI	33.88690	10,668 m		
MARTI	UG8	39.40170	35,000 ft	64	-
FIX	AWY-HI	35.18280	10,668 m		
GEM	UG8	39.15530	35,000 ft	42	GEMEREK VOR-DME
DME	AWY-HI	36.02920	10,668 m		
GEM	-	39.15380	35,000 ft	0	GEMEREK
VOR	-	36.02850	10,668 m		
UREBO	UW73	38.78940	35,000 ft	56	-
FIX	AWY-HI	37.14420	10,668 m		
ERH	UW73	38.44160	35,000 ft	48	ERHAC TACAN
DME	AWY-HI	38.08620	10,668 m		
ERH	-	38.46250	35,000 ft	1	MALATYA
VOR	-	38.11210	10,668 m		
ASKER	UW73	38.27690	35,000 ft	33	-
FIX	AWY-HI	38.78470	10,668 m		
DIGIL	UW73	38.19530	35,000 ft	14	-
FIX	AWY-HI	39.07720	10,668 m		
MOVUL	UW73	38.15290	35,000 ft	7	-
FIX	AWY-HI	39.23200	10,668 m		
DYB	UW73	37.87340	35,000 ft	49	DIYARBAKIR
VOR	AWY-HI	40.20820	10,668 m		
LEKRO	UP975	37.27740	35,000 ft	51	-
FIX	AWY-HI	40.97150	10,668 m		
LESRI	UP975	37.07220	35,000 ft	17	-
FIX	AWY-HI	41.23030	10,668 m		
SIDNA	UP975	36.56610	35,000 ft	37	-
FIX	AWY-HI	41.68310	10,668 m		
TUBEN	UP975	35.29000	35,000 ft	97	-
FIX	AWY-HI	42.90940	10,668 m		
MUTAG	UP975	34.50080	35,000 ft	59	-
FIX	AWY-HI	43.64280	10,668 m		
SOGUM	UP975	34.20330	35,000 ft	22	-
FIX	AWY-HI	43.91500	10,668 m		
PUTSI	UP975	33.53330	35,000 ft	53	-
FIX	AWY-HI	44.61670	10,668 m		
SINKA	UP975	33.36030	35,000 ft	13	-
FIX	AWY-HI	44.79810	10,668 m		
NOLDO	UP975	32.82560	35,000 ft	42	-
FIX	AWY-HI	45.35810	10,668 m		
KATUT	P975	32.62690	35,000 ft	16	-
FIX	AWY-HI	45.57750	10,668 m		
DENKI	P975	32.37440	35,000 ft	20	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	45.85610	10,668 m		
ILMAP	P975	31.35920	35,000 ft	82	-
FIX	AWY-HI	46.95060	10,668 m		
PEBAD	P975	30.83970	35,000 ft	42	-
FIX	AWY-HI	47.49940	10,668 m		
SIDAD	P975	29.87530	35,000 ft	77	-
FIX	AWY-HI	48.49560	10,668 m		
DESLU	R784	29.46670	35,000 ft	37	-
FIX	AWY-HI	49.03060	10,668 m		
NANPI	R784	29.08250	35,000 ft	34	-
FIX	AWY-HI	49.53250	10,668 m		
ALNIN	R784	28.55170	35,000 ft	46	-
FIX	AWY-HI	50.17670	10,668 m		
IMDAT	R784	27.68330	35,000 ft	74	-
FIX	AWY-HI	51.18330	10,668 m		
DURSI	B416	27.20530	35,000 ft	53	-
FIX	AWY-HI	52.02890	10,668 m		
PEGET	B416	27.07610	35,000 ft	14	-
FIX	AWY-HI	52.25420	10,668 m		
EGMIT	B416	26.56110	30,800 ft	56	-
FIX	AWY-HI	53.14030	9,388 m		
LEVNA	B416	26.25970	23,800 ft	32	-
FIX	AWY-HI	53.64920	7,254 m		
ORSAR	B416	26.07500	19,500 ft	20	-
FIX	AWY-HI	53.95830	5,944 m		
OMDB	-	25.25110	0 ft	91	Dubai Intl
APT	-	55.37110	0 m		

LSGG

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 1

Elevation: 1,411 ft / 430 m
Location: 46.238100 6.109010
Magnetic Var: 2.519 E

METAR

LSGG 041320Z AUTO 23007KT 190V280 9999 FEW044 23/12 Q1013 NOSIG

TAF

TAF AMD LSGG 041340Z 0413/0518 23008KT 9999 FEW045 TX22/0415Z TN12/0505Z TX26/0515Z BECMG 0418/0421 VRB02KT BECMG

Frequencies

REC - 124.75 MHz - ATIS	REC - 135.57 MHz - ATIS
GND - 121.75 MHz - GENEVA APRON	GND - 121.85 MHz - GENEVA APRON
GND - 121.67 MHz - GENEVA GROUND	GND - 119.70 MHz - GENEVA GROUND
TWR - 118.70 MHz - GENEVA TOWER	TWR - 119.90 MHz - GENEVA TOWER
DEP - 131.32 MHz - GENEVA DEPARTURE	DEP - 119.52 MHz - GENEVA DEPARTURE
APP - 136.45 MHz - GENEVA TRANSIT	APP - 136.25 MHz - GENEVA ARRIVAL
APP - 130.55 MHz - GENEVA APPROACH	APP - 120.30 MHz - GENEVA FINAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	164 ft	12,806 ft	45.42	CONCRETE	1,076 ft	0 ft
	50 m	3,903 m	42.90		328 m	0 m
22	164 ft	12,806 ft	225.45	CONCRETE	0 ft	0 ft
	50 m	3,903 m	222.93		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	INE	110.90 MHz	18 nm	45.44	-	1,411 ft
				33 km	42.92		1,411 m
22	LOC-ILS	ISW	109.90 MHz	18 nm	225.44	-	1,411 ft
				33 km	222.92		1,411 m
04	GS	INE	110.90 MHz	10 nm	45.44	3.00	1,411 ft
				19 km	42.92		1,411 m
22	GS	ISW	109.90 MHz	10 nm	225.44	3.00	1,411 ft
				19 km	222.92		1,411 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.356 E

METAR

OMDB 041300Z 33009KT 300V010 8000 NSC 36/26 Q1001 NOSIG

TAF

TAF OMDB 041100Z 0412/0518 32012KT 8000 NSC BECMG 0416/0418 VRB02KT BECMG 0503/0505 19015KT PROB30 0505/0508 4000

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.14		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.13		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.18		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.18		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.13		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.13		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.18		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.18		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.13		62 m