

OIII

Tehran Mehrabad Intl


OIAW

Ahwaz

2024/05/21 2211Z

OIII DEKBA W7 ARK G667 ALTAX OIAW

295.89 nm / 547.98 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 32000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OIII APT	-	35.69260 51.31750	0 ft 0 m	-	Tehran Mehrabad Intl
DEKBA FIX	-	34.36250 50.14220	32,000 ft 9,754 m	98	-
ARK VOR	W7 AWY-HI	34.13720 49.85380	32,000 ft 9,754 m	19	ARAK
RASLA FIX	G667 AWY-LO	33.20060 49.56920	25,600 ft 7,803 m	58	-
ALTAX FIX	G667 AWY-LO	32.50390 49.36170	16,300 ft 4,968 m	43	-
OIAW APT	-	31.33740 48.76200	0 ft 0 m	76	Ahwaz

OIII

Region: IRAN
Timezone: ASIA/TEHRAN
Runways: 3

Elevation: 3,963 ft / 1,208 m
Location: 35.692600 51.317500
Magnetic Var: 5.107 E

METAR

OIII 212200Z 35004KT 9999 FEW045 SCT110 BKN180 19/10 Q1016 A3002 NOSIG

TAF

TAF OIII 211730Z 2118/2224 29007KT 8000 FEW035 SCT100 TEMPO 2118/2124 27022KT TSRA SCT030CB SCT035 BKN090 TEMPO 22

Frequencies

REC - 128.00 MHz - ATIS	TWR - 118.10 MHz - MEHRABAD TOWER
TWR - 124.45 MHz - MEHRABAD TOWER	GND - 121.70 MHz - MEHRABAD GROUND
GND - 121.90 MHz - MEHRABAD GROUND	CLD - 121.85 MHz - MEHRABAD CLEARANCE DELIVERY
APP - 119.70 MHz - MEHRABAD APPROACH	APP - 125.10 MHz - MEHRABAD APPROACH
APP - 119.70 MHz - MEHRABAD RADAR	APP - 125.10 MHz - MEHRABAD RADAR
DEP - 125.10 MHz - MEHRABAD RADAR	DEP - 119.70 MHz - MEHRABAD RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	131 ft	1,589 ft	88.24	CONCRETE	16 ft	75 ft
	40 m	484 m	83.13		5 m	23 m
27	131 ft	1,589 ft	268.24	CONCRETE	16 ft	194 ft
	40 m	484 m	263.13		5 m	59 m
11L	148 ft	13,087 ft	109.70	CONCRETE	0 ft	0 ft
	45 m	3,989 m	104.60		0 m	0 m
29R	148 ft	13,087 ft	289.73	CONCRETE	0 ft	0 ft
	45 m	3,989 m	284.62		0 m	0 m
11R	197 ft	13,379 ft	109.74	ASPHALT	0 ft	1,191 ft
	60 m	4,078 m	104.63		0 m	363 m
29L	197 ft	13,379 ft	289.76	ASPHALT	144 ft	141 ft
	60 m	4,078 m	284.65		44 m	43 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29L	DME	ITHL	109.90 MHz	18 nm	-	-	3,804 ft
				33 km	-		3,804 m
29L	LOC-ILS	ITHL	109.90 MHz	18 nm	289.75	-	3,963 ft
				33 km	284.64		3,963 m
29L	GS	ITHL	109.90 MHz	10 nm	289.75	3.30	3,963 ft
				19 km	284.64		3,963 m

OIAW

Region: IRAN
Timezone: ASIA/TEHRAN
Runways: 1

Elevation: 64 ft / 20 m
Location: 31.337400 48.762000
Magnetic Var: 4.254 E

METAR

OIAW 212155Z 05002KT 7000 NSC 30/13 Q1003

TAF

TAF OIAW 211730Z 2118/2224 11007KT 8000 FEW040 TEMPO 2213/2219 14017KT 5000 TS SA FEW035CB SCT040 SCT100

Frequencies

REC - 126.40 MHz - AHWAZ ATIS
TWR - 121.90 MHz - AHWAZ TOWER

TWR - 120.85 MHz - AHWAZ TOWER
TWR - 121.10 MHz - AHWAZ TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	11,139 ft	124.22	ASPHALT	0 ft	978 ft
	45 m	3,395 m	119.97		0 m	298 m
30	148 ft	11,139 ft	304.24	ASPHALT	0 ft	978 ft
	45 m	3,395 m	299.98		0 m	298 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	DME	IAWZ	109.90 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
30	LOC-ILS	IAWZ	109.90 MHz	18 nm	304.24	-	66 ft
				33 km	299.99		66 m
30	GS	IAWZ	109.90 MHz	10 nm	304.49	3.06	64 ft
				19 km	300.23		64 m