

# WIII

Jakarta Soekarno-Hatta Intl


# WATT

Kupang El Tari

2024/05/15 2110Z

WIII MM25R OM07L BINAM LIMAU DAKAR KAKAP PUSPA CA ANY SBR WATT

1093.03 nm / 2024.30 km



## Notes

Requested: WIII MM25R OM07L BINAM LIMAU DAKAR KAKAP PUSPA CA ANY SBR WATT

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WIII APT	-	-6.11981 106.65700	0 ft 0 m	-	Jakarta Soekarno-Hatta Intl
MM25R FIX	-	-6.10572 106.67700	0 ft 0 m	1	-
OM07L FIX	-	-6.14685 106.57300	0 ft 0 m	6	-
BINAM FIX	-	-6.16347 106.53100	0 ft 0 m	2	-
LIMAU FIX	-	-6.11873 106.39700	0 ft 0 m	8	-
DAKAR FIX	-	-6.04319 106.31300	0 ft 0 m	6	-
KAKAP FIX	-	-5.93333 106.58300	0 ft 0 m	17	-
PUSPA FIX	-	-5.97396 106.81700	0 ft 0 m	14	-
CA NDB	-	-6.69798 108.56000	0 ft 0 m	112	CIREBON
ANY DME	-	-6.97472 110.38000	0 ft 0 m	109	ACHMAD YANI VOR-DME
SBR VOR	-	-7.37394 112.77100	0 ft 0 m	144	SURABAYA
WATT APT	-	-10.17150 123.67100	0 ft 0 m	668	Kupang El Tari

## WIII

Region: INDONESIA  
Timezone: ASIA/JAKARTA  
Runways: 3

Elevation: 34 ft / 10 m  
Location: -6.119810 106.657000  
Magnetic Var: 0.529 E

## METAR

WIII 152030Z 14006KT 3500 HZ SCT020 27/24 Q1009 NOSIG

## TAF

TAF WIII 151700Z 1518/1700 20004KT 4000 HZ SCT020 BECMG 1601/1603 06010KT 9000 NSW TEMPO 1614/1618 4000 TSRA FEW01

## Frequencies

REC - 126.85 MHz - ATIS	CLD - 121.95 MHz -
CLD - 124.25 MHz -	SOEKARNO-HATTA CLEARANCE DELIVERY
SOEKARNO-HATTA CLEARANCE DELIVERY	CLD - 125.15 MHz -
GND - 121.60 MHz - SOEKARNO-HATTA GROUND	SOEKARNO-HATTA CLEARANCE DELIVERY
GND - 128.85 MHz - SOEKARNO-HATTA GROUND	GND - 121.00 MHz - SOEKARNO-HATTA GROUND
TWR - 118.20 MHz - SOEKARNO-HATTA TOWER	GND - 128.95 MHz - SOEKARNO-HATTA GROUND
TWR - 119.30 MHz - SOEKARNO-HATTA TOWER	TWR - 118.75 MHz - SOEKARNO-HATTA TOWER
APP - 124.20 MHz - JAKARTA ARRIVAL	TWR - 120.25 MHz - SOEKARNO-HATTA TOWER
APP - 119.75 MHz - JAKARTA DIRECTOR	APP - 125.45 MHz - JAKARTA ARRIVAL
APP - 124.55 MHz - JAKARTA DIRECTOR	APP - 123.75 MHz - JAKARTA DIRECTOR
APP - 125.05 MHz - JAKARTA DIRECTOR	APP - 124.95 MHz - JAKARTA DIRECTOR
APP - 124.15 MHz - JAKARTA RADAR	APP - 127.90 MHz - JAKARTA DIRECTOR
APP - 125.35 MHz - JAKARTA RADAR	APP - 124.35 MHz - JAKARTA RADAR
APP - 127.95 MHz - JAKARTA RADAR	APP - 126.45 MHz - JAKARTA RADAR
	APP - 130.10 MHz - JAKARTA RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,202 ft	68.13	ASPHALT	328 ft	846 ft
	46 m	2,500 m	67.61		100 m	258 m
24	150 ft	8,202 ft	248.13	ASPHALT	0 ft	0 ft
	46 m	2,500 m	247.60		0 m	0 m
07L	197 ft	11,820 ft	68.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	67.62		0 m	0 m
25R	197 ft	11,820 ft	248.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	247.62		0 m	0 m
07R	197 ft	12,015 ft	68.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	67.59		0 m	0 m
25L	197 ft	12,015 ft	248.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	247.59		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	ICHL	111.50 MHz	18 nm	68.13	-	21 ft
				33 km	67.60		21 m
07R	LOC-ILS	ICHR	110.50 MHz	18 nm	68.13	-	27 ft
				33 km	67.60		27 m
25L	LOC-ILS	ICGL	111.10 MHz	18 nm	248.12	-	34 ft
				33 km	247.59		34 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ICGR	110.90 MHz	18 nm	248.13	-	29 ft
				33 km	247.60		29 m
07L	GS	ICHL	111.50 MHz	10 nm	68.25	3.00	29 ft
				19 km	67.72		29 m
07R	GS	ICHR	110.50 MHz	10 nm	68.24	3.00	34 ft
				19 km	67.71		34 m
25L	GS	ICGL	111.10 MHz	10 nm	248.24	3.00	27 ft
				19 km	247.71		27 m
25R	GS	ICGR	110.90 MHz	10 nm	248.25	3.00	21 ft
				19 km	247.72		21 m

## WATT

Region: INDONESIA  
Timezone: ASIA/MAKASSAR  
Runways: 1

Elevation: 333 ft / 101 m  
Location: -10.171500 123.671000  
Magnetic Var: 0.893 E

## METAR

WATT 152030Z AUTO 11007KT 9999 NCD 28/26 Q1013

## TAF

TAF WATT 151700Z 1518/1618 11008KT 8000 FEW018 TEMPO 1603/1607 12015G25KT

## Frequencies

TWR - 118.30 MHz - EL TARI TOWER

APP - 120.55 MHz - KUPANG APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	8,210 ft	76.50	ASPHALT	0 ft	0 ft
	45 m	2,502 m	75.61		0 m	0 m
25	148 ft	8,210 ft	256.50	ASPHALT	0 ft	0 ft
	45 m	2,502 m	255.60		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	LOC-ILS	IKPG	110.50 MHz	18 nm	256.50	-	333 ft
				33 km	255.61		333 m
25	GS	IKPG	110.50 MHz	10 nm	256.50	3.06	333 ft
				19 km	255.61		333 m