

KSFO

San Francisco International


KDTW

Detroit Metro International Airport

2024/05/19 2043Z

KSFO ORRCA **Q120** GALLI MLD JYMB0 RAP KUBKE UFFDA RWF **J34** ODI KDTW

1837.67 nm / 3403.37 km



Notes

Requested: KSFO NIITE3 ORRCA Q120 GALLI MLD JYMB0 RAP KUBKE UFFDA RWF J34 ODI PORZL RKCTY2 KDTW
Unmatched points: NIITE3 PORZL RKCTY2

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSFO	-	37.61850	0 ft	-	San Francisco International
APT	-	-122.37500	0 m		
ORRCA	-	38.44370	0 ft	63	-
FIX	-	-121.55200	0 m		
BETBE	Q120	39.89220	0 ft	143	-
FIX	AWY-HI	-119.09700	0 m		
ZORUN	Q120	39.98330	0 ft	9	-
FIX	AWY-HI	-118.91700	0 m		
GALLI	Q120	40.31950	0 ft	41	-
FIX	AWY-HI	-118.12200	0 m		
MLD	-	42.19990	0 ft	279	MALAD CITY
VOR	-	-112.45100	0 m		
JYMB0	-	43.30680	0 ft	262	-
FIX	-	-106.68200	0 m		
RAP	-	43.97580	0 ft	164	RAPID CITY VORTAC
DME	-	-103.01200	0 m		
KUBKE	-	44.22030	0 ft	69	-
FIX	-	-101.44200	0 m		
UFFDA	-	44.49610	0 ft	230	-
FIX	-	-96.09030	0 m		
RWF	-	44.46730	0 ft	41	REDWOOD FALLS
VOR	-	-95.12820	0 m		
HARPI	J34	44.29630	0 ft	53	-
FIX	AWY-HI	-93.90700	0 m		
ODI	J34	43.91230	0 ft	107	NODINE
VOR	AWY-HI	-91.46750	0 m		
KDTW	-	42.21220	0 ft	370	Detroit Metro International Airport
APT	-	-83.35260	0 m		

KSFO

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 13 ft / 4 m
Location: 37.618500 -122.375000
Magnetic Var: 12.841 E

METAR

KSFO 191956Z 30013KT 10SM FEW011 21/09 A3003 RMK AO2 SLP167 T02060089 \$

TAF

TAF KSFO 191738Z 1918/2024 04004KT P6SM FEW030 FM192000 27015G20KT P6SM SKC FM192300 27020G25KT P6SM SKC FM200600

Frequencies

REC - 113.70 MHz - D-ATIS
REC - 118.85 MHz - D-ATIS
CLD - 118.20 MHz -
SAN FRANCISCO CLEARANCE DELIVERY
TWR - 120.50 MHz - SAN FRANCISCO TOWER
APP - 128.32 MHz - NORCAL APPROACH
APP - 133.95 MHz - NORCAL APPROACH
DEP - 135.10 MHz - NORCAL DEPARTURE

REC - 115.80 MHz - D-ATIS
COM - 122.95 MHz - UNICOM
GND - 121.80 MHz - SAN FRANCISCO GROUND
APP - 134.50 MHz - NORCAL APPROACH
APP - 128.57 MHz - NORCAL APPROACH
DEP - 120.90 MHz - NORCAL DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	200 ft	11,859 ft	117.90	ASPHALT	0 ft	876 ft
	61 m	3,615 m	105.06		0 m	267 m
28R	200 ft	11,859 ft	297.92	ASPHALT	302 ft	318 ft
	61 m	3,615 m	285.08		92 m	97 m
10R	200 ft	11,371 ft	117.90	ASPHALT	0 ft	748 ft
	61 m	3,466 m	105.06		0 m	228 m
28L	200 ft	11,371 ft	297.92	ASPHALT	305 ft	322 ft
	61 m	3,466 m	285.08		93 m	98 m
01R	200 ft	8,665 ft	27.71	ASPHALT	564 ft	404 ft
	61 m	2,641 m	14.87		172 m	123 m
19L	200 ft	8,665 ft	207.72	ASPHALT	0 ft	443 ft
	61 m	2,641 m	194.88		0 m	135 m
01L	200 ft	7,664 ft	27.71	ASPHALT	643 ft	469 ft
	61 m	2,336 m	14.87		196 m	143 m
19R	200 ft	7,664 ft	207.72	ASPHALT	0 ft	446 ft
	61 m	2,336 m	194.88		0 m	136 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19L	DME	ISIA	108.90 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
28L	DME	ISFO	109.55 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
28R	DME	IGWQ	111.70 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
28R	DME	IFNP	110.75 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
19L	LOC-ILS	ISIA	108.90 MHz	18 nm	207.72	-	13 ft
				33 km	194.88		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28L	LOC-ILS	ISFO	109.55 MHz	18 nm	297.91	-	13 ft
				33 km	285.07		13 m
28R	LOC-ILS	IGWQ	111.70 MHz	18 nm	297.91	-	13 ft
				33 km	285.07		13 m
19L	GS	ISIA	108.90 MHz	10 nm	207.72	3.00	13 ft
				19 km	194.88		13 m
28L	GS	ISFO	109.55 MHz	10 nm	297.91	2.85	13 ft
				19 km	285.07		13 m
28R	GS	IGWQ	111.70 MHz	10 nm	297.91	3.00	13 ft
				19 km	285.07		13 m

KDTW

Region: UNITED STATES
Timezone: AMERICA/DETROIT
Runways: 6

Elevation: 645 ft / 197 m
Location: 42.212200 -83.352600
Magnetic Var: 7.492 W

METAR

KDTW 191953Z 17011KT 10SM FEW070 SCT085 BKN250 30/18 A2992 RMK A02 LTG DSNT NW SLP127 T03000183 \$

TAF

TAF KDTW 191720Z 1918/2024 23008KT P6SM SCT070 TEMPO 1920/1923 3SM TSRA OVC040CB FM200100 06005KT P6SM FEW045 BKN

Frequencies

REC - 118.12 MHz - ATIS
COM - 122.95 MHz - UNICOM
GND - 119.25 MHz - METRO GROUND
GND - 121.80 MHz - METRO GROUND
TWR - 118.40 MHz - METRO TOWER
TWR - 128.75 MHz - METRO TOWER
APP - 124.05 MHz - DETROIT APPROACH
DEP - 118.95 MHz - DETROIT DEPARTURE
DEP - 132.02 MHz - DETROIT DEPARTURE

REC - 133.67 MHz - ATIS
CLD - 120.65 MHz - CLEARANCE DELIVERY
GND - 119.45 MHz - METRO GROUND
GND - 132.72 MHz - METRO GROUND
TWR - 128.12 MHz - METRO TOWER
TWR - 135.00 MHz - METRO TOWER
APP - 125.15 MHz - DETROIT APPROACH
DEP - 125.52 MHz - DETROIT DEPARTURE
DEP - 134.30 MHz - DETROIT DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	200 ft	12,011 ft	28.61	CONCRETE	512 ft	397 ft
	61 m	3,661 m	36.11		156 m	121 m
22L	200 ft	12,011 ft	208.63	CONCRETE	0 ft	433 ft
	61 m	3,661 m	216.12		0 m	132 m
03R	151 ft	10,005 ft	28.61	CONCRETE	0 ft	400 ft
	46 m	3,049 m	36.10		0 m	122 m
21L	151 ft	10,005 ft	208.62	CONCRETE	0 ft	400 ft
	46 m	3,049 m	216.11		0 m	122 m
04L	151 ft	10,003 ft	28.58	CONCRETE	0 ft	400 ft
	46 m	3,049 m	36.07		0 m	122 m
22R	151 ft	10,003 ft	208.59	CONCRETE	0 ft	400 ft
	46 m	3,049 m	216.08		0 m	122 m
09L	151 ft	8,687 ft	88.70	CONCRETE	0 ft	400 ft
	46 m	2,648 m	96.19		0 m	122 m
27R	151 ft	8,687 ft	268.72	CONCRETE	0 ft	400 ft
	46 m	2,648 m	276.22		0 m	122 m
03L	150 ft	8,505 ft	28.62	CONCRETE	0 ft	400 ft
	46 m	2,592 m	36.12		0 m	122 m
21R	150 ft	8,505 ft	208.63	CONCRETE	0 ft	397 ft
	46 m	2,592 m	216.13		0 m	121 m
09R	151 ft	8,480 ft	88.71	CONCRETE	0 ft	400 ft
	46 m	2,585 m	96.20		0 m	122 m
27L	151 ft	8,480 ft	268.73	CONCRETE	0 ft	400 ft
	46 m	2,585 m	276.22		0 m	122 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
--------	------	-------	-----------	-------	-------------------------	-------	-----------

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHJT	111.95 MHz	18 nm	-	-	650 ft
				33 km	-		650 m
04R	DME	IDTW	110.70 MHz	18 nm	-	-	650 ft
				33 km	-		650 m
22L	DME	IDWC	110.70 MHz	18 nm	-	-	646 ft
				33 km	-		646 m
03R	LOC-ILS	IHUU	111.50 MHz	18 nm	28.62	-	645 ft
				33 km	36.11		645 m
04L	LOC-ILS	IHJT	111.95 MHz	18 nm	28.59	-	645 ft
				33 km	36.08		645 m
04R	LOC-ILS	IDTW	110.70 MHz	18 nm	28.63	-	645 ft
				33 km	36.12		645 m
21L	LOC-ILS	IEJR	111.50 MHz	18 nm	208.62	-	645 ft
				33 km	216.11		645 m
22L	LOC-ILS	IDWC	110.70 MHz	18 nm	208.63	-	645 ft
				33 km	216.12		645 m
22R	LOC-ILS	IJKI	111.95 MHz	18 nm	208.59	-	645 ft
				33 km	216.08		645 m
27L	LOC-ILS	IEPA	110.15 MHz	18 nm	268.72	-	645 ft
				33 km	276.21		645 m
27R	LOC-ILS	IDMI	108.50 MHz	18 nm	268.71	-	645 ft
				33 km	276.20		645 m
22R	LOC-LOC	IJKI	111.95 MHz	18 nm	208.59	-	645 ft
				33 km	216.08		645 m
03R	GS	IHUU	111.50 MHz	10 nm	28.62	3.00	645 ft
				19 km	36.11		645 m
04L	GS	IHJT	111.95 MHz	10 nm	28.59	3.00	645 ft
				19 km	36.08		645 m
04R	GS	IDTW	110.70 MHz	10 nm	28.63	3.00	645 ft
				19 km	36.12		645 m
21L	GS	IEJR	111.50 MHz	10 nm	208.62	3.00	645 ft
				19 km	216.11		645 m
22L	GS	IDWC	110.70 MHz	10 nm	208.63	2.85	645 ft
				19 km	216.12		645 m
22R	GS	IJKI	111.95 MHz	10 nm	208.59	3.00	645 ft
				19 km	216.08		645 m
27L	GS	IEPA	110.15 MHz	10 nm	268.72	3.00	645 ft
				19 km	276.21		645 m
27R	GS	IDMI	108.50 MHz	10 nm	268.71	3.00	645 ft
				19 km	276.20		645 m