


2024/05/20 2245Z

SLSU DABLO W7 UREMA SLLP

223.62 nm / 414.14 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 10000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SLSU	-	-19.00730	0 ft	-	JUANA AZURDUY DE PADILLA
APT	-	-65.28910	0 m		
DABLO	-	-18.67750	10,000 ft	29	-
FIX	-	-65.68500	3,048 m		
UREMA	W7	-17.12080	10,000 ft	140	-
FIX	AWY-LO	-67.51690	3,048 m		
SLLP	-	-16.51330	0 ft	53	El Alto Intl
APT	-	-68.19230	0 m		

SLLP

Region: BOLIVIA
Timezone: AMERICA/LA_PAZ
Runways: 1

Elevation: 13,314 ft / 4,058 m
Location: -16.513300 -68.192300
Magnetic Var: 9.178 W

METAR

SLLP 202200Z 31008KT 9999 FEW017 13/M05 Q1036

TAF

TAF SLLP 201600Z 2018/2118 26010KT 9999 FEW017 TX15/2019Z TNM02/2110Z TEMPO 2017/2021 28015G25KT BECMG 2102/2104

Frequencies

GND - 121.90 MHz - LA PAZ GROUND
APP - 119.50 MHz - LA PAZ APPROACH

TWR - 118.30 MHz - LA PAZ TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	13,108 ft	91.90	CONCRETE	0 ft	108 ft
	46 m	3,995 m	101.07		0 m	33 m
28	151 ft	13,108 ft	271.88	CONCRETE	0 ft	125 ft
	46 m	3,995 m	281.06		0 m	38 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	LOC-ILS	ILPA	110.30 MHz	18 nm	91.89	-	13,313 ft
				33 km	101.07		13,313 m
10	GS	ILPA	110.30 MHz	10 nm	92.79	2.40	13,313 ft
				19 km	101.97		13,313 m