

PHNL

Daniel K. Inouye International Airport


KDFW

Dallas Fort Worth Intl

2024/05/03 1424Z

PHNL BLUSH **V8** FISHE WAPPO **R576** DINTY **C1316** LAX **J10** TNP **J104** PKE **J74** NABOB **J231** SJN **J74** TXO **V278**
POSTE KDFW

3314.30 nm / 6138.09 km



Notes

Basic altitude profile:

- Ascent Rate: 2000ft/min
- Ascent Speed: 260kts
- Cruise Altitude: 40000ft
- Cruise Speed: 270kts
- Descent Rate: 1800ft/min
- Descent Speed: 220kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes

- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
PHNL	-	21.31940	0 ft	-	Daniel K. Inouye International Airport	
APT	-	-157.92100	0 m			
BLUSH	-	21.33370	31,000 ft	69	-	
FIX	-	-156.67400	9,449 m			
FISHE	V8	21.77720	40,000 ft	68	-	
FIX	AWY-HI	-155.53600	12,192 m			
WAPPO	-	21.81080	40,000 ft	34	-	
FIX	-	-154.91900	12,192 m			
ONOVY	R576	22.28450	40,000 ft	53	-	
FIX	AWY-HI	-154.11500	12,192 m			
DENNS	R576	22.36340	40,000 ft	13	-	
FIX	AWY-HI	-153.88100	12,192 m			
DRAYK	R576	23.02420	40,000 ft	82	-	
FIX	AWY-HI	-152.57800	12,192 m			
DUSAC	R576	26.00610	40,000 ft	393	-	
FIX	AWY-HI	-146.16700	12,192 m			
DIALO	R576	28.70170	40,000 ft	394	-	
FIX	AWY-HI	-139.42700	12,192 m			
DADIE	R576	31.10310	40,000 ft	405	-	
FIX	AWY-HI	-132.13700	12,192 m			
DUETS	R576	33.06970	40,000 ft	405	-	
FIX	AWY-HI	-124.51800	12,192 m			
DINTY	R576	33.48290	40,000 ft	100	-	
FIX	AWY-HI	-122.58400	12,192 m			
BEFIN	C1316	33.77640	40,000 ft	125	-	
FIX	AWY-HI	-120.09000	12,192 m			
LAX	C1316	33.93320	40,000 ft	83	LOS ANGELES	
VOR	AWY-HI	-118.43200	12,192 m			
JUGLI	J10	33.99710	40,000 ft	32	-	
FIX	AWY-HI	-117.79100	12,192 m			
CIVET	J10	34.03530	40,000 ft	20	-	
FIX	AWY-HI	-117.39000	12,192 m			
RUSTT	J10	34.04820	40,000 ft	7	-	
FIX	AWY-HI	-117.24200	12,192 m			
PIONE	J10	34.09450	40,000 ft	25	-	
FIX	AWY-HI	-116.73900	12,192 m			
TNP	J10	34.11220	40,000 ft	48	TWENTYNINE PALMS	
VOR	AWY-HI	-115.77000	12,192 m			
PKE	J104	34.10200	40,000 ft	54	PARKER	
VOR	AWY-HI	-114.68200	12,192 m			
NICKT	J74	34.14890	40,000 ft	29	-	
FIX	AWY-HI	-114.08200	12,192 m			
NABOB	J74	34.32790	40,000 ft	137	-	
FIX	AWY-HI	-111.31500	12,192 m			
PAYSO	J231	34.35450	40,000 ft	25	-	
FIX	AWY-HI	-110.79500	12,192 m			
CHEAR	J231	34.36990	40,000 ft	16	-	
FIX	AWY-HI	-110.47100	12,192 m			
SJN	J231	34.42400	40,000 ft	65	ST JOHNS	
VOR	AWY-HI	-109.14400	12,192 m			
DRYHT	J74	34.41760	40,000 ft	49	-	
FIX	AWY-HI	-108.13600	12,192 m			
MAXXO	J74	34.39400	40,000 ft	71	-	

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-106.69700	12,192 m			
CNX	J74	34.36700	40,000 ft	50	CORONA	
VOR	AWY-HI	-105.67800	12,192 m			
TXO	J74	34.49510	40,000 ft	140	TEXICO	
VOR	AWY-HI	-102.84000	12,192 m			
HURIK	V278	34.19350	40,000 ft	42	-	
FIX	AWY-LO	-102.06200	12,192 m			
PVW	V278	34.08620	40,000 ft	14	PLAINVIEW	
VOR	AWY-LO	-101.79000	12,192 m			
FLOYD	V278	33.97620	40,000 ft	27	-	
FIX	AWY-LO	-101.26000	12,192 m			
GTH	V278	33.77830	40,000 ft	47	GUTHRIE VORTAC	
DME	AWY-LO	-100.33600	12,192 m			
NIFDE	V278	33.66140	40,000 ft	64	-	
FIX	AWY-LO	-99.05660	12,192 m			
POSTE	V278	33.63460	39,200 ft	13	-	
FIX	AWY-LO	-98.78120	11,948 m			
KDFW	-	32.89720	0 ft	98	Dallas Fort Worth Intl	
APT	-	-97.03770	0 m			

PHNL

Region: USA (HAWAII)
Timezone: PACIFIC/HONOLULU
Runways: 4

Elevation: 13 ft / 4 m
Location: 21.319400 -157.921000
Magnetic Var: 9.260 E

METAR

PHNL 031353Z 07011KT 10SM FEW022 FEW045 SCT060 23/18 A2998

TAF

TAF PHNL 031120Z 0312/0418 07012KT P6SM VCSH FEW025 SCT050 FM031700 06013G26KT P6SM SCT025 BKN050 FM040600 06013K

Frequencies

REC - 127.90 MHz - ATIS	TWR - 118.10 MHz - HONOLULU TOWER
TWR - 123.90 MHz - HONOLULU TOWER	GND - 121.90 MHz - HONOLULU GROUND
CLD - 121.40 MHz - CLEARANCE DELIVERY	APP - 118.30 MHz - HCF APPROACH
DEP - 124.80 MHz - HCF DEPARTURE	DEP - 124.80 MHz - HCF DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	150 ft	6,961 ft	52.84	ASPHALT	0 ft	0 ft
	46 m	2,122 m	43.58		0 m	0 m
22R	150 ft	6,961 ft	232.85	ASPHALT	0 ft	0 ft
	46 m	2,122 m	223.59		0 m	0 m
04R	150 ft	9,010 ft	52.85	ASPHALT	0 ft	194 ft
	46 m	2,746 m	43.59		0 m	59 m
22L	150 ft	9,010 ft	232.86	ASPHALT	0 ft	197 ft
	46 m	2,746 m	223.60		0 m	60 m
08R	200 ft	11,987 ft	90.01	ASPHALT	0 ft	558 ft
	61 m	3,654 m	80.75		0 m	170 m
26L	200 ft	11,987 ft	270.02	ASPHALT	0 ft	554 ft
	61 m	3,654 m	260.76		0 m	169 m
08L	150 ft	12,297 ft	90.00	ASPHALT	0 ft	469 ft
	46 m	3,748 m	80.74		0 m	143 m
26R	150 ft	12,297 ft	270.01	ASPHALT	0 ft	696 ft
	46 m	3,748 m	260.75		0 m	212 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	IIUM	110.50 MHz	18 nm	-	-	21 ft
				33 km	-		21 m
26L	DME	IEPC	109.10 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
26L	LOC-LOC	IEPC	109.10 MHz	18 nm	304.00	-	13 ft
				33 km	294.74		13 m
04R	GS	IIUM	110.50 MHz	10 nm	52.85	3.00	13 ft
				19 km	43.59		13 m
08L	GS	IHNL	111.70 MHz	10 nm	90.01	3.01	13 ft
				19 km	80.75		13 m

KDFW

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 7

Elevation: 604 ft / 184 m
Location: 32.897200 -97.037700
Magnetic Var: 2.733 E

METAR

KDFW 031353Z 11003KT 10SM BKN025 BKN060 BKN250 23/21 A2987 RMK A02 SLP108 T02280211

TAF

TAF KDFW 031120Z 0312/0418 07005KT P6SM BKN017 FM031700 14007KT P6SM BKN027 FM032000 14009KT P6SM BKN040 FM040600

Frequencies

REC - 123.77 MHz - ATIS ARRIVAL
COM - 122.95 MHz - UNICOM
GND - 121.65 MHz - RGNL GND EAST 1
GND - 121.85 MHz - RGNL GND WEST
TWR - 127.50 MHz - RGNL TWR EAST 2
TWR - 124.15 MHz - RGNL TWR WEST 2
APP - 133.52 MHz - RGNL APP EAST 3
APP - 119.87 MHz - RGNL APP WEST 2
DEP - 124.82 MHz - RGNL DEP NORTH 1
DEP - 126.47 MHz - RGNL DEP WEST 1

REC - 135.92 MHz - ATIS DEPARTURE
CLD - 128.25 MHz - CLNC DEL
GND - 121.80 MHz - RGNL GND EAST 2
TWR - 126.55 MHz - RGNL TWR EAST 1
TWR - 134.90 MHz - RGNL TWR WEST 1
APP - 125.02 MHz - RGNL APP EAST 1
APP - 133.62 MHz - RGNL APP WEST 1
DEP - 118.55 MHz - RGNL DEP EAST 1
DEP - 125.12 MHz - RGNL DEP SOUTH 1

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17C	151 ft	13,440 ft	180.26	CONCRETE	0 ft	413 ft
	46 m	4,097 m	177.53		0 m	126 m
35C	151 ft	13,440 ft	0.26	CONCRETE	0 ft	299 ft
	46 m	4,097 m	357.53		0 m	91 m
17L	151 ft	8,523 ft	180.25	CONCRETE	0 ft	400 ft
	46 m	2,598 m	177.52		0 m	122 m
35R	151 ft	8,523 ft	0.25	CONCRETE	0 ft	407 ft
	46 m	2,598 m	357.52		0 m	124 m
18R	151 ft	13,439 ft	180.25	CONCRETE	0 ft	404 ft
	46 m	4,096 m	177.52		0 m	123 m
36L	151 ft	13,439 ft	0.25	CONCRETE	0 ft	299 ft
	46 m	4,096 m	357.52		0 m	91 m
17R	200 ft	13,439 ft	180.26	CONCRETE	0 ft	400 ft
	61 m	4,096 m	177.53		0 m	122 m
35L	200 ft	13,439 ft	0.26	CONCRETE	0 ft	400 ft
	61 m	4,096 m	357.53		0 m	122 m
18L	200 ft	13,439 ft	180.25	CONCRETE	0 ft	404 ft
	61 m	4,096 m	177.52		0 m	123 m
36R	200 ft	13,439 ft	0.25	CONCRETE	0 ft	394 ft
	61 m	4,096 m	357.52		0 m	120 m
13R	151 ft	9,309 ft	139.18	CONCRETE	0 ft	397 ft
	46 m	2,837 m	136.45		0 m	121 m
31L	151 ft	9,309 ft	319.19	CONCRETE	0 ft	400 ft
	46 m	2,837 m	316.46		0 m	122 m
13L	200 ft	9,010 ft	135.41	CONCRETE	630 ft	299 ft
	61 m	2,746 m	132.68		192 m	91 m
31R	200 ft	9,010 ft	315.42	CONCRETE	0 ft	299 ft
	61 m	2,746 m	312.69		0 m	91 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13R	DME	ILWN	109.50 MHz	18 nm	-	-	590 ft
				33 km	-		590 m
17C	DME	IFLQ	110.30 MHz	18 nm	-	-	575 ft
				33 km	-		575 m
17L	DME	IPPZ	111.75 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
17R	DME	IJHZ	111.35 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
18L	DME	ICIX	110.55 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
18R	DME	IVYN	111.90 MHz	18 nm	-	-	584 ft
				33 km	-		584 m
31R	DME	IRRA	110.90 MHz	18 nm	-	-	548 ft
				33 km	-		548 m
35C	DME	IPKQ	110.30 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
35L	DME	IUWX	111.35 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
35R	DME	IAJQ	111.75 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
36L	DME	IBXN	111.90 MHz	18 nm	-	-	584 ft
				33 km	-		584 m
36R	DME	IFJN	110.55 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
13R	LOC-ILS	ILWN	109.50 MHz	18 nm	139.19	-	577 ft
				33 km	136.45		577 m
17C	LOC-ILS	IFLQ	110.30 MHz	18 nm	180.26	-	563 ft
				33 km	177.53		563 m
17L	LOC-ILS	IPPZ	111.75 MHz	18 nm	180.27	-	570 ft
				33 km	177.54		570 m
17R	LOC-ILS	IJHZ	111.35 MHz	18 nm	180.26	-	558 ft
				33 km	177.53		558 m
18L	LOC-ILS	ICIX	110.55 MHz	18 nm	180.25	-	570 ft
				33 km	177.51		570 m
18R	LOC-ILS	IVYN	111.90 MHz	18 nm	180.25	-	580 ft
				33 km	177.52		580 m
31R	LOC-ILS	IRRA	110.90 MHz	18 nm	315.40	-	552 ft
				33 km	312.67		552 m
35C	LOC-ILS	IPKQ	110.30 MHz	18 nm	0.26	-	558 ft
				33 km	357.53		558 m
35L	LOC-ILS	IUWX	111.35 MHz	18 nm	0.26	-	607 ft
				33 km	357.53		607 m
35R	LOC-ILS	IAJQ	111.75 MHz	18 nm	0.27	-	607 ft
				33 km	357.54		607 m
36L	LOC-ILS	IBXN	111.90 MHz	18 nm	0.25	-	598 ft
				33 km	357.52		598 m
36R	LOC-ILS	IFJN	110.55 MHz	18 nm	0.25	-	595 ft
				33 km	357.51		595 m
13R	GS	ILWN	109.50 MHz	10 nm	139.37	3.00	589 ft
				19 km	136.64		589 m
17C	GS	IFLQ	110.30 MHz	10 nm	180.53	3.00	562 ft
				19 km	177.80		562 m
17L	GS	IPPZ	111.75 MHz	10 nm	180.54	3.00	532 ft
				19 km	177.80		532 m
17R	GS	IJHZ	111.35 MHz	10 nm	180.52	3.00	567 ft
				19 km	177.79		567 m
18L	GS	ICIX	110.55 MHz	10 nm	180.49	3.00	594 ft
				19 km	177.76		594 m
18R	GS	IVYN	111.90 MHz	10 nm	180.50	3.00	601 ft
				19 km	177.76		601 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	177.77		601 m
31R	GS	IRRA	110.90 MHz	10 nm	315.80	3.00	513 ft
				19 km	313.07		513 m
35C	GS	IPKQ	110.30 MHz	10 nm	0.52	3.00	563 ft
				19 km	357.79		563 m
35L	GS	IUWX	111.35 MHz	10 nm	0.52	3.00	564 ft
				19 km	357.79		564 m
35R	GS	IAJQ	111.75 MHz	10 nm	0.54	3.00	565 ft
				19 km	357.80		565 m
36L	GS	IBXN	111.90 MHz	10 nm	0.50	3.00	584 ft
				19 km	357.77		584 m
36R	GS	IFJN	110.55 MHz	10 nm	0.49	3.00	577 ft
				19 km	357.76		577 m