

# SVMI

Caracas Simon Bolivar Intl


# SKCL

ALFONSO BONILLA ARAGON INTL

2024/05/23 0941Z

SVMI NEDEX **UA550** ZIP **W44** SOA **W16** GIR SKCL

713.35 nm / 1321.13 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 33000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SVMI APT	-	10.60312 -66.99059	0 ft 0 m	-	Caracas Simon Bolivar Intl
NEDEX FIX	-	10.02875 -68.60422	35,000 ft 10,668 m	101	-
TOMAX FIX	UA550 AWY-HI	9.64083 -69.04861	35,000 ft 10,668 m	35	-
BNS VOR	UA550 AWY-HI	8.61675 -70.22053	35,000 ft 10,668 m	92	BARINAS VOR-DME
CTN VOR	UA550 AWY-HI	7.51667 -71.44592	35,000 ft 10,668 m	98	EL CANTON VOR-DME
KIKAS FIX	UA550 AWY-HI	7.01639 -71.96694	35,000 ft 10,668 m	43	-
AKPUT FIX	UA550 AWY-HI	6.01972 -72.97722	35,000 ft 10,668 m	84	-
ZIP VOR	UA550 AWY-HI	5.01806 -73.98667	35,000 ft 10,668 m	85	ZIPAQUIRA VOR-DME
SOA VOR	W44 AWY-LO	4.60306 -74.27306	30,400 ft 9,266 m	30	SOACHA VOR-DME
KAMIS FIX	W16 AWY-LO	4.36500 -74.61639	25,000 ft 7,620 m	25	-
GIR VOR	W16 AWY-LO	4.19167 -74.86583	21,100 ft 6,431 m	18	GIRARDOT VOR-DME
SKCL APT	-	3.54322 -76.38159	0 ft 0 m	98	ALFONSO BONILLA ARAGON INTL

## SVMI

Region: VENEZUELA  
Timezone: AMERICA/CARACAS  
Runways: 2

Elevation: 234 ft / 71 m  
Location: 10.603200 -66.990400  
Magnetic Var: 12.875 W

## METAR

SVMI 230900Z 09006KT 9999 SCT016 SCT100 25/22 Q1011

## TAF

UNKNOWN

## Frequencies

CLD - 119.50 MHz - CLEARANCE DELIVERY  
TWR - 118.40 MHz - MAIQUETIA TOWER  
DEP - 120.10 MHz - MAIQUETIA DEPARTURE  
GND - 121.90 MHz - MAIQUETIA GROUND  
APP - 120.40 MHz - MAIQUETIA APPROACH  
REC - 132.85 MHz - ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	11,494 ft	88.13	ASPHALT	0 ft	187 ft
	46 m	3,503 m	101.00		0 m	57 m
28	151 ft	11,494 ft	268.13	ASPHALT	0 ft	187 ft
	46 m	3,503 m	281.01		0 m	57 m
09	151 ft	9,523 ft	75.94	ASPHALT	0 ft	0 ft
	46 m	2,903 m	88.82		0 m	0 m
27	151 ft	9,523 ft	255.95	ASPHALT	0 ft	0 ft
	46 m	2,903 m	268.82		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IMIQ	110.10 MHz	18 nm	-	-	235 ft
				33 km	-		235 m
10	LOC-ILS	IMIQ	110.10 MHz	18 nm	87.90	-	235 ft
				33 km	100.78		235 m
10	GS	IMIQ	110.10 MHz	10 nm	88.29	3.00	235 ft
				19 km	101.16		235 m

## SKCL

Region: COLOMBIA  
Timezone: AMERICA/BOGOTA  
Runways: 1

Elevation: 3,162 ft / 964 m  
Location: 3.543180 -76.381700  
Magnetic Var: 6.557 W

## METAR

SKCL 230900Z 10003KT 9999 FEW030 BKN100 20/20 Q11016 NOSIG

## TAF

TAF SKCL 230430Z 2306/2406 VRB03KT 9999 FEW030 BKN100 BECMG 2319/2321 32010KT SCT020TCU PROB40 2321/2324 DZ SCT020

## Frequencies

GND - 121.90 MHz - CALI GROUND  
REC - 115.50 MHz - ATIS

TWR - 118.10 MHz - CALI TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	9,852 ft	9.83	ASPHALT	0 ft	131 ft
	45 m	3,003 m	16.39		0 m	40 m
20	148 ft	9,852 ft	189.83	ASPHALT	0 ft	118 ft
	45 m	3,003 m	196.39		0 m	36 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IPAS	109.90 MHz	18 nm	9.91	-	3,162 ft
				33 km	16.47		3,162 m
02	GS	IPAS	109.90 MHz	10 nm	9.91	3.00	3,162 ft
				19 km	16.47		3,162 m