

2024/06/09 2218Z

KOKC KSNL KSWO KCUH KFDR KLTS

269.70 nm / 499.49 km



Notes

Requested: KOKC KRVS KMKO KSNL KADH KPVJ KSWO KCUH KFDR KLTS

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KOKC APT	- -	35.39260 -97.60230	0 ft 0 m	-	Will Rogers World Airport
KSNL APT	- -	35.35610 -96.94200	0 ft 0 m	32	SHAWNEE RGNL
KSWO APT	- -	36.16120 -97.08570	0 ft 0 m	48	STILLWATER RGNL
KCUH APT	- -	35.95010 -96.77410	0 ft 0 m	19	CUSHING MUNI
KFDR APT	- -	34.35030 -98.98270	0 ft 0 m	144	FREDERICK MUNI
KLTS APT	- -	34.67060 -99.26630	0 ft 0 m	23	ALTUS AFB

KOKC

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 4

Elevation: 1,293 ft / 394 m
Location: 35.392600 -97.602300
Magnetic Var: 3.085 E

METAR

KOKC 092152Z 03011G20KT 10SM BKN034 BKN250 29/21 A2991 RMK A02 SLP112 T02940211

TAF

KOKC 092101Z 0921/1018 03014KT P6SM VCSH SCT035 BKN150 FM101000 04012KT P6SM SCT150

Frequencies

REC - 125.85 MHz - ATIS	CLD - 124.35 MHz - CLNC DEL
GND - 121.90 MHz -	TWR - 119.35 MHz - ROGERS TWR
TWR - 120.25 MHz - ROGERS TWR	APP - 120.45 MHz - OKE CITY APP/DEP
APP - 124.20 MHz - OKE CITY APP/DEP	APP - 124.60 MHz - OKE CITY APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17L	151 ft	9,812 ft	179.96	CONCRETE	0 ft	203 ft
	46 m	2,991 m	176.88		0 m	62 m
35R	151 ft	9,812 ft	359.96	CONCRETE	0 ft	190 ft
	46 m	2,991 m	356.88		0 m	58 m
17R	151 ft	9,809 ft	179.96	CONCRETE	0 ft	256 ft
	46 m	2,990 m	176.87		0 m	78 m
35L	151 ft	9,809 ft	359.96	CONCRETE	0 ft	249 ft
	46 m	2,990 m	356.87		0 m	76 m
13	151 ft	7,806 ft	135.20	ASPHALT	0 ft	200 ft
	46 m	2,379 m	132.12		0 m	61 m
31	151 ft	7,806 ft	315.21	ASPHALT	0 ft	194 ft
	46 m	2,379 m	312.13		0 m	59 m
18	75 ft	3,080 ft	179.99	ASPHALT	0 ft	0 ft
	23 m	939 m	176.90		0 m	0 m
36	75 ft	3,080 ft	359.99	ASPHALT	0 ft	0 ft
	23 m	939 m	356.90		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	IEXR	110.90 MHz	18 nm	-	-	1,295 ft
				33 km	-		1,295 m
17R	DME	IOKC	110.70 MHz	18 nm	-	-	1,268 ft
				33 km	-		1,268 m
35L	DME	ILIK	110.70 MHz	18 nm	-	-	1,268 ft
				33 km	-		1,268 m
35R	DME	IRGR	110.90 MHz	18 nm	-	-	1,304 ft
				33 km	-		1,304 m
17L	LOC-ILS	IEXR	110.90 MHz	18 nm	179.96	-	1,293 ft
				33 km	176.87		1,293 m
17R	LOC-ILS	IOKC	110.70 MHz	18 nm	179.96	-	1,293 ft
				33 km	176.87		1,293 m
35L	LOC-ILS	ILIK	110.70 MHz	18 nm	356.96	-	1,293 ft
				33 km	353.87		1,293 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35R	LOC-ILS	IRGR	110.90 MHz	18 nm 33 km	356.96 353.87	-	1,293 ft 1,293 m
17L	GS	IEXR	110.90 MHz	10 nm 19 km	179.96 176.87	3.00	1,293 ft 1,293 m
17R	GS	IOKC	110.70 MHz	10 nm 19 km	179.96 176.87	3.00	1,293 ft 1,293 m
35L	GS	ILIK	110.70 MHz	10 nm 19 km	356.96 353.87	3.00	1,293 ft 1,293 m
35R	GS	IRGR	110.90 MHz	10 nm 19 km	356.96 353.87	3.00	1,293 ft 1,293 m

KLTS

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 3

Elevation: 1,382 ft / 421 m
Location: 34.670600 -99.266300
Magnetic Var: 4.079 E

METAR

KLTS 092155Z AUTO 04015G20KT 10SM FEW100 34/17 A2986 RMK A02 SLP094 T03370169 \$

TAF

UNKNOWN

Frequencies

REC - 273.50 MHz - ATIS
GND - 121.85 MHz -
APP - 125.10 MHz -
CLD - 120.65 MHz - CLNC DEL
TWR - 119.65 MHz -
DEP - 125.10 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	150 ft	13,474 ft	180.00	CONCRETE	0 ft	1,001 ft
	46 m	4,107 m	175.92		0 m	305 m
35L	150 ft	13,474 ft	0.00	CONCRETE	0 ft	1,001 ft
	46 m	4,107 m	355.92		0 m	305 m
17L	150 ft	9,024 ft	179.96	ASPHALT	0 ft	1,001 ft
	46 m	2,751 m	175.89		0 m	305 m
35R	150 ft	9,024 ft	359.96	ASPHALT	0 ft	1,001 ft
	46 m	2,751 m	355.89		0 m	305 m
17	94 ft	3,523 ft	179.96	ASPHALT	0 ft	299 ft
	29 m	1,074 m	175.88		0 m	91 m
35	94 ft	3,523 ft	359.96	ASPHALT	0 ft	299 ft
	29 m	1,074 m	355.88		0 m	91 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	LOC-ILS	IRUK	110.55 MHz	18 nm	179.96	-	1,382 ft
				33 km	175.88		1,382 m
17R	LOC-ILS	IALT	111.30 MHz	18 nm	180.00	-	1,382 ft
				33 km	175.92		1,382 m
35L	LOC-ILS	ILTS	110.30 MHz	18 nm	0.00	-	1,382 ft
				33 km	355.92		1,382 m
35R	LOC-ILS	IFNM	110.55 MHz	18 nm	359.96	-	1,382 ft
				33 km	355.88		1,382 m
17L	GS	IRUK	110.55 MHz	10 nm	179.96	3.04	1,382 ft
				19 km	175.88		1,382 m
17R	GS	IALT	111.30 MHz	10 nm	180.00	3.00	1,382 ft
				19 km	175.92		1,382 m
35L	GS	ILTS	110.30 MHz	10 nm	0.00	3.00	1,382 ft
				19 km	355.92		1,382 m
35R	GS	IFNM	110.55 MHz	10 nm	359.96	3.00	1,382 ft
				19 km	355.88		1,382 m