


2024/05/12 0306Z

KJAX OMN **J79** VRB **V3** MORGA KPBI

243.83 nm / 451.57 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KJAX	-	30.49304	0 ft	-	Jacksonville Intl
APT	-	-81.68827	0 m		
OMN	-	29.30325	27,600 ft	77	ORMOND BEACH VORTAC
DME	-	-81.11270	8,412 m		
MALET	J79	28.69164	27,300 ft	38	-
FIX	AWY-HI	-80.86786	8,321 m		
VRB	J79	27.67842	17,000 ft	64	-
VOR	AWY-HI	-80.48961	5,182 m		
SMUGS	V3	27.19253	6,900 ft	31	-
FIX	AWY-LO	-80.29253	2,103 m		
MORGA	V3	26.96022	3,700 ft	14	-
FIX	AWY-LO	-80.19885	1,128 m		
KPBI	-	26.68286	0 ft	17	Palm Beach Intl
APT	-	-80.09700	0 m		

KJAX

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 29 ft / 9 m
Location: 30.493000 -81.688300
Magnetic Var: 7.012 W

METAR

KJAX 120156Z 00000KT 10SM CLR 21/17 A2989 RMK A02 SLP121 T02060172

TAF

TAF KJAX 112320Z 1200/1224 03005KT P6SM FEW035 SCT250 FM120100 VRB02KT P6SM SCT250 FM121500 32005KT P6SM BKN250 FM

Frequencies

REC - 125.85 MHz - ATIS
CLD - 119.50 MHz - CLNC DEL
TWR - 118.30 MHz -
COM - 122.95 MHz - UNICOM
GND - 121.90 MHz -
APP - 118.00 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	150 ft	7,708 ft	130.69	CONCRETE	0 ft	200 ft
	46 m	2,350 m	137.70		0 m	61 m
32	150 ft	7,708 ft	310.70	CONCRETE	0 ft	200 ft
	46 m	2,350 m	317.71		0 m	61 m
08	150 ft	10,009 ft	70.42	CONCRETE	0 ft	387 ft
	46 m	3,051 m	77.44		0 m	118 m
26	150 ft	10,009 ft	250.44	CONCRETE	0 ft	423 ft
	46 m	3,051 m	257.45		0 m	129 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	IJAX	110.70 MHz	18 nm	70.47	-	26 ft
				33 km	77.48		26 m
14	LOC-ILS	ICZH	110.50 MHz	18 nm	130.70	-	23 ft
				33 km	137.71		23 m
26	LOC-ILS	IPEK	110.30 MHz	18 nm	250.45	-	30 ft
				33 km	257.46		30 m
08	GS	IJAX	110.70 MHz	10 nm	70.92	3.00	30 ft
				19 km	77.93		30 m
14	GS	ICZH	110.50 MHz	10 nm	131.40	3.00	26 ft
				19 km	138.41		26 m
26	GS	IPEK	110.30 MHz	10 nm	250.92	3.00	26 ft
				19 km	257.93		26 m

KPBI

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 19 ft / 6 m
Location: 26.682900 -80.097000
Magnetic Var: 7.497 W

METAR

KPBI 120153Z 25005KT 10SM FEW050 29/26 A2985 RMK A02 SLP107 T02890261

TAF

KPBI 120258Z 1203/1224 VRB05KT P6SM SCT025 BKN035 FM120900 07009KT P6SM SCT060 BKN250 FM121500 08010KT P6SM SCT050

Frequencies

REC - 123.75 MHz - PALM BEACH ATIS	CLD - 121.60 MHz - PALM BEACH CLEARANCE
GND - 121.90 MHz - PALM BEACH GROUND	TWR - 119.10 MHz - PALM BEACH TOWER
DEP - 128.30 MHz - PALM BEACH DEPARTURE	DEP - 127.35 MHz - PALM BEACH DEPARTURE
DEP - 125.20 MHz - PALM BEACH DEPARTURE	APP - 124.60 MHz - PALM BEACH APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	150 ft	9,988 ft	92.80	ASPHALT	1,201 ft	203 ft
	46 m	3,044 m	100.29		366 m	62 m
28R	150 ft	9,988 ft	272.81	ASPHALT	810 ft	200 ft
	46 m	3,044 m	280.31		247 m	61 m
14	150 ft	6,941 ft	135.32	ASPHALT	0 ft	197 ft
	46 m	2,116 m	142.82		0 m	60 m
32	150 ft	6,941 ft	315.33	ASPHALT	427 ft	272 ft
	46 m	2,116 m	322.83		130 m	83 m
10R	75 ft	3,209 ft	92.80	ASPHALT	0 ft	197 ft
	23 m	978 m	100.30		0 m	60 m
28L	75 ft	3,209 ft	272.81	ASPHALT	0 ft	187 ft
	23 m	978 m	280.30		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10L	LOC-ILS	IPBI	111.90 MHz	18 nm	92.80	-	19 ft
				33 km	100.29		19 m
28R	LOC-ILS	IPWB	111.90 MHz	18 nm	272.80	-	19 ft
				33 km	280.29		19 m
10L	GS	IPBI	111.90 MHz	10 nm	93.59	3.00	17 ft
				19 km	101.09		17 m
28R	GS	IPWB	111.90 MHz	10 nm	273.59	3.00	19 ft
				19 km	281.09		19 m