


2024/04/28 0116Z

ZBAA LARAD **G212** EXUMI **W135** EKETA OMKAK **B215** LAXEV NODID 3700N10100E 3700N10000E 3700N09900E
3700N09800E AKAGI 3600N09500E TEMOL 3500N09300E 3500N09200E 3500N09100E 3500N09000E 3500N08900E
3400N08700E 3400N08600E 3400N08500E 3300N08300E 3200N08100E 3200N08000E 3200N07900E BNR BOKAD
W30E AAR **A456** LA **G201** MOLTA **G214** MURLI OPRK

2505.66 nm / 4640.48 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes

- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ZBAA	-	40.07870	0 ft	-	Beijing-Capital
APT	-	116.59500	0 m	-	
LARAD	-	39.14670	35,000 ft	107	-
FIX	-	114.60300	10,668 m	-	-
NONIT	G212	38.67500	35,000 ft	42	-
FIX	AWY-HI	113.92700	10,668 m	-	-
EXUMI	G212	38.08330	35,000 ft	53	-
FIX	AWY-HI	113.08200	10,668 m	-	-
EKETA	W135	37.87500	35,000 ft	26	-
FIX	AWY-HI	112.59000	10,668 m	-	-
OMKAK	-	37.83500	35,000 ft	41	-
FIX	-	111.71700	10,668 m	-	-
APOGO	B215	37.93000	35,000 ft	50	-
FIX	AWY-HI	110.66500	10,668 m	-	-
LUVES	B215	38.14670	35,000 ft	112	-
FIX	AWY-HI	108.30700	10,668 m	-	-
MIMOK	B215	38.20000	35,000 ft	26	-
FIX	AWY-HI	107.75000	10,668 m	-	-
YHD	B215	38.34670	35,000 ft	63	YINCHUAN
VOR	AWY-HI	106.41000	10,668 m	-	
JTA	B215	37.19670	35,000 ft	130	JINGTAI
VOR	AWY-HI	104.08000	10,668 m	-	
ANDIM	B215	37.35830	35,000 ft	78	-
FIX	AWY-HI	102.44000	10,668 m	-	-
LAXEV	B215	37.50500	35,000 ft	37	-
FIX	AWY-HI	101.68500	10,668 m	-	-
NODID	-	37.29830	35,000 ft	14	-
FIX	-	101.52500	10,668 m	-	-
3700N10100E	-	37.00000	35,000 ft	30	-
LATLON	-	101.00000	10,668 m	-	-
3700N10000E	-	37.00000	35,000 ft	47	-
LATLON	-	100.00000	10,668 m	-	-
3700N09900E	-	37.00000	35,000 ft	47	-
LATLON	-	99.00000	10,668 m	-	-
3700N09800E	-	37.00000	35,000 ft	47	-
LATLON	-	98.00000	10,668 m	-	-
AKAGI	-	36.56670	35,000 ft	72	-
FIX	-	96.59170	10,668 m	-	-
3600N09500E	-	36.00000	35,000 ft	84	-
LATLON	-	95.00000	10,668 m	-	-
TEMOL	-	35.45170	35,000 ft	50	-
FIX	-	94.20330	10,668 m	-	-
3500N09300E	-	35.00000	35,000 ft	64	-
LATLON	-	93.00000	10,668 m	-	-
3500N09200E	-	35.00000	35,000 ft	49	-
LATLON	-	92.00000	10,668 m	-	-
3500N09100E	-	35.00000	35,000 ft	49	-
LATLON	-	91.00000	10,668 m	-	-
3500N09000E	-	35.00000	35,000 ft	49	-
LATLON	-	90.00000	10,668 m	-	-
3500N08900E	-	35.00000	35,000 ft	49	-
LATLON	-	89.00000	10,668 m	-	-
3400N08700E	-	34.00000	35,000 ft	115	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	87.00000	10,668 m		
3400N08600E	-	34.00000	35,000 ft	49	-
LATLON	-	86.00000	10,668 m		
3400N08500E	-	34.00000	35,000 ft	49	-
LATLON	-	85.00000	10,668 m		
3300N08300E	-	33.00000	35,000 ft	116	-
LATLON	-	83.00000	10,668 m		
3200N08100E	-	32.00000	35,000 ft	117	-
LATLON	-	81.00000	10,668 m		
3200N08000E	-	32.00000	35,000 ft	50	-
LATLON	-	80.00000	10,668 m		
3200N07900E	-	32.00000	35,000 ft	50	-
LATLON	-	79.00000	10,668 m		
BNR	-	31.88150	35,000 ft	94	BHUNTAR
NDB	-	77.15130	10,668 m		
BOKAD	-	31.88030	35,000 ft	83	-
FIX	-	75.51250	10,668 m		
AAR	W30E	31.70690	35,000 ft	37	AMRITSAR VOR-DME
DME	AWY-HI	74.80080	10,668 m		
RABAN	A456	31.59220	35,000 ft	13	-
FIX	AWY-HI	74.58080	10,668 m		
LA	A456	31.49970	35,000 ft	10	LAHORE
VOR	AWY-HI	74.40000	10,668 m		
LEMOM	G201	31.24670	35,000 ft	23	-
FIX	AWY-HI	74.04110	10,668 m		
NIKET	G201	30.68190	35,000 ft	52	-
FIX	AWY-HI	73.25830	10,668 m		
MOLTA	G201	30.20030	35,000 ft	44	-
FIX	AWY-HI	72.60280	10,668 m		
MURLI	G214	29.29530	17,400 ft	82	-
FIX	AWY-HI	71.42310	5,304 m		
OPRK	-	28.38430	0 ft	81	Rahim Yar Khan Intl
APT	-	70.27950	0 m		

ZBAA

Region: CHINA
Timezone: ASIA/SHANGHAI
Runways: 3

Elevation: 115 ft / 35 m
Location: 40.078700 116.595000
Magnetic Var: 7.351 W

METAR

ZBAA 280100Z 03005MPS 360V060 CAVOK 13/06 Q1018 NOSIG

TAF

UNKNOWN

Frequencies

REC - 127.60 MHz - ATIS	REC - 128.65 MHz - ATIS
CLD - 121.60 MHz - BEIJING DELIVERY	CLD - 121.65 MHz - BEIJING DELIVERY
GND - 121.90 MHz - BEIJING GROUND	GND - 121.80 MHz - BEIJING GROUND
GND - 121.70 MHz - BEIJING GROUND	GND - 121.75 MHz - BEIJING GROUND
GND - 121.85 MHz - BEIJING GROUND	GND - 122.22 MHz - BEIJING APRON
GND - 122.65 MHz - BEIJING APRON	TWR - 124.30 MHz - BEIJING TOWER
TWR - 118.50 MHz - BEIJING TOWER	TWR - 118.60 MHz - BEIJING TOWER
APP - 126.10 MHz - BEIJING APPROACH	APP - 119.00 MHz - BEIJING APPROACH
APP - 126.50 MHz - BEIJING APPROACH	APP - 121.10 MHz - BEIJING APPROACH
APP - 119.70 MHz - BEIJING APPROACH	APP - 124.70 MHz - BEIJING APPROACH
APP - 127.75 MHz - BEIJING APPROACH	APP - 120.60 MHz - BEIJING APPROACH
APP - 125.50 MHz - BEIJING APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	195 ft	12,481 ft	353.17	CONCRETE	0 ft	394 ft
	59 m	3,804 m	0.52		0 m	120 m
19	195 ft	12,481 ft	173.17	CONCRETE	0 ft	397 ft
	59 m	3,804 m	180.52		0 m	121 m
18L	197 ft	12,493 ft	173.17	ASPHALT	0 ft	190 ft
	60 m	3,808 m	180.52		0 m	58 m
36R	197 ft	12,493 ft	353.17	ASPHALT	0 ft	190 ft
	60 m	3,808 m	0.52		0 m	58 m
18R	164 ft	10,512 ft	173.15	ASPHALT	0 ft	200 ft
	50 m	3,204 m	180.50		0 m	61 m
36L	164 ft	10,512 ft	353.15	ASPHALT	0 ft	200 ft
	50 m	3,204 m	0.50		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18R	DME	ILG	110.30 MHz	18 nm	-	-	135 ft
				33 km	-		135 m
01	LOC-ILS	INJ	108.50 MHz	18 nm	353.17	-	116 ft
				33 km	0.52		116 m
18L	LOC-ILS	IOR	109.30 MHz	18 nm	173.17	-	116 ft
				33 km	180.52		116 m
18R	LOC-ILS	ILG	110.30 MHz	18 nm	173.15	-	116 ft
				33 km	180.50		116 m
19	LOC-ILS	ISZ	108.90 MHz	18 nm	173.17	-	116 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	180.52		116 m
36L	LOC-ILS	IDK	111.70 MHz	18 nm	353.15	-	116 ft
				33 km	0.50		116 m
36R	LOC-ILS	IQU	109.90 MHz	18 nm	353.10	-	116 ft
				33 km	0.45		116 m
01	GS	INJ	108.50 MHz	10 nm	353.17	3.00	116 ft
				19 km	0.52		116 m
18L	GS	IOR	109.30 MHz	10 nm	173.17	3.00	116 ft
				19 km	180.52		116 m
18R	GS	ILG	110.30 MHz	10 nm	173.15	3.00	116 ft
				19 km	180.50		116 m
19	GS	ISZ	108.90 MHz	10 nm	173.17	3.20	116 ft
				19 km	180.52		116 m
36L	GS	IDK	111.70 MHz	10 nm	353.15	3.00	116 ft
				19 km	0.50		116 m
36R	GS	IQU	109.90 MHz	10 nm	353.17	3.00	116 ft
				19 km	0.52		116 m