

URMM

Mineralnyye Vody Intl


URKK

Krasnodar Pashkovsky

2024/05/18 0343Z

URMM RIKBA URKK

173.41 nm / 321.16 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 16000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
URMM	-	44.22680	0 ft	-	Mineralnyye Vody Intl
APT	-	43.08300	0 m		
RIKBA	-	44.53030	16,000 ft	68	-
FIX	-	41.53690	4,877 m		
URKK	-	45.03430	0 ft	104	Krasnodar Pashkovsky
APT	-	39.18820	0 m		

URMM

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 1

Elevation: 1,046 ft / 319 m
Location: 44.226800 43.083000
Magnetic Var: 7.947 E

METAR

URMM 180330Z 29003MPS 9999 NSC 09/07 Q1021 R29/190160 TEMPO 0300 FG BKN002 RMK QFE737/0983

TAF

TAF URMM 180200Z 1803/1903 29003G08MPS 9999 BKN016 TX17/1812Z TN08/1903Z TEMPO 1803/1818 34005G14MPS 6000 -SHRA B

Frequencies

REC - 125.25 MHz - ATIS
GND - 121.90 MHz - MINERALNYYE VODY GROUND
TWR - 128.00 MHz - MINERALNYYE VODY TOWER
APP - 119.30 MHz - MINERLANYYE VODY APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	197 ft	12,813 ft	122.26	CONCRETE	0 ft	0 ft
	60 m	3,905 m	114.31		0 m	0 m
30	197 ft	12,813 ft	302.29	CONCRETE	0 ft	0 ft
	60 m	3,905 m	294.34		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	IMD	111.70 MHz	18 nm	122.27	-	1,046 ft
				33 km	114.32		1,046 m
30	LOC-ILS	IMW	109.30 MHz	18 nm	302.27	-	1,046 ft
				33 km	294.32		1,046 m
12	GS	IMD	111.70 MHz	10 nm	122.27	3.00	1,046 ft
				19 km	114.32		1,046 m
30	GS	IMW	109.30 MHz	10 nm	302.27	3.00	1,046 ft
				19 km	294.32		1,046 m

URKK

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 1

Elevation: 118 ft / 36 m
Location: 45.034300 39.188200
Magnetic Var: 7.967 E

METAR

URKK 180330Z 22002MPS 180V250 9999 0500SE R05R/0500D PRFG BKN001 10/09 Q1021 R05R/CLRD70 TEMPO 0500 FG RMK QBB040

TAF

TAF AMD TAF AMD URKK 180330Z 1803/1903 20003MPS 6000 SCT003 TEMPO 1803/1806 0200 FG BKN001 FM180600 10003G08MPS 99

Frequencies

REC - 122.45 MHz - ATIS
GND - 119.00 MHz - KRASNODAR GROUND
APP - 129.60 MHz - KRASNODAR APPROACH
TWR - 118.20 MHz - KRASNODAR TOWER
APP - 127.70 MHz - KRASNODAR APPROACH
APP - 121.30 MHz - KRASNODAR RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	145 ft	9,833 ft	52.49	CONCRETE	0 ft	0 ft
	44 m	2,997 m	44.52		0 m	0 m
23L	145 ft	9,833 ft	232.51	CONCRETE	0 ft	0 ft
	44 m	2,997 m	224.54		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	LOC-ILS	IKR	110.70 MHz	18 nm	52.50	-	118 ft
				33 km	44.53		118 m
23L	LOC-ILS	ILD	109.50 MHz	18 nm	232.50	-	118 ft
				33 km	224.53		118 m
05R	GS	IKR	110.70 MHz	10 nm	52.50	2.70	118 ft
				19 km	44.53		118 m
23L	GS	ILD	109.50 MHz	10 nm	232.50	2.70	118 ft
				19 km	224.53		118 m