

VHHH

Hong Kong Intl


VABB

Mumbai Chhatrapati Shivaji Intl

2024/05/02 0957Z

VHHH MYWAY VIN LPB MDY DAKID JJS KALAM VABB

2458.14 nm / 4552.47 km



Notes

Requested: VHHH MYWAY VIN LPB MDY DAKID JJS KALAM FD 27 VABB

Unmatched points: 27

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
VHHH	-	22.30890	0 ft	-	Hong Kong Intl	
APT	-	113.91500	0 m			
MYWAY	-	20.19620	0 ft	143	-	
FIX	-	112.71900	0 m			
VIN	-	18.73410	0 ft	408	VINH (NGHE AN)	
VOR	-	105.66800	0 m			
LPB	-	19.91100	0 ft	210	LUANG PHABANG	
VOR	-	102.17200	0 m			
MDY	-	21.93430	0 ft	360	MANDALAY	
VOR	-	96.12980	0 m			
DAKID	-	22.30920	0 ft	265	-	
FIX	-	91.38060	0 m			
JJS	-	22.81240	0 ft	290	JAMSHEDPUR VOR-DME	
DME	-	86.16760	0 m			
KALAM	-	19.11620	0 ft	749	-	
FIX	-	73.40180	0 m			
VABB	-	19.08910	0 ft	30	Mumbai Chhatrapati Shivaji Intl	
APT	-	72.86560	0 m			

VHHH

Region: HONG KONG
Timezone: UNKNOWN
Runways: 2

Elevation: 27 ft / 8 m
Location: 22.308900 113.915000
Magnetic Var: 3.236 W

METAR

VHHH 020930Z 09011KT 9999 -SHRA FEW010 SCT020 25/22 Q1009 NOSIG

TAF

TAF VHHH 020800Z 0209/0315 09010KT 9999 FEW010 SCT020 TX27/0306Z TN24/0222Z TEMPO 0211/0214 4000 SHRA FEW010CB SC

Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.01		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.02		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.02		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m

VABB

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 2

Elevation: 39 ft / 12 m
Location: 19.089100 72.865600
Magnetic Var: 0.255 E

METAR

VABB 020930Z 23009KT 4000 FU NSC 31/20 Q1005 NOSIG

TAF

TAF VABB 020500Z 0206/0312 27012KT 4000 HZ FU FEW020 TEMPO 0207/0211 28007G17KT BECMG 0208/0210 5000 FU NSC BECMG

Frequencies

REC - 126.40 MHz - MUMBAI INFORMATION	GND - 121.75 MHz - MUMBAI GROUND
GND - 121.85 MHz - MUMBAI GROUND	GND - 121.90 MHz - MUMBAI GROUND
TWR - 118.10 MHz - MUMBAI TOWER	TWR - 122.50 MHz - MUMBAI TOWER
APP - 119.30 MHz - MUMBAI APPROACH	APP - 120.35 MHz - MUMBAI APPROACH
APP - 127.90 MHz - MUMBAI APPROACH	APP - 120.50 MHz - MUMBAI RADAR
APP - 125.35 MHz - MUMBAI RADAR	APP - 132.70 MHz - MUMBAI RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	197 ft	11,297 ft	89.15	ASPHALT	466 ft	0 ft
	60 m	3,443 m	88.90		142 m	0 m
27	197 ft	11,297 ft	269.16	ASPHALT	1,585 ft	135 ft
	60 m	3,443 m	268.91		483 m	41 m
14	150 ft	9,434 ft	134.27	ASPHALT	1,339 ft	203 ft
	46 m	2,875 m	134.02		408 m	62 m
32	150 ft	9,434 ft	314.28	ASPHALT	853 ft	203 ft
	46 m	2,875 m	314.03		260 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	IBOM	109.50 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
14	DME	IBBY	110.10 MHz	18 nm	-	-	37 ft
				33 km	-		37 m
27	DME	ISCZ	110.30 MHz	18 nm	-	-	37 ft
				33 km	-		37 m
09	LOC-ILS	IBOM	109.50 MHz	18 nm	89.16	-	39 ft
				33 km	88.91		39 m
14	LOC-ILS	IBBY	110.10 MHz	18 nm	134.28	-	39 ft
				33 km	134.03		39 m
27	LOC-ILS	ISCZ	110.30 MHz	18 nm	269.16	-	39 ft
				33 km	268.91		39 m
09	GS	IBOM	109.50 MHz	10 nm	89.16	3.00	39 ft
				19 km	88.91		39 m
14	GS	IBBY	110.10 MHz	10 nm	134.28	3.00	39 ft
				19 km	134.03		39 m
27	GS	ISCZ	110.30 MHz	10 nm	269.16	3.30	39 ft
				19 km	268.91		39 m