


2024/05/07 2015Z

KMCO REMIS LEV KIAH

756.73 nm / 1401.46 km



Notes

Requested: KMCO OSPRY1 REMIS Y280 LEV LINKK1 KIAH

Unmatched points: OSPRY1 Y280 LINKK1

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KMCO APT	-	28.42920 -81.30680	0 ft 0 m	-	Orlando Intl
REMIS FIX	-	27.88410 -85.25790	0 ft 0 m	211 -	
LEV VOR	-	29.17520 -90.10400	0 ft 0 m	267	LEEVILLE (GRAND ISLE)
KIAH APT	-	29.98540 -95.34120	0 ft 0 m	277	George Bush Intercontinental

KMCO

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 96 ft / 29 m
Location: 28.429200 -81.306800
Magnetic Var: 6.994 W

METAR

KMCO 071953Z 18008KT 10SM SCT055 33/19 A2989 RMK AO2 SLP121 T03280194

TAF

KMCO 071739Z 0718/0824 17008KT P6SM FEW040 FEW250 FM072100 14009KT P6SM VCSH SCT080 SCT100 FM080200 17004KT P6SM I

Frequencies

REC - 120.52 MHz - D-ATIS
CLD - 134.70 MHz - CLEARANCE DELIVERY
GND - 126.40 MHz - ORLANDO GROUND
TWR - 124.30 MHz - ORLANDO TOWER
APP - 119.40 MHz - ORLANDO APPROACH
APP - 124.80 MHz - ORLANDO APPROACH
APP - 123.85 MHz - ORLANDO APPROACH
DEP - 119.40 MHz - ORLANDO DEPARTURE
DEP - 124.80 MHz - ORLANDO DEPARTURE

REC - 121.25 MHz - D-ATIS
COM - 122.95 MHz - UNICOM
GND - 121.80 MHz - ORLANDO GROUND
TWR - 118.45 MHz - ORLANDO TOWER
APP - 120.15 MHz - ORLANDO APPROACH
APP - 135.30 MHz - ORLANDO APPROACH
APP - 134.05 MHz - ORLANDO APPROACH
DEP - 120.15 MHz - ORLANDO DEPARTURE
DEP - 135.30 MHz - ORLANDO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	151 ft	10,036 ft	179.47	CONCRETE	0 ft	404 ft
	46 m	3,059 m	186.46		0 m	123 m
35L	151 ft	10,036 ft	359.47	CONCRETE	0 ft	400 ft
	46 m	3,059 m	6.46		0 m	122 m
17L	151 ft	9,028 ft	179.48	CONCRETE	0 ft	400 ft
	46 m	2,752 m	186.47		0 m	122 m
35R	151 ft	9,028 ft	359.48	CONCRETE	0 ft	404 ft
	46 m	2,752 m	6.47		0 m	123 m
18L	200 ft	12,049 ft	179.46	CONCRETE	0 ft	400 ft
	61 m	3,673 m	186.45		0 m	122 m
36R	200 ft	12,049 ft	359.46	CONCRETE	0 ft	407 ft
	61 m	3,673 m	6.45		0 m	124 m
18R	200 ft	12,049 ft	179.45	ASPHALT	0 ft	909 ft
	61 m	3,673 m	186.45		0 m	277 m
36L	200 ft	12,049 ft	359.45	ASPHALT	0 ft	702 ft
	61 m	3,673 m	6.45		0 m	214 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	IARK	110.95 MHz	18 nm	-	-	86 ft
				33 km	-		86 m
17R	DME	IDIZ	111.75 MHz	18 nm	-	-	86 ft
				33 km	-		86 m
18R	DME	ITFE	111.90 MHz	18 nm	-	-	86 ft
				33 km	-		86 m
35L	DME	IDDO	110.50 MHz	18 nm	-	-	100 ft
				33 km	-		100 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35R	DME	ICER	111.15 MHz	18 nm	-	-	90 ft
				33 km	-		90 m
36R	DME	IOJP	110.70 MHz	18 nm	-	-	91 ft
				33 km	-		91 m
17L	LOC-ILS	IARK	110.95 MHz	18 nm	179.46	-	96 ft
				33 km	186.45		96 m
17R	LOC-ILS	IDIZ	111.75 MHz	18 nm	179.51	-	96 ft
				33 km	186.50		96 m
18R	LOC-ILS	ITFE	111.90 MHz	18 nm	179.50	-	96 ft
				33 km	186.49		96 m
35L	LOC-ILS	IDDO	110.50 MHz	18 nm	359.51	-	96 ft
				33 km	6.50		96 m
35R	LOC-ILS	ICER	111.15 MHz	18 nm	359.46	-	96 ft
				33 km	6.45		96 m
36R	LOC-ILS	IOJP	110.70 MHz	18 nm	359.50	-	96 ft
				33 km	6.49		96 m
17L	GS	IARK	110.95 MHz	10 nm	179.46	3.00	96 ft
				19 km	186.45		96 m
17R	GS	IDIZ	111.75 MHz	10 nm	179.51	3.00	96 ft
				19 km	186.50		96 m
18R	GS	ITFE	111.90 MHz	10 nm	179.50	3.00	96 ft
				19 km	186.49		96 m
35L	GS	IDDO	110.50 MHz	10 nm	359.51	3.00	96 ft
				19 km	6.50		96 m
35R	GS	ICER	111.15 MHz	10 nm	359.46	3.00	96 ft
				19 km	6.45		96 m
36R	GS	IOJP	110.70 MHz	10 nm	359.50	3.00	96 ft
				19 km	6.49		96 m

KIAH

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 5

Elevation: 98 ft / 30 m
Location: 29.985400 -95.341200
Magnetic Var: 1.731 E

METAR

KIAH 071953Z 18008KT 6SM HZ SCT026 BKN035 BKN250 30/24 A2972 RMK A02 SLP061 T03000239

TAF

TAF KIAH 071730Z 0718/0824 17008KT P6SM BKN025 BKN050 FM072000 15010KT P6SM SCT035 SCT050 FM080300 15008KT P6SM S

Frequencies

REC - 124.05 MHz - D-ATIS
CLD - 128.10 MHz - CLEARANCE DELIVERY
GND - 121.70 MHz - HOUSTON GROUND
TWR - 120.72 MHz - HOUSTON TOWER
TWR - 135.15 MHz - HOUSTON TOWER
APP - 120.05 MHz - HOUSTON APPROACH
DEP - 126.67 MHz - HOUSTON DEPARTURE
DEP - 133.60 MHz - HOUSTON DEPARTURE

REC - 122.95 MHz - UNICOM
GND - 119.95 MHz - HOUSTON GROUND
GND - 118.57 MHz - HOUSTON GROUND
TWR - 125.35 MHz - HOUSTON TOWER
TWR - 127.30 MHz - HOUSTON TOWER
APP - 124.35 MHz - HOUSTON APPROACH
DEP - 132.25 MHz - HOUSTON DEPARTURE
DEP - 127.12 MHz - HOUSTON DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15R	151 ft	10,010 ft	152.07	CONCRETE	0 ft	407 ft
	46 m	3,051 m	150.34		0 m	124 m
33L	151 ft	10,010 ft	332.08	CONCRETE	0 ft	407 ft
	46 m	3,051 m	330.35		0 m	124 m
15L	151 ft	12,013 ft	152.08	CONCRETE	0 ft	413 ft
	46 m	3,662 m	150.35		0 m	126 m
33R	151 ft	12,013 ft	332.09	CONCRETE	0 ft	413 ft
	46 m	3,662 m	330.36		0 m	126 m
08L	151 ft	9,008 ft	89.94	CONCRETE	0 ft	387 ft
	46 m	2,746 m	88.21		0 m	118 m
26R	151 ft	9,008 ft	269.96	CONCRETE	0 ft	387 ft
	46 m	2,746 m	268.23		0 m	118 m
08R	151 ft	9,412 ft	89.96	CONCRETE	0 ft	384 ft
	46 m	2,869 m	88.22		0 m	117 m
26L	151 ft	9,412 ft	269.97	CONCRETE	0 ft	384 ft
	46 m	2,869 m	268.24		0 m	117 m
09	151 ft	10,009 ft	89.95	CONCRETE	0 ft	387 ft
	46 m	3,051 m	88.22		0 m	118 m
27	151 ft	10,009 ft	269.97	CONCRETE	0 ft	387 ft
	46 m	3,051 m	268.24		0 m	118 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IBZU	111.55 MHz	18 nm	-	-	90 ft
				33 km	-		90 m
08R	DME	IIAH	109.70 MHz	18 nm	-	-	109 ft
				33 km	-		109 m
09	DME	IUYO	110.90 MHz	18 nm	-	-	100 ft
				33 km	-		100 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	IJYV	109.70 MHz	18 nm 33 km	- -	-	109 ft 109 m
26R	DME	IOND	111.55 MHz	18 nm 33 km	- -	-	84 ft 84 m
27	DME	IGHI	110.90 MHz	18 nm 33 km	- -	-	100 ft 100 m
08L	LOC-ILS	IBZU	111.55 MHz	18 nm 33 km	89.95 88.22	-	98 ft 98 m
08R	LOC-ILS	IIAH	109.70 MHz	18 nm 33 km	89.96 88.23	-	98 ft 98 m
09	LOC-ILS	IUYO	110.90 MHz	18 nm 33 km	89.96 88.23	-	98 ft 98 m
15R	LOC-ILS	ILKM	111.15 MHz	18 nm 33 km	152.08 150.35	-	98 ft 98 m
26L	LOC-ILS	IJYV	109.70 MHz	18 nm 33 km	269.96 268.23	-	98 ft 98 m
26R	LOC-ILS	IOND	111.55 MHz	18 nm 33 km	269.95 268.22	-	98 ft 98 m
27	LOC-ILS	IGHI	110.90 MHz	18 nm 33 km	269.96 268.23	-	98 ft 98 m
33R	LOC-ILS	ICDG	111.90 MHz	18 nm 33 km	332.09 330.36	-	98 ft 98 m
08L	GS	IBZU	111.55 MHz	10 nm 19 km	89.95 88.22	3.00	98 ft 98 m
08R	GS	IIAH	109.70 MHz	10 nm 19 km	89.96 88.23	3.00	98 ft 98 m
09	GS	IUYO	110.90 MHz	10 nm 19 km	89.96 88.23	3.00	98 ft 98 m
15R	GS	ILKM	111.15 MHz	10 nm 19 km	152.08 150.35	3.00	98 ft 98 m
26L	GS	IJYV	109.70 MHz	10 nm 19 km	269.96 268.23	3.00	98 ft 98 m
26R	GS	IOND	111.55 MHz	10 nm 19 km	269.95 268.22	3.00	98 ft 98 m
27	GS	IGHI	110.90 MHz	10 nm 19 km	269.96 268.23	3.00	98 ft 98 m
33R	GS	ICDG	111.90 MHz	10 nm 19 km	332.09 330.36	3.00	98 ft 98 m