

KBOI

Boise Air Terminal Gowen Fld


0S7

DOROTHY SCOTT

2024/05/03 1700Z

KBOI KOVRY V253 HUNIB EPAFY 0S7

361.45 nm / 669.41 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 8500ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KB0I	-	43.56440	0 ft	-	Boise Air Terminal Gowen Fld
APT	-	-116.22300	0 m		
KOVR	-	45.22260	8,500 ft	99	-
FIX	-	-116.38900	2,591 m		
ZOSNO	V253	45.81030	8,500 ft	36	-
FIX	AWY-LO	-116.63000	2,591 m		
OXLEY	V253	45.90170	8,500 ft	5	-
FIX	AWY-LO	-116.66800	2,591 m		
MELLR	V253	46.14170	8,500 ft	15	-
FIX	AWY-LO	-116.76800	2,591 m		
PIYOL	V253	46.17370	8,500 ft	2	-
FIX	AWY-LO	-116.78200	2,591 m		
MQG	V253	46.38160	8,500 ft	13	NEZ PERCE (LEWISTON)
VOR	AWY-LO	-116.87000	2,591 m		
WHELE	V253	46.54800	8,500 ft	12	-
FIX	AWY-LO	-117.07000	2,591 m		
PUW	V253	46.67420	8,500 ft	9	PULLMAN (PULLMAN/MOSCOW)
VOR	AWY-LO	-117.22400	2,591 m		
CISOV	V253	46.84230	8,500 ft	10	-
FIX	AWY-LO	-117.29900	2,591 m		
ATOXE	V253	47.33550	8,500 ft	30	-
FIX	AWY-LO	-117.52200	2,591 m		
HUNIB	V253	47.40590	8,500 ft	4	-
FIX	AWY-LO	-117.55400	2,591 m		
EPAFY	-	47.54130	8,500 ft	15	-
FIX	-	-117.87000	2,591 m		
0S7	-	48.95900	0 ft	105	DOROTHY SCOTT
APT	-	-119.41200	0 m		

KBOI

Region: UNITED STATES
Timezone: AMERICA/BOISE
Runways: 2

Elevation: 2,872 ft / 875 m
Location: 43.564400 -116.223000
Magnetic Var: 12.619 E

METAR

KBOI 031553Z 30007KT 10SM CLR 09/02 A3005 RMK A02 SLP174 T00940022

TAF

TAF KBOI 031143Z 0312/0412 27006KT P6SM SKC FM032000 VRB04KT P6SM FEW050 FM032300 13007KT P6SM SKC FM040800 12012KT

Frequencies

REC - 123.90 MHz - D-ATIS	COM - 122.95 MHz - BOISE UNICOM
GND - 121.70 MHz - BOISE GROUND	TWR - 118.10 MHz - BOISE TOWER
TWR - 119.00 MHz - BOISE TOWER	CLD - 125.90 MHz - BOISE CLEARANCE DELIVERY
DEP - 119.60 MHz - BIG SKY DEPARTURE	DEP - 126.90 MHz - BIG SKY DEPARTURE
APP - 119.60 MHz - BIG SKY APPROACH	APP - 126.90 MHz - BIG SKY APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	150 ft	9,982 ft	115.22	ASPHALT	0 ft	197 ft
	46 m	3,043 m	102.60		0 m	60 m
28R	150 ft	9,982 ft	295.24	ASPHALT	0 ft	200 ft
	46 m	3,043 m	282.62		0 m	61 m
10R	150 ft	9,746 ft	115.20	ASPHALT	0 ft	200 ft
	46 m	2,971 m	102.58		0 m	61 m
28L	150 ft	9,746 ft	295.23	ASPHALT	0 ft	200 ft
	46 m	2,971 m	282.61		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10R	DME	IBOI	111.10 MHz	18 nm	-	-	2,879 ft
				33 km	-		2,879 m
28R	LOC-ILS	IAAD	110.15 MHz	18 nm	295.23	-	2,872 ft
				33 km	282.61		2,872 m
10R	LOC-ILS	IBOI	111.10 MHz	18 nm	115.22	-	2,872 ft
				33 km	102.60		2,872 m
10R	GS	IBOI	111.10 MHz	10 nm	115.42	3.00	2,872 ft
				19 km	102.80		2,872 m
28R	GS	IAAD	110.15 MHz	10 nm	295.23	3.00	2,872 ft
				19 km	282.61		2,872 m