

# LKPR

Vaclav Havel Prague


# LGAV

Athens Eleftherios Venizelos

2024/05/23 0322Z

LKPR LANUX STO **J21** GBG TISKO **L187** IDASI **M867** MEDUX **UM867** KOGAT **Y550** PEP **T217** TALAS **UM749** ELPIS  
**UP20** ABLON LGAV

888.17 nm / 1644.89 km



## Notes

Basic altitude profile:

- Ascent Rate: 2600ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 380ft
- Cruise Speed: 410kts
- Descent Rate: 1800ft/min
- Descent Speed: 240kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LKPR	-	50.10410	0 ft	-	Vaclav Havel Prague
APT	-	14.25670	0 m	-	
LANUX	-	48.88810	300 ft	90	-
FIX	-	15.61580	91 m	-	
STO	-	48.41710	300 ft	32	STOCKERAU
VOR	-	16.01860	91 m	-	
SNU	J21	47.87490	300 ft	34	SOLLENAU
VOR	AWY-LO	16.28840	91 m	-	
GBG	J21	46.88700	300 ft	62	GLEICHENBERG
NDB	AWY-LO	15.80030	91 m	-	
TISKO	-	46.68250	300 ft	14	-
FIX	-	15.99190	91 m	-	
OBUTI	L187	46.37830	300 ft	21	-
FIX	AWY-LO	16.27400	91 m	-	
ZAG	L187	45.89560	300 ft	29	ZAGREB
VOR	AWY-LO	16.30670	91 m	-	
TEBLI	L187	45.20140	300 ft	44	-
FIX	AWY-LO	16.67580	91 m	-	
KOMAR	L187	44.95810	300 ft	15	-
FIX	AWY-LO	16.80420	91 m	-	
EVTON	L187	44.70970	300 ft	16	-
FIX	AWY-LO	16.95810	91 m	-	
IDASI	L187	44.47030	300 ft	15	-
FIX	AWY-LO	17.10530	91 m	-	
EDALA	M867	44.22500	300 ft	22	-
FIX	AWY-LO	17.49140	91 m	-	
SOLGU	M867	44.11580	300 ft	9	-
FIX	AWY-LO	17.66140	91 m	-	
GILUK	M867	43.86690	300 ft	24	-
FIX	AWY-LO	18.10560	91 m	-	
RUDAR	M867	43.64860	300 ft	21	-
FIX	AWY-LO	18.48920	91 m	-	
OSLUD	M867	43.47720	300 ft	16	-
FIX	AWY-LO	18.78720	91 m	-	
GORAV	M867	43.30810	300 ft	16	-
FIX	AWY-LO	19.07780	91 m	-	
BUNEX	M867	43.18440	300 ft	11	-
FIX	AWY-LO	19.28870	91 m	-	
MODRA	M867	43.00700	300 ft	16	-
FIX	AWY-LO	19.58880	91 m	-	
MEDUX	M867	42.74750	300 ft	24	-
FIX	AWY-LO	20.02190	91 m	-	
KOGAT	UM867	42.11250	300 ft	59	-
FIX	AWY-HI	21.05560	91 m	-	
BUREK	Y550	41.83220	300 ft	17	-
FIX	AWY-LO	21.19690	91 m	-	
PEP	Y550	41.33780	300 ft	31	PRILEP
NDB	AWY-LO	21.44860	91 m	-	
TALAS	T217	41.07670	300 ft	26	-
FIX	AWY-LO	21.91670	91 m	-	
ELPIS	UM749	40.32610	300 ft	54	-
FIX	AWY-HI	22.60310	91 m	-	
ABLON	UP20	38.16940	300 ft	139	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	23.73560	91 m		
LGAV	-	37.93670	0 ft	17	Athens Eleftherios Venizelos
APT	-	23.94450	0 m		

## LKPR

Region: CZECH REPUBLIC  
Timezone: EUROPE/PRAGUE  
Runways: 2

Elevation: 1,247 ft / 380 m  
Location: 50.104100 14.256700  
Magnetic Var: 4.668 E

## METAR

LKPR 230300Z 23008KT CAVOK 11/10 Q1014 NOSIG

## TAF

TAF LKPR 230200Z 2303/2409 24010KT 9999 SCT004 TEMPO 2309/2316 6000 -SHRA BKN030TCU TEMPO 2310/2316 35008KT BECMG

## Frequencies

REC - 122.15 MHz - ATIS	TWR - 118.10 MHz - RUZYNE TOWER
TWR - 134.55 MHz - RUZYNE TOWER	GND - 121.90 MHz - RUZYNE GROUND
GND - 131.95 MHz - RUZYNE GROUND	CLD - 120.05 MHz - CLEARANCE DELIVERY
APP - 136.07 MHz - PRAGUE APPROACH	APP - 127.57 MHz - PRAGUE APPROACH
APP - 120.52 MHz - PRAGUE APPROACH	APP - 119.00 MHz - PRAGUE APPROACH
REC - 118.30 MHz - RUZYNE INFORMATION	REC - 127.57 MHz - RUZYNE INFORMATION
REC - 136.07 MHz - RUZYNE INFORMATION	REC - 136.17 MHz - RUZYNE INFORMATION
APP - 120.52 MHz - PRAGUE RADAR	APP - 127.57 MHz - PRAGUE RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,674 ft	126.99	CONCRETE	0 ft	0 ft
	45 m	3,253 m	122.32		0 m	0 m
30	148 ft	10,674 ft	307.02	CONCRETE	0 ft	0 ft
	45 m	3,253 m	302.35		0 m	0 m
06	148 ft	12,198 ft	64.93	CONCRETE	0 ft	0 ft
	45 m	3,718 m	60.26		0 m	0 m
24	148 ft	12,198 ft	244.96	CONCRETE	0 ft	0 ft
	45 m	3,718 m	240.29		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	PH	111.15 MHz	18 nm	-	-	1,250 ft
				33 km	-		1,250 m
12	DME	PA	109.95 MHz	18 nm	-	-	1,246 ft
				33 km	-		1,246 m
24	DME	PR	109.10 MHz	18 nm	-	-	1,175 ft
				33 km	-		1,175 m
30	DME	PG	109.50 MHz	18 nm	-	-	1,250 ft
				33 km	-		1,250 m
06	LOC-ILS	PH	111.15 MHz	18 nm	64.94	-	1,202 ft
				33 km	60.27		1,202 m
12	LOC-ILS	PA	109.95 MHz	18 nm	127.00	-	1,246 ft
				33 km	122.33		1,246 m
24	LOC-ILS	PR	109.10 MHz	18 nm	244.95	-	1,156 ft
				33 km	240.28		1,156 m
30	LOC-ILS	PG	109.50 MHz	18 nm	307.08	-	1,234 ft
				33 km	302.41		1,234 m
06	GS	PH	111.15 MHz	10 nm	65.88	3.00	1,202 ft
				19 km	61.21		1,202 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	GS	PA	109.95 MHz	10 nm	127.00	3.00	1,246 ft
				19 km	122.33		1,246 m
24	GS	PR	109.10 MHz	10 nm	245.88	3.00	1,156 ft
				19 km	241.21		1,156 m
30	GS	PG	109.50 MHz	10 nm	307.00	3.00	1,234 ft
				19 km	302.33		1,234 m

## LGAV

Region: GREECE  
Timezone: EUROPE/ATHENS  
Runways: 2

Elevation: 308 ft / 94 m  
Location: 37.936700 23.944500  
Magnetic Var: 5.110 E

## METAR

LGAV 230250Z VRB03KT CAVOK 22/08 Q1010 NOSIG

## TAF

TAF TAF LGAV 222300Z 2300/2324 VRB05KT 9999 FEW020 BECMG 2300/2302 30010KT

## Frequencies

REC - 136.12 MHz - ATIS	REC - 131.17 MHz - ATHENS INFORMATION
REC - 124.02 MHz - ATHENS INFORMATION	TWR - 136.27 MHz - VENIZELOS TOWER
TWR - 122.10 MHz - VENIZELOS TOWER	TWR - 118.62 MHz - VENIZELOS TOWER
GND - 121.75 MHz - VENIZELOS GROUND	GND - 121.95 MHz - VENIZELOS GROUND
GND - 121.90 MHz - VENIZELOS GROUND	GND - 121.80 MHz - VENIZELOS GROUND
CLD - 118.67 MHz - CLEARANCE DELIVERY	APP - 132.97 MHz - ATHENS APPROACH
APP - 130.25 MHz - ATHENS APPROACH	APP - 128.95 MHz - ATHENS APPROACH
APP - 126.57 MHz - ATHENS APPROACH	APP - 125.52 MHz - ATHENS APPROACH
APP - 121.40 MHz - ATHENS APPROACH	APP - 121.40 MHz - ATHENS DIRECT
APP - 118.47 MHz - ATHENS DIRECT	DEP - 118.30 MHz - ATHENS DEPARTURE
DEP - 128.95 MHz - ATHENS DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	151 ft	13,135 ft	36.87	ASPHALT	984 ft	394 ft
	46 m	4,004 m	31.76		300 m	120 m
21L	151 ft	13,135 ft	216.89	ASPHALT	984 ft	394 ft
	46 m	4,004 m	211.78		300 m	120 m
03L	151 ft	12,478 ft	36.86	ASPHALT	984 ft	394 ft
	46 m	3,803 m	31.75		300 m	120 m
21R	151 ft	12,478 ft	216.87	ASPHALT	984 ft	394 ft
	46 m	3,803 m	211.76		300 m	120 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IATL	110.50 MHz	18 nm	-	-	255 ft
				33 km	-		255 m
21L	DME	IEVL	111.10 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
21R	DME	IEVR	110.50 MHz	18 nm	-	-	282 ft
				33 km	-		282 m
03L	LOC-ILS	IATL	110.50 MHz	18 nm	36.52	-	282 ft
				33 km	31.41		282 m
03R	LOC-ILS	IATR	111.10 MHz	18 nm	36.97	-	302 ft
				33 km	31.86		302 m
21L	LOC-ILS	IEVL	111.10 MHz	18 nm	216.52	-	271 ft
				33 km	211.41		271 m
21R	LOC-ILS	IEVR	110.50 MHz	18 nm	216.50	-	255 ft
				33 km	211.39		255 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	GS	IATL	110.50 MHz	10 nm	37.04	3.00	255 ft
				19 km	31.93		255 m
03R	GS	IATR	111.10 MHz	10 nm	37.07	3.00	271 ft
				19 km	31.96		271 m
21L	GS	IEVL	111.10 MHz	10 nm	217.07	3.00	302 ft
				19 km	211.96		302 m
21R	GS	IEVR	110.50 MHz	10 nm	217.04	3.00	282 ft
				19 km	211.93		282 m