

# LFRD

Dinard Pleurtuit-St Malo


# LFRN

Rennes St Jacques

2024/05/18 0334Z

LFRD LABUL LFRN

34.06 nm / 63.08 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 6000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFRD	-	48.58800	0 ft	-	Dinard Pleurtuit-St Malo
APT	-	-2.07992	0 m		
LABUL	-	48.29920	3,200 ft	18	-
FIX	-	-1.88944	975 m		
LFRN	-	48.06940	0 ft	15	Rennes St Jacques
APT	-	-1.73459	0 m		

## LFRD

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 2

Elevation: 216 ft / 66 m  
Location: 48.588000 -2.079920  
Magnetic Var: 0.094 E

## METAR

LFRD 180300Z AUTO 22002KT 1100 1000 R35/1200U BR NSC 09/09 Q1012

## TAF

TAF LFRD 171700Z 1717/1812 CNL

## Frequencies

REC - 124.57 MHz - LFRD ATIS  
APP - 124.90 MHz - RENNES APP

TWR - 120.15 MHz - DINARD TWR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft	7,199 ft	170.09	ASPHALT	0 ft	0 ft
	45 m	2,194 m	170.00		0 m	0 m
35	148 ft	7,199 ft	350.10	ASPHALT	0 ft	0 ft
	45 m	2,194 m	350.00		0 m	0 m
12	148 ft	4,909 ft	115.13	ASPHALT	0 ft	0 ft
	45 m	1,496 m	115.03		0 m	0 m
30	148 ft	4,909 ft	295.14	ASPHALT	669 ft	0 ft
	45 m	1,496 m	295.05		204 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35	DME	DR	110.75 MHz	27 nm	-	-	216 ft
				50 km	-		216 m
35	LOC-ILS	DR	110.75 MHz	18 nm	350.08	-	216 ft
				33 km	349.99		216 m
35	GS	DR	110.75 MHz	10 nm	350.16	3.00	216 ft
				19 km	350.07		216 m

## LFRN

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 2

Elevation: 124 ft / 38 m  
Location: 48.069400 -1.734590  
Magnetic Var: 0.245 E

## METAR

LFRN 180300Z AUTO 35002KT 0300 0150 R28/0550D R10/0375N FG VV/// 08/08 Q1012 NOSIG

## TAF

TAF LFRN 172300Z 1800/1824 VRB03KT CAVOK TEMPO 1800/1808 3000 BR PROB40 TEMPO 1800/1807 0300 FG VV/// TEMPO 1810/1

## Frequencies

REC - 136.40 MHz - LFRN ATIS  
GND - 121.72 MHz - RENNES GND  
APP - 134.00 MHz - RENNES APP  
COM - 120.50 MHz - RENNES MULT  
TWR - 120.50 MHz - RENNES TWR  
APP - 124.90 MHz - RENNES APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	98 ft	2,785 ft	142.19	ASPHALT	0 ft	0 ft
	30 m	849 m	141.95		0 m	0 m
32	98 ft	2,785 ft	322.20	ASPHALT	0 ft	0 ft
	30 m	849 m	321.96		0 m	0 m
10	148 ft	6,895 ft	100.76	ASPHALT	230 ft	0 ft
	45 m	2,102 m	100.51		70 m	0 m
28	148 ft	6,895 ft	280.78	ASPHALT	0 ft	0 ft
	45 m	2,102 m	280.53		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	RS	110.10 MHz	18 nm	-	-	174 ft
				33 km	-		174 m
28	LOC-ILS	RS	110.10 MHz	18 nm	280.72	-	124 ft
				33 km	280.47		124 m
28	GS	RS	110.10 MHz	10 nm	281.54	3.00	124 ft
				19 km	281.29		124 m