


2024/06/07 0136Z

URKA RULAB URSS

145.84 nm / 270.09 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
URKA	-	45.00210	0 ft	-	Anapa Vityazevo Regl
APT	-	37.34730	0 m		
RULAB	-	44.36640	18,500 ft	59	-
FIX	-	38.40830	5,639 m		
URSS	-	43.44460	0 ft	86	Sochi Intl
APT	-	39.94710	0 m		

URKA

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 1

Elevation: 176 ft / 54 m
Location: 45.002100 37.347300
Magnetic Var: 7.804 E

METAR

URKA 070100Z 13003MPS CAVOK 17/17 Q1015 R03/010070 TEMPO 1000 BR SCT005 BKN016CB RMK QFE757/1010

TAF

TAF TAF URKA 062247Z 0700/0724 22003G08MPS 9999 SCT020CB PROB40 0700/0715 -TSRA BKN016CB BECMG 0704/0706 26003G08

Frequencies

TWR - 119.80 MHz - ANAPA TOWER
REC - 125.40 MHz - ANAPA ATIS

COM - 118.70 MHz - ANAPA RADAR
TWR - 118.90 MHz - ANAPA GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	8,210 ft	42.13	CONCRETE	0 ft	0 ft
	45 m	2,502 m	34.33		0 m	0 m
22	148 ft	8,210 ft	222.15	CONCRETE	0 ft	0 ft
	45 m	2,502 m	214.34		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	IAN	109.10 MHz	18 nm	42.14	-	176 ft
				33 km	34.34		176 m
22	LOC-ILS	IAP	110.90 MHz	18 nm	222.14	-	176 ft
				33 km	214.34		176 m
04	GS	IAN	109.10 MHz	10 nm	42.14	3.00	176 ft
				19 km	34.34		176 m
22	GS	IAP	110.90 MHz	10 nm	222.14	3.00	176 ft
				19 km	214.34		176 m

URSS

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 2

Elevation: 90 ft / 27 m
Location: 43.444600 39.947100
Magnetic Var: 7.549 E

METAR

URSS 070100Z 04003MPS 9999 BKN023 20/16 Q1016 R02/010070 R06/010070 NOSIG RMK R06/09004MPS MT OBSC QFE761

TAF

TAF URSS 062256Z 0700/0724 05003G09MPS 9999 BKN009 BKN040CB OVC100 TEMPO 0700/0706 VRB05G10MPS 2100 -TSRA BR BKN0

Frequencies

REC - 129.37 MHz - ATIS	CLD - 132.70 MHz - SOCHI DELIVERY
GND - 119.00 MHz - SOCHI GROUND	GND - 118.50 MHz - SOCHI GROUND
TWR - 135.80 MHz - SOCHI TOWER	TWR - 121.20 MHz - SOCHI TOWER
APP - 124.60 MHz - SOCHI APPROACH	APP - 119.70 MHz - SOCHI RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,662 ft	64.77	CONCRETE	0 ft	243 ft
	45 m	2,945 m	57.22		0 m	74 m
24	148 ft	9,662 ft	244.79	CONCRETE	0 ft	0 ft
	45 m	2,945 m	237.25		0 m	0 m
02	161 ft	8,208 ft	28.61	CONCRETE	0 ft	164 ft
	49 m	2,502 m	21.06		0 m	50 m
20	161 ft	8,208 ft	208.62	CONCRETE	0 ft	164 ft
	49 m	2,502 m	201.07		0 m	50 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IAD	110.50 MHz	18 nm	28.62	-	83 ft
				33 km	21.07		83 m
06	LOC-ILS	ISO	111.10 MHz	18 nm	64.76	-	83 ft
				33 km	57.21		83 m
02	GS	IAD	110.50 MHz	10 nm	28.62	2.83	83 ft
				19 km	21.07		83 m
06	GS	ISO	111.10 MHz	10 nm	64.76	2.83	83 ft
				19 km	57.21		83 m