


2024/05/08 1117Z

EGCC PIPIN EGSS

127.07 nm / 235.33 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGCC	-	53.34740	0 ft	-	Manchester
APT	-	-2.28348	0 m		
PIPIN	-	52.61000	13,100 ft	65	-
FIX	-	-0.94167	3,993 m		
EGSS	-	51.88510	0 ft	61	Stansted
APT	-	0.23499	0 m		

EGCC

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 257 ft / 78 m
Location: 53.347400 -2.283480
Magnetic Var: 0.459 W

METAR

EGCC 081050Z 24008KT 190V260 9999 BKN024 18/12 Q1028

TAF

TAF EGCC 080501Z 0806/0912 VRB02KT 9999 SCT040 BECMG 0806/0809 18010KT TEMPO 0806/0808 6000 PROB30 TEMPO 0806/0808

Frequencies

REC - 113.55 MHz - ATIS ARRIVAL	REC - 121.90 MHz - ATIS DEPARTURE
TWR - 119.40 MHz - MANCHESTER TOWER	TWR - 118.60 MHz - MANCHESTER TOWER
GND - 121.85 MHz - MANCHESTER GROUND	GND - 121.75 MHz - MANCHESTER GROUND
CLD - 121.70 MHz - CLEARANCE DELIVERY	APP - 135.00 MHz - MANCHESTER APPROACH
APP - 118.50 MHz - MANCHESTER APPROACH	APP - 121.35 MHz - MANCHESTER DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05L	151 ft	9,980 ft	51.00	ASPHALT	1,401 ft	0 ft
	46 m	3,042 m	51.46		427 m	0 m
23R	151 ft	9,980 ft	231.03	ASPHALT	597 ft	200 ft
	46 m	3,042 m	231.49		182 m	61 m
05R	144 ft	10,519 ft	50.98	ASPHALT	0 ft	0 ft
	44 m	3,206 m	51.43		0 m	0 m
23L	144 ft	10,519 ft	231.00	ASPHALT	1,093 ft	0 ft
	44 m	3,206 m	231.46		333 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	IMM	109.50 MHz	18 nm	-	-	294 ft
				33 km	-		294 m
05R	DME	IMC	111.55 MHz	18 nm	-	-	212 ft
				33 km	-		212 m
23R	DME	INN	109.50 MHz	18 nm	-	-	294 ft
				33 km	-		294 m
05L	LOC-ILS	IMM	109.50 MHz	18 nm	51.03	-	257 ft
				33 km	51.49		257 m
05R	LOC-ILS	IMC	111.55 MHz	18 nm	51.01	-	257 ft
				33 km	51.47		257 m
23R	LOC-ILS	INN	109.50 MHz	18 nm	230.98	-	257 ft
				33 km	231.44		257 m
05L	GS	IMM	109.50 MHz	10 nm	51.01	3.00	257 ft
				19 km	51.47		257 m
05R	GS	IMC	111.55 MHz	10 nm	51.97	3.00	257 ft
				19 km	52.43		257 m
23R	GS	INN	109.50 MHz	10 nm	231.01	3.00	257 ft
				19 km	231.47		257 m

EGSS

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 348 ft / 106 m
Location: 51.885100 0.234989
Magnetic Var: 0.577 E

METAR

EGSS 081050Z VRB04KT CAVOK 14/09 Q1030

TAF

TAF AMD EGSS 081029Z 0810/0912 07005KT 9999 BKN012 BECMG 0811/0814 FEW045 PROB30 TEMPO 0900/0907 8000

Frequencies

DEP - 120.62 MHz - ESSEX RADAR	APP - 120.62 MHz - ESSEX RADAR
APP - 132.05 MHz - STANSTED APPROACH	CLD - 121.95 MHz - STANSTED CLEARANCE DELIVERY
GND - 121.72 MHz - STANSTED GROUND	TWR - 123.80 MHz - STANSTED TOWER
TWR - 125.55 MHz - STANSTED TOWER	APP - 136.20 MHz - STANSTED DIRECT
REC - 114.55 MHz - ATIS	REC - 127.17 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	9,984 ft	42.78	ASPHALT	974 ft	0 ft
	46 m	3,043 m	42.21		297 m	0 m
22	151 ft	9,984 ft	222.81	ASPHALT	0 ft	0 ft
	46 m	3,043 m	222.23		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	ISED	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
22	DME	ISX	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
04	LOC-ILS	ISED	110.50 MHz	18 nm	42.80	-	348 ft
				33 km	42.22		348 m
22	LOC-ILS	ISX	110.50 MHz	18 nm	222.80	-	348 ft
				33 km	222.22		348 m
04	GS	ISED	110.50 MHz	10 nm	42.80	3.00	348 ft
				19 km	42.22		348 m
22	GS	ISX	110.50 MHz	10 nm	222.80	3.00	348 ft
				19 km	222.22		348 m