

# LOWW

Wien Schwechat


# LIMC

Milano Malpensa

2024/05/12 0231Z

LOWW OSPEN ABRUK LUSIL LIMC

358.34 nm / 663.65 km



## Notes

Requested: LOWW OSPEN UM138 ABRUK UM984 LUSIL LIMC

Unmatched points: UM138 UM984

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LOWW	-	48.11007	0 ft	-	Wien Schwechat
APT	-	16.56964	0 m		
OSPEN	-	47.48529	0 ft	56	-
FIX	-	15.52742	0 m		
ABRUK	-	47.38313	0 ft	22	-
FIX	-	15.00663	0 m		
LUSIL	-	46.04306	0 ft	216	-
FIX	-	10.11667	0 m		
LIMC	-	45.63061	0 ft	63	Milano Malpensa
APT	-	8.72811	0 m		

## LOWW

Region: AUSTRIA  
Timezone: EUROPE/VIENNA  
Runways: 2

Elevation: 600 ft / 183 m  
Location: 48.110100 16.569600  
Magnetic Var: 5.014 E

## METAR

LOWW 120150Z 32003KT CAVOK 11/08 Q1020 NOSIG

## TAF

TAF TAF LOWW 120215Z 1203/1309 01007KT CAVOK TX22/1214Z TN10/1303Z TEMPO 1203/1206 VRB04KT PROB30 TEMPO 1210/1214

## Frequencies

REC - 122.95 MHz - ATIS ARRIVAL	REC - 121.72 MHz - ATIS DEPARTURE
TWR - 124.47 MHz - WIEN TOWER	TWR - 123.80 MHz - WIEN TOWER
TWR - 121.20 MHz - WIEN TOWER	TWR - 119.40 MHz - WIEN TOWER
GND - 121.77 MHz - WIEN GROUND	GND - 121.60 MHz - WIEN GROUND
CLD - 122.12 MHz - CLEARANCE DELIVERY	APP - 134.67 MHz - WIEN RADAR
APP - 125.17 MHz - WIEN RADAR	APP - 129.05 MHz - WIEN RADAR
APP - 118.77 MHz - WIEN RADAR	APP - 136.25 MHz - WIEN RADAR
APP - 119.80 MHz - WIEN DIRECTOR	APP - 134.12 MHz - WIEN DIRECTOR
REC - 118.52 MHz - WIEN INFORMATION	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,822 ft	164.23	ASPHALT	0 ft	197 ft
	45 m	3,604 m	159.21		0 m	60 m
34	148 ft	11,822 ft	344.24	ASPHALT	0 ft	194 ft
	45 m	3,604 m	339.22		0 m	59 m
11	148 ft	11,495 ft	115.99	ASPHALT	0 ft	174 ft
	45 m	3,504 m	110.97		0 m	53 m
29	148 ft	11,495 ft	296.02	ASPHALT	0 ft	187 ft
	45 m	3,504 m	291.00		0 m	57 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	OEW	110.30 MHz	18 nm	-	-	593 ft
				33 km	-		593 m
16	DME	O EZ	108.50 MHz	18 nm	-	-	610 ft
				33 km	-		610 m
29	DME	O EX	109.55 MHz	18 nm	-	-	624 ft
				33 km	-		624 m
34	DME	O EN	108.10 MHz	18 nm	-	-	572 ft
				33 km	-		572 m
11	LOC-ILS	OEW	110.30 MHz	18 nm	116.04	-	600 ft
				33 km	111.02		600 m
16	LOC-ILS	O EZ	108.50 MHz	18 nm	164.25	-	600 ft
				33 km	159.24		600 m
29	LOC-ILS	O EX	109.55 MHz	18 nm	295.98	-	600 ft
				33 km	290.96		600 m
34	LOC-ILS	O EN	108.10 MHz	18 nm	344.21	-	600 ft
				33 km	339.20		600 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	GS	OEW	110.30 MHz	10 nm	116.02	3.10	593 ft
				19 km	111.01		593 m
16	GS	OEZ	108.50 MHz	10 nm	164.47	3.00	610 ft
				19 km	159.46		610 m
29	GS	OEX	109.55 MHz	10 nm	296.02	3.00	624 ft
				19 km	291.01		624 m
34	GS	OEN	108.10 MHz	10 nm	344.47	3.00	604 ft
				19 km	339.46		604 m

## LIMC

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 767 ft / 234 m  
Location: 45.630600 8.728120  
Magnetic Var: 3.122 E

## METAR

LIMC 120150Z 01006KT CAVOK 14/11 Q1018 NOSIG

## TAF

TAF LIMC 112300Z 1200/1306 VRB05KT CAVOK BECMG 1212/1214 18010KT BECMG 1217/1219 VRB05KT TEMPO 1218/1303 TSRA

## Frequencies

REC - 120.02 MHz - ATIS ARRIVAL	REC - 121.62 MHz - ATIS DEPARTURE
CLD - 120.90 MHz - CLEARANCE DELIVERY	GND - 121.82 MHz - MALPENSA GROUND
GND - 121.90 MHz - MALPENSA GROUND	TWR - 119.00 MHz - MALPENSA TOWER
TWR - 128.35 MHz - MALPENSA TOWER	APP - 126.75 MHz - MILANO APPROACH
APP - 125.62 MHz - MILANO APPROACH	APP - 132.70 MHz - MILANO APPROACH
DEP - 126.30 MHz - MILANO DEPARTURE	DEP - 126.75 MHz - MILANO DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	197 ft	12,873 ft	169.06	ASPHALT	0 ft	387 ft
	60 m	3,924 m	165.94		0 m	118 m
35L	197 ft	12,873 ft	349.07	ASPHALT	1,319 ft	197 ft
	60 m	3,924 m	345.95		402 m	60 m
17L	197 ft	12,873 ft	169.06	ASPHALT	3,081 ft	207 ft
	60 m	3,924 m	165.94		939 m	63 m
35R	197 ft	12,873 ft	349.07	ASPHALT	0 ft	180 ft
	60 m	3,924 m	345.95		0 m	55 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	IMSL	110.75 MHz	25 nm	-	-	792 ft
				46 km	-		792 m
35L	DME	IMA	109.10 MHz	25 nm	-	-	768 ft
				46 km	-		768 m
35R	DME	MLP	109.90 MHz	18 nm	-	-	713 ft
				33 km	-		713 m
17L	LOC-ILS	IMSL	110.75 MHz	18 nm	169.06	-	697 ft
				33 km	165.94		697 m
35L	LOC-ILS	IMA	109.10 MHz	18 nm	349.07	-	767 ft
				33 km	345.95		767 m
35R	LOC-ILS	MLP	109.90 MHz	18 nm	349.07	-	780 ft
				33 km	345.94		780 m
17L	GS	IMSL	110.75 MHz	10 nm	170.24	3.00	792 ft
				19 km	167.12		792 m
35L	GS	IMA	109.10 MHz	10 nm	350.24	3.00	768 ft
				19 km	347.12		768 m
35R	GS	MLP	109.90 MHz	10 nm	350.24	3.00	740 ft
				19 km	347.12		740 m