

KFFO

Wright-Patterson Air Force Base


KBMG

Monroe County Airport

2024/05/08 0157Z

KFFO RID SHB V221 MOUTH KBMG

129.98 nm / 240.73 km



Notes

Requested: KFFO RID SHB V221 MOUTH KBMG

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KFFO APT	-	39.82600 -84.04610	0 ft 0 m	-	Wright-Patterson Air Force Base
RID VOR	-	39.75500 -84.83880	0 ft 0 m	36	RICHMOND
SHB VOR	-	39.63250 -85.82430	0 ft 0 m	46	SHELBYVILLE
MOUTH FIX	V221 AWY-LO	39.36120 -86.26460	0 ft 0 m	26	-
KBMG APT	-	39.14480 -86.61680	0 ft 0 m	20	Monroe County Airport

KFFO

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 823 ft / 251 m
Location: 39.826000 -84.046100
Magnetic Var: 6.642 W

METAR

KFFO 080138Z COR 23008KT 10SM VCTS -RA BKN017 OVC024 23/20 A2960 RMK A02A SLP021 COR 0147

TAF

TAF TAF AMD KFFO 072342Z 0723/0901 20012KT 9999 VCTS SCT030CB BKN100 QNH2957INS WND 160V240 TEMPO 0723/0801 180150

Frequencies

REC - 124.47 MHz - WRIGHT-PATTERSON ATIS
GND - 121.80 MHz - PATTERSON GROUND
APP - 118.85 MHz - COLUMBUS APPROACH
COM - 349.40 MHz - PATTERSON UNICOM
TWR - 126.90 MHz - PATTERSON TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05L	150 ft	12,600 ft	48.82	ASPHALT	0 ft	0 ft
	46 m	3,841 m	55.46		0 m	0 m
23R	150 ft	12,600 ft	228.84	ASPHALT	0 ft	0 ft
	46 m	3,841 m	235.48		0 m	0 m
05R	150 ft	6,997 ft	48.82	ASPHALT	0 ft	328 ft
	46 m	2,133 m	55.47		0 m	100 m
23L	150 ft	6,997 ft	228.84	ASPHALT	0 ft	0 ft
	46 m	2,133 m	235.48		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	LOC-ILS	IFAE	109.70 MHz	18 nm	48.82	-	823 ft
				33 km	55.46		823 m
23R	LOC-ILS	IFFO	109.70 MHz	18 nm	228.81	-	825 ft
				33 km	235.45		825 m
05L	GS	IFAE	109.70 MHz	10 nm	49.64	3.00	823 ft
				19 km	56.28		823 m
23R	GS	IFFO	109.70 MHz	10 nm	229.64	3.00	823 ft
				19 km	236.28		823 m

KBMG

Region: UNITED STATES
Timezone: AMERICA/INDIANA/INDIANAPOLIS
Runways: 2

Elevation: 846 ft / 258 m
Location: 39.144800 -86.616800
Magnetic Var: 4.730 W

METAR

KBMG 080053Z 22010G19KT 10SM FEW033 26/20 A2958 RMK A02 LTG DSNT NE SLP008 T02560200

TAF

TAF KBMG 072340Z 0800/0824 20014G20KT 6SM -SHRA BR VCTS BKN035CB TEMPO 0800/0802 1 1/2SM TSRA BR OVC012CB FM080400

Frequencies

REC - 110.20 MHz - ASOS
COM - 122.95 MHz - UNICOM
TWR - 120.77 MHz - BLOOMINGTON TOWER
COM - 120.77 MHz - CTAF
GND - 121.90 MHz - BLOOMINGTON GROUND
APP - 128.02 MHz - HULMAN APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	151 ft	6,497 ft	171.65	ASPHALT	0 ft	0 ft
	46 m	1,980 m	176.38		0 m	0 m
35	151 ft	6,497 ft	351.66	ASPHALT	0 ft	0 ft
	46 m	1,980 m	356.39		0 m	0 m
06	98 ft	3,795 ft	61.52	ASPHALT	305 ft	0 ft
	30 m	1,157 m	66.25		93 m	0 m
24	98 ft	3,795 ft	241.53	ASPHALT	223 ft	0 ft
	30 m	1,157 m	246.26		68 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35	LOC-ILS	IBMG	108.30 MHz	18 nm	351.66	-	846 ft
				33 km	356.39		846 m
35	GS	IBMG	108.30 MHz	10 nm	351.66	3.00	846 ft
				19 km	356.39		846 m