

WIII

Jakarta Soekarno-Hatta Intl


RJAA

Narita

2024/05/06 0044Z

WIII ATOSO P648 VJN M646 PR PR M646 MIA A461 CAB R597 SKATE A590 BUBDO Y83 BUNGU NALLY RJAA

3199.40 nm / 5925.28 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 40000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 230kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WIII APT	-	-6.11981 106.65700	0 ft 0 m	-	Jakarta Soekarno-Hatta Intl
ATOSO FIX	-	-5.14791 107.46700	27,000 ft 8,230 m	75	-
AMBOY FIX	P648 AWY-HI	-4.13333 108.16700	40,000 ft 12,192 m	73	-
RAFIS FIX	P648 AWY-HI	-2.89269 109.13600	40,000 ft 12,192 m	94	-
TRIBO FIX	P648 AWY-HI	-1.68387 110.11400	40,000 ft 12,192 m	93	-
OSUKA FIX	P648 AWY-HI	-1.29167 110.41200	40,000 ft 12,192 m	29	-
OMEGA FIX	P648 AWY-HI	-0.38333 111.12000	40,000 ft 12,192 m	69	-
OKADA FIX	P648 AWY-HI	1.56667 112.63300	40,000 ft 12,192 m	148	-
ALEMO FIX	P648 AWY-HI	2.76250 113.57200	40,000 ft 12,192 m	91	-
UDERO FIX	P648 AWY-HI	3.93060 114.49400	40,000 ft 12,192 m	89	-
BUTAX FIX	P648 AWY-HI	4.43690 114.87600	40,000 ft 12,192 m	38	-
VJN80 FIX	P648 AWY-HI	4.85139 115.21100	40,000 ft 12,192 m	31	-
VJN VOR	P648 AWY-HI	5.89925 116.03400	40,000 ft 12,192 m	79	KOTA KINABALU
OSANU FIX	M646 AWY-HI	7.69000 117.29300	40,000 ft 12,192 m	131	-
PR DME	M646 AWY-HI	9.74133 118.75300	40,000 ft 12,192 m	150	PUERTO PRINCESA VOR-DME
PR VOR	- -	9.73980 118.77000	40,000 ft 12,192 m	1	PUERTO PRINCESA
TELMO FIX	M646 AWY-HI	9.96919 118.85900	40,000 ft 12,192 m	14	-
GAMAN FIX	M646 AWY-HI	10.04510 118.89500	40,000 ft 12,192 m	5	-
TOKON FIX	M646 AWY-HI	11.70050 119.67500	40,000 ft 12,192 m	109	-
OLRAX FIX	M646 AWY-HI	13.31620 120.44600	40,000 ft 12,192 m	107	-
BUCAL FIX	M646 AWY-HI	13.59990 120.58200	40,000 ft 12,192 m	18	-
BALAY FIX	M646 AWY-HI	13.90270 120.72800	40,000 ft 12,192 m	20	-
INDAN FIX	M646 AWY-HI	14.19020 120.86800	40,000 ft 12,192 m	19	-
MIA VOR	M646 AWY-HI	14.50800 121.02200	40,000 ft 12,192 m	21	MANILA
CAB VOR	A461 AWY-HI	15.48230 121.02400	40,000 ft 12,192 m	58	CABANATUAN
SARSI FIX	R597 AWY-HI	16.72680 123.24900	40,000 ft 12,192 m	148	-
SKATE	R597	17.36980	40,000 ft	77	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	124.42700	12,192 m		
GURAG	A590	21.00000	40,000 ft	276	-
FIX	AWY-HI	127.41700	12,192 m		
TUNTO	A590	23.00440	40,000 ft	151	-
FIX	AWY-HI	129.08100	12,192 m		
AVLAS	A590	24.35560	40,000 ft	99	-
FIX	AWY-HI	130.12100	12,192 m		
MDE	A590	25.85450	40,000 ft	109	MINAMIDAITO
VOR	AWY-HI	131.26400	12,192 m		
BIXAK	A590	27.88060	40,000 ft	157	-
FIX	AWY-HI	133.13800	12,192 m		
DOVAG	A590	28.58390	40,000 ft	55	-
FIX	AWY-HI	133.81400	12,192 m		
OLDUP	A590	30.12540	40,000 ft	122	-
FIX	AWY-HI	135.34200	12,192 m		
BUBDO	A590	31.43200	40,000 ft	103	-
FIX	AWY-HI	136.65400	12,192 m		
GULEG	Y83	32.87600	40,000 ft	115	-
FIX	AWY-HI	138.16700	12,192 m		
BUNGU	Y83	34.11900	23,400 ft	100	-
FIX	AWY-HI	139.49800	7,132 m		
NALLY	-	34.21690	22,100 ft	5	-
FIX	-	139.49400	6,736 m		
RJAA	-	35.77720	0 ft	103	Narita
APT	-	140.38200	0 m		

WIII

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 3

Elevation: 34 ft / 10 m
Location: -6.119810 106.657000
Magnetic Var: 0.530 E

METAR

WIII 060030Z 18008KT 8000 SCT020 28/23 Q1009 NOSIG

TAF

TAF WIII 052300Z 0600/0706 VRB03KT 9000 FEW020 BECMG 0601/0603 03008KT TEMPO 0609/0612 5000 -TSRA FEW018CB BECMG 0706/0708 03008KT

Frequencies

REC - 126.85 MHz - ATIS	CLD - 121.95 MHz -
CLD - 124.25 MHz -	SOEKARNO-HATTA CLEARANCE DELIVERY
SOEKARNO-HATTA CLEARANCE DELIVERY	CLD - 125.15 MHz -
GND - 121.60 MHz - SOEKARNO-HATTA GROUND	SOEKARNO-HATTA CLEARANCE DELIVERY
GND - 128.85 MHz - SOEKARNO-HATTA GROUND	GND - 121.00 MHz - SOEKARNO-HATTA GROUND
TWR - 118.20 MHz - SOEKARNO-HATTA TOWER	GND - 128.95 MHz - SOEKARNO-HATTA GROUND
TWR - 119.30 MHz - SOEKARNO-HATTA TOWER	TWR - 118.75 MHz - SOEKARNO-HATTA TOWER
APP - 124.20 MHz - JAKARTA ARRIVAL	TWR - 120.25 MHz - SOEKARNO-HATTA TOWER
APP - 119.75 MHz - JAKARTA DIRECTOR	APP - 125.45 MHz - JAKARTA ARRIVAL
APP - 124.55 MHz - JAKARTA DIRECTOR	APP - 123.75 MHz - JAKARTA DIRECTOR
APP - 125.05 MHz - JAKARTA DIRECTOR	APP - 124.95 MHz - JAKARTA DIRECTOR
APP - 124.15 MHz - JAKARTA RADAR	APP - 127.90 MHz - JAKARTA DIRECTOR
APP - 125.35 MHz - JAKARTA RADAR	APP - 124.35 MHz - JAKARTA RADAR
APP - 127.95 MHz - JAKARTA RADAR	APP - 126.45 MHz - JAKARTA RADAR
	APP - 130.10 MHz - JAKARTA RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,202 ft	68.13	ASPHALT	328 ft	846 ft
	46 m	2,500 m	67.61		100 m	258 m
24	150 ft	8,202 ft	248.13	ASPHALT	0 ft	0 ft
	46 m	2,500 m	247.60		0 m	0 m
07L	197 ft	11,820 ft	68.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	67.62		0 m	0 m
25R	197 ft	11,820 ft	248.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	247.62		0 m	0 m
07R	197 ft	12,015 ft	68.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	67.59		0 m	0 m
25L	197 ft	12,015 ft	248.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	247.59		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	ICHL	111.50 MHz	18 nm	68.13	-	21 ft
				33 km	67.60		21 m
07R	LOC-ILS	ICHR	110.50 MHz	18 nm	68.13	-	27 ft
				33 km	67.60		27 m
25L	LOC-ILS	ICGL	111.10 MHz	18 nm	248.12	-	34 ft
				33 km	247.59		34 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ICGR	110.90 MHz	18 nm	248.13	-	29 ft
				33 km	247.60		29 m
07L	GS	ICHL	111.50 MHz	10 nm	68.25	3.00	29 ft
				19 km	67.72		29 m
07R	GS	ICHR	110.50 MHz	10 nm	68.24	3.00	34 ft
				19 km	67.71		34 m
25L	GS	ICGL	111.10 MHz	10 nm	248.24	3.00	27 ft
				19 km	247.71		27 m
25R	GS	ICGR	110.90 MHz	10 nm	248.25	3.00	21 ft
				19 km	247.72		21 m

RJAA

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 2

Elevation: 135 ft / 41 m
Location: 35.777200 140.382000
Magnetic Var: 7.777 W

METAR

RJAA 060030Z 21013KT 170V240 9999 FEW030 BKN190 24/15 Q1019 TEMPO 20015G25KT

TAF

TAF TAF RJAA 052305Z 0600/0706 20014KT 9999 FEW030 TEMPO 0600/0608 20016G28KT TEMPO 0621/0700 4000 SHRA BR FEW004

Frequencies

REC - 128.25 MHz - ATIS	TWR - 122.70 MHz - NARITA TOWER
TWR - 126.20 MHz - NARITA TOWER	TWR - 118.35 MHz - NARITA TOWER
TWR - 118.20 MHz - NARITA TOWER	GND - 121.85 MHz - NARITA GROUND
GND - 121.95 MHz - NARITA GROUND	GND - 121.60 MHz - NARITA GROUND
GND - 121.75 MHz - NARITA GROUND	APP - 125.20 MHz - NARITA APPROACH
APP - 124.40 MHz - NARITA APPROACH	APP - 121.27 MHz - NARITA APPROACH
APP - 125.80 MHz - NARITA APPROACH	APP - 127.70 MHz - NARITA APPROACH
DEP - 120.60 MHz - NARITA DEPARTURE	DEP - 127.50 MHz - NARITA DEPARTURE
DEP - 119.60 MHz - NARITA DEPARTURE	DEP - 125.52 MHz - NARITA DEPARTURE
DEP - 124.20 MHz - NARITA DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	197 ft	13,146 ft	149.63	ASPHALT	0 ft	407 ft
	60 m	4,007 m	157.41		0 m	124 m
34L	197 ft	13,146 ft	329.64	ASPHALT	0 ft	404 ft
	60 m	4,007 m	337.42		0 m	123 m
16L	197 ft	8,210 ft	149.61	ASPHALT	0 ft	197 ft
	60 m	2,503 m	157.39		0 m	60 m
34R	197 ft	8,210 ft	329.62	ASPHALT	0 ft	0 ft
	60 m	2,503 m	337.40		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	DME	ITM	110.70 MHz	18 nm	-	-	145 ft
				33 km	-		145 m
16R	DME	IKF	111.50 MHz	18 nm	-	-	145 ft
				33 km	-		145 m
34L	DME	IYQ	111.90 MHz	18 nm	-	-	153 ft
				33 km	-		153 m
34R	DME	ITJ	110.90 MHz	18 nm	-	-	148 ft
				33 km	-		148 m
16L	LOC-ILS	ITM	110.70 MHz	18 nm	149.64	-	135 ft
				33 km	157.42		135 m
16R	LOC-ILS	IKF	111.50 MHz	18 nm	149.62	-	135 ft
				33 km	157.40		135 m
34L	LOC-ILS	IYQ	111.90 MHz	18 nm	329.62	-	135 ft
				33 km	337.40		135 m
34R	LOC-ILS	ITJ	110.90 MHz	18 nm	329.64	-	135 ft
				33 km	337.42		135 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	GS	ITM	110.70 MHz	10 nm	149.64	3.00	135 ft
				19 km	157.42		135 m
16R	GS	IKF	111.50 MHz	10 nm	149.62	3.00	135 ft
				19 km	157.40		135 m
34L	GS	IYQ	111.90 MHz	10 nm	329.62	3.00	135 ft
				19 km	337.40		135 m
34R	GS	ITJ	110.90 MHz	10 nm	329.64	3.00	135 ft
				19 km	337.42		135 m