

KAEG

Albuquerque Double Eagle II


NM72

TURNER RIDGEPORT

2024/06/05 0015Z

KAEG WOLKI NM72

173.37 nm / 321.08 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
KAEG	-	35.14510	0 ft	-		Albuquerque Double Eagle II
APT	-	-106.79500	0 m			
WOLKI	-	33.68030	18,100 ft	88	-	
FIX	-	-107.02700	5,517 m			
NM72	-	32.74460	0 ft	84		TURNER RIDGEPORT
APT	-	-108.28700	0 m			

KAEG

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 2

Elevation: 5,837 ft / 1,779 m
Location: 35.145100 -106.795000
Magnetic Var: 7.976 E

METAR

KAEG 042347Z 31013G29KT 10SM CLR 32/M02 A2995

TAF

TAF KAEG 042340Z 0500/0524 31014G24KT P6SM FEW130 BKN250 FM050200 32010KT P6SM FEW250 FM050900 32006KT P6SM SKC FM

Frequencies

REC - 119.02 MHz - AWOS 3
CLD - 124.80 MHz - CLNC DEL

COM - 122.80 MHz - CTAF/UNICOM
APP - 127.40 MHz - ALBUQUERQUE APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	98 ft	7,399 ft	46.04	ASPHALT	0 ft	0 ft
	30 m	2,255 m	38.07		0 m	0 m
22	98 ft	7,399 ft	226.06	ASPHALT	0 ft	0 ft
	30 m	2,255 m	218.08		0 m	0 m
17	98 ft	6,012 ft	179.94	ASPHALT	0 ft	151 ft
	30 m	1,832 m	171.96		0 m	46 m
35	98 ft	6,012 ft	359.94	ASPHALT	0 ft	0 ft
	30 m	1,832 m	351.96		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	LOC-ILS	IAEG	110.10 MHz	18 nm	226.05	-	5,837 ft
				33 km	218.07		5,837 m
22	GS	IAEG	110.10 MHz	10 nm	226.10	3.00	5,837 ft
				19 km	218.12		5,837 m