


2024/06/05 0508Z

PAMC NIXON KCR

38.24 nm / 70.81 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PAMC	-	62.95479	0 ft	-	MC GRATH
APT	-	-155.60657	0 m		
NIXON	-	63.27107	3,900 ft	19	-
FIX	-	-155.80906	1,189 m		
KCR	-	63.56772	0 ft	18	Colorado Creek
APT	-	-155.98904	0 m		

## PAMC

Region: USA (ALASKA)

Timezone: AMERICA/ANCHORAGE

Runways: 2

Elevation: 338 ft / 103 m

Location: 62.954800 -155.607000

Magnetic Var: 12.015 E

## METAR

PAMC 050353Z AUTO 00000KT 10SM FEW030 FEW110 13/08 A2934 RMK A02 SLP940 T01280083 TSNO

## TAF

PAMC 042323Z 0500/0524 VRB04KT P6SM VCSH BKN025 OVC050 FM050600 VRB05KT P6SM BKN050 BKN100 FM051800 32003KT P6SM V

## Frequencies

REC - 135.65 MHz - ASOS

COM - 123.60 MHz - CTAF

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	100 ft	5,923 ft	178.92	ASPHALT	556 ft	0 ft
	30 m	1,805 m	166.90		169 m	0 m
34	100 ft	5,923 ft	358.92	ASPHALT	547 ft	0 ft
	30 m	1,805 m	346.90		167 m	0 m
07	60 ft	1,714 ft	94.00	ASPHALT	0 ft	0 ft
	18 m	522 m	81.98		0 m	0 m
25	60 ft	1,714 ft	274.01	ASPHALT	0 ft	0 ft
	18 m	522 m	261.99		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IMCG	108.50 MHz	18 nm	-	-	337 ft
				33 km	-		337 m
16	LOC-LOC	IMCG	108.50 MHz	18 nm	182.87	-	338 ft
				33 km	170.85		338 m