

YSSY

Sydney Kingsford Smith Intl

—


KLAX

Los Angeles Intl

2024/05/23 0252Z

YSSY SYDSM DUNES KAMPI DIPSO **G595** SOTKI LHI 3103S15945E 2852S16232E 2831S16300E 2555S16626E
1929S17411E 1509S17823E 0950S17707W 0626S17432W 0500S17329W 0130S17056W 0109N16855W 0536N16457W
0924N16103W 1406N15539W 1644N15200W 1800N15000W 2000N14556W 2105N14350W 2258N14030W 2706N13253W
2829N12944W WEDES **B581** FICKY KLAX

6612.63 nm / 12246.60 km



Notes

Requested: YSSY SYDSM DUNES KAMPI DIPSO G595 SOTKI LHI 3103S15945E 2852S16232E 2831S16300E 2555S16626E 1929S17411E

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YSSY	-	-33.94610	0 ft	-	Sydney Kingsford Smith Intl
APT	-	151.17700	0 m	-	
SYDSM	-	-33.96430	0 ft	1	-
FIX	-	151.18100	0 m	-	-
DUNES	-	-34.02670	0 ft	3	-
FIX	-	151.17500	0 m	-	-
KAMPI	-	-34.16170	0 ft	8	-
FIX	-	151.22000	0 m	-	-
DIPSO	-	-33.90650	0 ft	45	-
FIX	-	152.07200	0 m	-	-
GUTIV	G595	-33.91070	0 ft	51	-
FIX	AWY-HI	153.10400	0 m	-	-
INVUS	G595	-33.90900	0 ft	31	-
FIX	AWY-HI	153.74100	0 m	-	-
ATNAT	G595	-33.90260	0 ft	37	-
FIX	AWY-HI	154.50300	0 m	-	-
SOTKI	G595	-33.84460	0 ft	34	-
FIX	AWY-HI	155.18500	0 m	-	-
LHI	-	-31.52890	0 ft	240	LORD HOWE
NDB	-	159.07300	0 m	-	
3103S15945E	-	-31.03000	0 ft	35	-
LATLON	-	159.45000	0 m	-	-
2852S16232E	-	-28.52000	0 ft	212	-
LATLON	-	162.32000	0 m	-	-
2831S16300E	-	-28.31000	0 ft	38	-
LATLON	-	163.00000	0 m	-	-
2555S16626E	-	-25.55000	0 ft	240	-
LATLON	-	166.26000	0 m	-	-
1929S17411E	-	-19.29000	0 ft	575	-
LATLON	-	174.11000	0 m	-	-
1509S17823E	-	-15.09000	0 ft	345	-
LATLON	-	178.23000	0 m	-	-
0950S17707W	-	-9.50000	0 ft	434	-
LATLON	-	-177.07000	0 m	-	-
0626S17432W	-	-6.26000	0 ft	254	-
LATLON	-	-174.32000	0 m	-	-
0500S17329W	-	-5.00000	0 ft	97	-
LATLON	-	-173.29000	0 m	-	-
0130S17056W	-	-1.30000	0 ft	275	-
LATLON	-	-170.56000	0 m	-	-
0109N16855W	-	1.09000	0 ft	187	-
LATLON	-	-168.55000	0 m	-	-
0536N16457W	-	5.36000	0 ft	350	-
LATLON	-	-164.57000	0 m	-	-
0924N16103W	-	9.24000	0 ft	314	-
LATLON	-	-161.03000	0 m	-	-
1406N15539W	-	14.06000	0 ft	440	-
LATLON	-	-155.39000	0 m	-	-
1644N15200W	-	16.44000	0 ft	242	-
LATLON	-	-152.00000	0 m	-	-
1800N15000W	-	18.00000	0 ft	148	-
LATLON	-	-150.00000	0 m	-	-
2000N14556W	-	20.00000	0 ft	279	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-145.56000	0 m		
2105N14350W	-	21.05000	0 ft	131	-
LATLON	-	-143.50000	0 m		
2258N14030W	-	22.58000	0 ft	200	-
LATLON	-	-140.30000	0 m		
2706N13253W	-	27.06000	0 ft	501	-
LATLON	-	-132.53000	0 m		
2829N12944W	-	28.29000	0 ft	180	-
LATLON	-	-129.44000	0 m		
WEDES	-	30.66810	0 ft	359	-
FIX	-	-123.12400	0 m		
FICKY	B581	31.55760	0 ft	103	-
FIX	AWY-HI	-121.39200	0 m		
KLAX	-	33.94310	0 ft	207	Los Angeles Intl
APT	-	-118.40900	0 m		

YSSY

Region: AUSTRALIA
Timezone: AUSTRALIA/SYDNEY
Runways: 3

Elevation: 21 ft / 6 m
Location: -33.946100 151.177000
Magnetic Var: 12.672 E

METAR

YSSY 230230Z 22004KT 9999 FEW040 18/09 Q1026

TAF

TAF YSSY 222303Z 2300/2406 30008KT 9999 FEW020 FM230200 17012KT 9999 FEW035 FM231000 26008KT CAVOK FM231300 30005

Frequencies

REC - 118.55 MHz - ATIS	REC - 126.55 MHz - ATIS
TWR - 124.70 MHz - SYDNEY TOWER	TWR - 120.50 MHz - SYDNEY TOWER
GND - 126.50 MHz - SYDNEY GROUND	GND - 121.70 MHz - SYDNEY GROUND
GND - 130.95 MHz - ANSETT APRON	GND - 127.60 MHz - SYDNEY COORDINATOR
CLD - 133.80 MHz - SYDNEY CLEARANCE DELIVERY	APP - 124.40 MHz - SYDNEY APPROACH
APP - 128.30 MHz - SYDNEY APPROACH	APP - 135.90 MHz - SYDNEY APPROACH
APP - 126.10 MHz - SYDNEY DIRECT	APP - 125.30 MHz - SYDNEY DIRECT
APP - 133.95 MHz - ILS MONITOR	APP - 119.45 MHz - ILS MONITOR
DEP - 129.70 MHz - SYDNEY DEPARTURE	DEP - 128.30 MHz - SYDNEY DEPARTURE
DEP - 123.00 MHz - SYDNEY DEPARTURE	DEP - 118.40 MHz - SYDNEY DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	148 ft	8,018 ft	167.85	ASPHALT	758 ft	295 ft
	45 m	2,444 m	155.18		231 m	90 m
34R	148 ft	8,018 ft	347.85	ASPHALT	125 ft	295 ft
	45 m	2,444 m	335.18		38 m	90 m
07	148 ft	8,285 ft	74.14	ASPHALT	0 ft	489 ft
	45 m	2,525 m	61.46		0 m	149 m
25	148 ft	8,285 ft	254.12	ASPHALT	331 ft	197 ft
	45 m	2,525 m	241.45		101 m	60 m
16R	148 ft	13,029 ft	167.86	ASPHALT	279 ft	299 ft
	45 m	3,971 m	155.19		85 m	91 m
34L	148 ft	13,029 ft	347.85	ASPHALT	0 ft	620 ft
	45 m	3,971 m	335.18		0 m	189 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	ISY	109.90 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
16L	DME	ISS	110.90 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
25	DME	ISW	109.70 MHz	18 nm	-	-	33 ft
				33 km	-		33 m
34R	DME	IKN	109.30 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
07	LOC-ILS	ISY	109.90 MHz	18 nm	74.13	-	21 ft
				33 km	61.46		21 m
16L	LOC-ILS	ISS	110.90 MHz	18 nm	167.85	-	21 ft
				33 km	155.18		21 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16R	LOC-ILS	IKS	109.50 MHz	18 nm	167.86	-	21 ft
				33 km	155.19		21 m
25	LOC-ILS	ISW	109.70 MHz	18 nm	254.13	-	21 ft
				33 km	241.46		21 m
34L	LOC-ILS	ISN	110.10 MHz	18 nm	347.86	-	21 ft
				33 km	335.19		21 m
34R	LOC-ILS	IKN	109.30 MHz	18 nm	347.85	-	21 ft
				33 km	335.18		21 m
07	GS	ISY	109.90 MHz	10 nm	74.13	3.00	21 ft
				19 km	61.46		21 m
16L	GS	ISS	110.90 MHz	10 nm	167.85	3.00	21 ft
				19 km	155.18		21 m
16R	GS	IKS	109.50 MHz	10 nm	167.86	3.00	21 ft
				19 km	155.19		21 m
25	GS	ISW	109.70 MHz	10 nm	254.13	3.00	21 ft
				19 km	241.46		21 m
34L	GS	ISN	110.10 MHz	10 nm	347.86	3.00	21 ft
				19 km	335.19		21 m
34R	GS	IKN	109.30 MHz	10 nm	347.85	3.00	21 ft
				19 km	335.18		21 m

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.438 E

METAR

KLAX 230153Z 27009KT 10SM SCT015 16/12 A2994 RMK AO2 SLP139 T01610122

TAF

TAF AMD KLAX 230202Z 2302/2406 26010KT P6SM SCT015 FM230400 26005KT P6SM OVC012 FM230900 12006KT P6SM OVC015 FM23

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.52		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.54		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.51		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.54		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.51		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.53		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.53		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m