

WMKF

Kuala Lumpur Simpang


WIMM

Kualanamu Int'l

2024/05/19 0339Z

WMKF PUGER WIMM

172.68 nm / 319.81 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WMKF	-	3.11253	0 ft	-	Kuala Lumpur Simpang
APT	-	101.70200	0 m		
PUGER	-	3.39972	18,500 ft	86	-
FIX	-	100.29200	5,639 m		
WIMM	-	3.63782	0 ft	86	Kualanamu Int'l
APT	-	98.87060	0 m		

WIMM

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 1

Elevation: 22 ft / 7 m
Location: 3.637820 98.870600
Magnetic Var: 0.143 W

METAR

WIMM 190230Z 36001KT 5000 HZ SCT018 29/27 Q1007 NOSIG

TAF

TAF WIMM 182300Z 1900/2000 23003KT 3000 BR SCT017 BECMG 1902/1903 02010KT 9999 NSW BECMG 1912/1914 VRB05KT 4000 HZ

Frequencies

REC - 126.30 MHz - MEDAN ATIS
GND - 130.30 MHz - KUALANAMU GROUND

TWR - 118.60 MHz - KUALANAMU TOWER
APP - 119.70 MHz - MEDAN DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	197 ft	12,315 ft	44.84	ASPHALT	0 ft	197 ft
	60 m	3,754 m	44.99		0 m	60 m
23	197 ft	12,315 ft	224.84	ASPHALT	0 ft	197 ft
	60 m	3,754 m	224.99		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	IMDN	110.10 MHz	18 nm	47.68	-	90 ft
				33 km	47.82		90 m
05	LOC-ILS	IDES	109.30 MHz	18 nm	44.84	-	22 ft
				33 km	44.98		22 m
23	LOC-ILS	IDEL	110.90 MHz	18 nm	224.84	-	22 ft
				33 km	224.98		22 m
05	GS	IDES	109.30 MHz	10 nm	44.84	3.00	22 ft
				19 km	44.98		22 m
23	GS	IDEL	110.90 MHz	10 nm	224.84	3.00	22 ft
				19 km	224.98		22 m
05	GS	IMDN	110.10 MHz	10 nm	47.09	3.00	90 ft
				19 km	47.23		90 m