

LFLL

Lyon

DLH2247


EDDM

Munich

2024/05/29 0239Z

LFLL D352D ABADO PENAR +45.511_+005.674 RISOR ASLEG VENAT SOSAL TELNO KORED KONOL BERSU SUREP
DITON KUDIS NUNRI BEMKI NESSES +47.650_+010.809 OSDER DISUN BETOS OTT EDDM

364.84 nm / 675.69 km



Notes

None

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFLL	-	45.72556	821 ft	-	-
APT	-	5.08111	250 m		
D352D	-	45.81499	3,700 ft	5	-
FIX	-	5.07839	1,128 m		
ABADO	-	45.65583	11,500 ft	13	-
FIX	-	5.29306	3,505 m		
PENAR	-	45.50694	17,400 ft	16	-
FIX	-	5.62694	5,304 m		
+45.511_+005.674	-	45.51139	18,000 ft	2	-
LATLON	-	5.67405	5,486 m		
RISOR	-	45.53833	18,000 ft	12	-
FIX	-	5.96417	5,486 m		
ASLEG	-	45.75250	18,000 ft	15	-
FIX	-	6.15417	5,486 m		
VENAT	-	46.24417	18,000 ft	34	-
FIX	-	6.59667	5,486 m		
SOSAL	-	46.55806	18,000 ft	22	-
FIX	-	6.88444	5,486 m		
TELNO	-	46.77197	18,000 ft	20	-
FIX	-	7.27081	5,486 m		
KORED	-	46.85056	18,000 ft	7	-
FIX	-	7.41417	5,486 m		
KONOL	-	46.99528	18,000 ft	13	-
FIX	-	7.68083	5,486 m		
BERSU	-	47.13553	18,000 ft	13	-
FIX	-	7.94131	5,486 m		
SUREP	-	47.16528	18,000 ft	3	-
FIX	-	8.01083	5,486 m		
DITON	-	47.30222	18,000 ft	15	-
FIX	-	8.33333	5,486 m		
KUDIS	-	47.44111	29,000 ft	27	-
FIX	-	8.96694	8,839 m		
NUNRI	-	47.58667	29,000 ft	29	-
FIX	-	9.65250	8,839 m		
BEMKI	-	47.55944	29,000 ft	26	-
FIX	-	10.30556	8,839 m		
NESES	-	47.54793	29,000 ft	10	-
FIX	-	10.55471	8,839 m		
+47.650_+010.809	-	47.65036	29,000 ft	12	-
LATLON	-	10.80923	8,839 m		
OSDER	-	47.68333	27,200 ft	3	-
FIX	-	10.89167	8,291 m		
DISUN	-	47.86278	20,800 ft	13	-
FIX	-	11.10500	6,340 m		
BETOS	-	48.06806	13,600 ft	15	-
FIX	-	11.35000	4,145 m		
OTT	-	48.18039	4,500 ft	19	-
VOR	-	11.81654	1,372 m		
EDDM	-	48.35378	1,487 ft	10	-
APT	-	11.78609	453 m		

LFL

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 817 ft / 249 m
Location: 45.725800 5.090730
Magnetic Var: 2.264 E

METAR

LFL 290200Z 23002KT CAVOK 14/11 Q1018 NOSIG

TAF

TAF LFL 282300Z 2900/3006 36006KT CAVOK BECMG 2913/2915 20007KT PROB30 TEMPO 2920/3006 -RA BKN045 FEW050TCU PROB

Frequencies

REC - 126.17 MHz - SAINT EXUPERY ATIS	CLD - 121.65 MHz - SAINT EXUPERY DELIVERY
GND - 121.82 MHz - SAINT EXUPERY GROUND	TWR - 120.45 MHz - SAINT EXUPERY TOWER
APP - 120.22 MHz - LYON APPROACH	APP - 125.42 MHz - LYON APPROACH
APP - 125.80 MHz - LYON APPROACH	APP - 133.15 MHz - LYON APPROACH
APP - 136.07 MHz - LYON APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	145 ft	13,135 ft	175.14	ASPHALT	0 ft	190 ft
	44 m	4,003 m	172.88		0 m	58 m
35L	145 ft	13,135 ft	355.14	ASPHALT	0 ft	184 ft
	44 m	4,003 m	352.88		0 m	56 m
17L	148 ft	8,766 ft	175.14	ASPHALT	0 ft	59 ft
	45 m	2,672 m	172.88		0 m	18 m
35R	148 ft	8,766 ft	355.14	ASPHALT	0 ft	62 ft
	45 m	2,672 m	352.88		0 m	19 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	LSS	109.10 MHz	18 nm	-	-	775 ft
				33 km	-		775 m
35L	DME	SAN	110.75 MHz	18 nm	-	-	810 ft
				33 km	-		810 m
35R	DME	LSN	111.50 MHz	18 nm	-	-	812 ft
				33 km	-		812 m
17L	LOC-ILS	LSS	109.10 MHz	18 nm	175.14	-	818 ft
				33 km	172.88		818 m
35L	LOC-ILS	SAN	110.75 MHz	18 nm	355.15	-	818 ft
				33 km	352.89		818 m
35R	LOC-ILS	LSN	111.50 MHz	18 nm	355.14	-	818 ft
				33 km	352.88		818 m
17L	GS	LSS	109.10 MHz	10 nm	175.14	3.00	818 ft
				19 km	172.88		818 m
35L	GS	SAN	110.75 MHz	10 nm	355.15	3.00	818 ft
				19 km	352.89		818 m
35R	GS	LSN	111.50 MHz	10 nm	355.14	3.00	818 ft
				19 km	352.88		818 m

EDDM

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 1,484 ft / 452 m
Location: 48.353800 11.786100
Magnetic Var: 3.947 E

METAR

EDDM 290220Z AUTO VRB01KT CAVOK 07/07 Q1018 NOSIG

TAF

TAF EDDM 282300Z 2900/3006 18003KT CAVOK BECMG 2910/2912 24006KT PROB40 TEMPO 2918/3006 RA PROB30 TEMPO 3003/3006

Frequencies

REC - 123.12 MHz - MUENCHEN ATIS	COM - 122.80 MHz - MUENCHEN UNICOM
CLD - 121.72 MHz - MUENCHEN DELIVERY	GND - 121.97 MHz - MUENCHEN GROUND NORTH
GND - 121.82 MHz - MUENCHEN GROUND SOUTH	GND - 121.77 MHz - MUENCHEN APRON 1
GND - 121.70 MHz - MUENCHEN APRON 2	GND - 121.92 MHz - MUENCHEN APRON 3
TWR - 120.50 MHz - MUENCHEN TOWER SOUTH	TWR - 118.70 MHz - MUENCHEN TOWER NORTH
APP - 123.90 MHz - MUENCHEN RADAR NORTH	APP - 127.95 MHz - MUENCHEN RADAR SOUTH
APP - 128.25 MHz - MUENCHEN ARRIVAL NORTH	APP - 120.77 MHz - MUENCHEN ARRIVAL SOUTH
APP - 118.82 MHz - MUENCHEN DIRECTOR NORTH	APP - 132.30 MHz - MUENCHEN DIRECTOR SOUTH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	197 ft	13,135 ft	83.39	CONCRETE	0 ft	0 ft
	60 m	4,004 m	79.44		0 m	0 m
26R	197 ft	13,135 ft	263.43	CONCRETE	0 ft	0 ft
	60 m	4,004 m	259.48		0 m	0 m
08R	197 ft	13,135 ft	83.37	CONCRETE	0 ft	0 ft
	60 m	4,004 m	79.43		0 m	0 m
26L	197 ft	13,135 ft	263.41	CONCRETE	0 ft	0 ft
	60 m	4,004 m	259.47		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	IMNE	109.50 MHz	18 nm	83.41	-	1,484 ft
				33 km	79.46		1,484 m
08R	LOC-ILS	IMSE	109.30 MHz	18 nm	83.39	-	1,484 ft
				33 km	79.44		1,484 m
26L	LOC-ILS	IMSW	108.30 MHz	18 nm	263.39	-	1,484 ft
				33 km	259.44		1,484 m
26R	LOC-ILS	IMNW	108.70 MHz	18 nm	263.41	-	1,484 ft
				33 km	259.46		1,484 m
08L	GS	IMNE	109.50 MHz	10 nm	83.41	3.00	1,484 ft
				19 km	79.46		1,484 m
08R	GS	IMSE	109.30 MHz	10 nm	83.39	3.00	1,484 ft
				19 km	79.44		1,484 m
26L	GS	IMSW	108.30 MHz	10 nm	263.39	3.00	1,484 ft
				19 km	259.44		1,484 m
26R	GS	IMNW	108.70 MHz	10 nm	263.41	3.00	1,484 ft
				19 km	259.46		1,484 m