


2024/06/06 0851Z

EGYM UTUXA EGOV

187.63 nm / 347.49 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGYM	-	52.64760	0 ft	-	RAF Marham
APT	-	0.55406	0 m		
UTUXA	-	53.00830	18,100 ft	102	-
FIX	-	-2.22028	5,517 m		
EGOV	-	53.24820	0 ft	84	Valley
APT	-	-4.53533	0 m		

EGYM

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 75 ft / 23 m
Location: 52.647600 0.554059
Magnetic Var: 0.635 E

METAR

EGYM 060750Z 24006KT 9999 FEW022 BKN070 12/08 Q1016 RMK BLU

TAF

UNKNOWN

Frequencies

TWR - 122.10 MHz - MARHAM TOWER

APP - 124.15 MHz - MARHAM APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	200 ft	9,111 ft	55.35	CONCRETE	0 ft	75 ft
	61 m	2,777 m	54.71		0 m	23 m
24	200 ft	9,111 ft	235.37	CONCRETE	0 ft	59 ft
	61 m	2,777 m	234.74		0 m	18 m
01	144 ft	5,896 ft	8.57	CONCRETE	0 ft	0 ft
	44 m	1,797 m	7.94		0 m	0 m
19	144 ft	5,896 ft	188.57	CONCRETE	0 ft	0 ft
	44 m	1,797 m	187.94		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	DME	IMR	110.75 MHz	18 nm	-	-	75 ft
				33 km	-		75 m
24	LOC-ILS	IMR	110.75 MHz	18 nm	235.34	-	75 ft
				33 km	234.70		75 m
24	GS	IMR	110.75 MHz	10 nm	235.72	3.00	75 ft
				19 km	235.08		75 m

EGOV

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 36 ft / 11 m
Location: 53.248200 -4.535330
Magnetic Var: 1.275 W

METAR

EGOV 060820Z 28011KT 9999 FEW015 12/07 Q1017 TEMPO SCT018 RMK BLU TEMPO WHT

TAF

UNKNOWN

Frequencies

APP - 266.12 MHz - VALLEY APPROACH	APP - 125.22 MHz - VALLEY APPROACH
CLD - 363.65 MHz - VALLEY DIRECTOR	CLD - 123.30 MHz - VALLEY DIRECTOR
APP - 269.00 MHz - VASLLEY RADAR	APP - 128.80 MHz - VALLEY RADAR
APP - 313.55 MHz - VALLEY TALKDOWN	APP - 123.30 MHz - VALLEY TALKDOWN
TWR - 389.27 MHz - TOWER	TWR - 122.10 MHz - TOWER
GND - 369.50 MHz - GROUND	GND - 122.15 MHz - GROUND
REC - 120.72 MHz - ATIS	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	7,499 ft	130.48	ASPHALT	0 ft	0 ft
	45 m	2,286 m	131.76		0 m	0 m
31	148 ft	7,499 ft	310.50	ASPHALT	0 ft	545 ft
	45 m	2,286 m	311.78		0 m	166 m
01	148 ft	5,153 ft	6.30	ASPHALT	0 ft	0 ft
	45 m	1,571 m	7.57		0 m	0 m
19	148 ft	5,153 ft	186.30	ASPHALT	0 ft	0 ft
	45 m	1,571 m	187.57		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	LOC-ILS	VY	109.70 MHz	18 nm	130.50	-	37 ft
				33 km	131.77		37 m
13	GS	VY	109.70 MHz	10 nm	130.50	3.00	37 ft
				19 km	131.77		37 m