

VHHH

Hong Kong Intl


VDPP

Phnom Penh Intl

2024/05/18 1641Z

VHHH ALLEY **V31** SURFA **V11** IDOSI **A1** PAPRA **R575** VIBUN **B329** PNH VDPP

880.25 nm / 1630.23 km



Notes

Basic altitude profile:

- Ascent Rate: 3600ft/min
- Ascent Speed: 230kts
- Cruise Altitude: 21000ft
- Cruise Speed: 300kts
- Descent Rate: 700ft/min
- Descent Speed: 135kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VHHH	-	22.30890	0 ft	-	Hong Kong Intl
APT	-	113.91500	0 m	-	
ALLEY	-	21.08640	21,000 ft	73	-
FIX	-	113.78600	6,401 m	-	-
SURFA	V31	19.31420	21,000 ft	121	-
FIX	AWY-HI	112.73600	6,401 m	-	-
IDOSI	V11	19.00000	21,000 ft	23	-
FIX	AWY-HI	112.50000	6,401 m	-	-
IKELA	A1	18.66170	21,000 ft	24	-
FIX	AWY-HI	112.24500	6,401 m	-	-
LENKO	A1	17.41670	21,000 ft	133	-
FIX	AWY-HI	110.30000	6,401 m	-	-
BUNTA	A1	16.83330	21,000 ft	62	-
FIX	AWY-HI	109.39500	6,401 m	-	-
BINKU	A1	16.55970	21,000 ft	29	-
FIX	AWY-HI	108.97300	6,401 m	-	-
KANGU	A1	16.35420	21,000 ft	21	-
FIX	AWY-HI	108.66500	6,401 m	-	-
DAN	A1	16.05280	21,000 ft	32	DA NANG
VOR	AWY-HI	108.19800	6,401 m	-	
PATNO	A1	15.96500	21,000 ft	18	-
FIX	AWY-HI	107.88500	6,401 m	-	-
TANNA	A1	15.90330	21,000 ft	13	-
FIX	AWY-HI	107.65900	6,401 m	-	-
PAPRA	A1	15.76670	21,000 ft	28	-
FIX	AWY-HI	107.18300	6,401 m	-	-
SEKON	R575	14.86780	21,000 ft	71	-
FIX	AWY-HI	106.37600	6,401 m	-	-
LAVAN	R575	14.09690	21,000 ft	60	-
FIX	AWY-HI	105.69300	6,401 m	-	-
VIBUN	R575	13.79670	19,500 ft	23	-
FIX	AWY-HI	105.43200	5,944 m	-	-
PNH	B329	11.54670	0 ft	139	PHNOM PENH VOR-DME
DME	AWY-HI	104.84200	0 m	-	
VDPP	-	11.54650	0 ft	0	Phnom Penh Intl
APT	-	104.84400	0 m	-	

VHHH

Region: HONG KONG
Timezone: UNKNOWN
Runways: 2

Elevation: 27 ft / 8 m
Location: 22.308900 113.915000
Magnetic Var: 3.239 W

METAR

VHHH 181630Z 10009KT 9999 FEW025 26/17 Q1008 NOSIG

TAF

TAF VHHH 181400Z 1815/1921 10010KT 9999 FEW020 SCT040 TX28/1906Z TN25/1822Z TEMPO 1904/1912 12015G25KT 3500 SHRA

Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.01		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.03		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.03		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m

VDPP

Region: CAMBODIA
Timezone: ASIA/PHNOM_PENH
Runways: 1

Elevation: 40 ft / 12 m
Location: 11.546500 104.844000
Magnetic Var: 0.601 W

METAR

VDPP 181630Z 17002KT 9000 SCT015 SCT040 30/27 Q1006

TAF

TAF VDP 181100Z 1812/1906 20008KT 9999 SCT017 SCT040 TEMPO 1812/1817 22015G25KT 5000 TSRA SCT015 FEW017CB BKN040

Frequencies

REC - 131.45 MHz - D-ATIS	REC - 127.25 MHz - ATIS
TWR - 118.00 MHz - PHNOM PENH TOWER	GND - 129.00 MHz - PHNOM PENH GROUND
DEP - 123.80 MHz - PHNOM PENH DEPARTURE	APP - 123.80 MHz - PHNOM PENH APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	9,864 ft	45.56	ASPHALT	0 ft	650 ft
	45 m	3,007 m	46.16		0 m	198 m
23	148 ft	9,864 ft	225.56	ASPHALT	492 ft	653 ft
	45 m	3,007 m	226.16		150 m	199 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	LOC-ILS	IPNP	109.70 MHz	18 nm	225.62	-	40 ft
				33 km	226.22		40 m
23	LOC-ILS	PNP	109.70 MHz	18 nm	225.57	-	40 ft
				33 km	226.17		40 m
23	GS	IPNP	109.70 MHz	10 nm	226.19	3.00	37 ft
				19 km	226.79		37 m
23	GS	PNP	109.70 MHz	10 nm	225.57	3.00	40 ft
				19 km	226.17		40 m