

LIPU

Padova "Gino Allegri"


LIPZ

Venezia-Tessera "Marco Polo"

2024/05/08 0854Z

LIPU INBUT LIPZ

22.17 nm / 41.06 km



Notes

Basic altitude profile:

- Ascent Rate: 900ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 1000ft
- Cruise Speed: 200kts
- Descent Rate: 1500ft/min
- Descent Speed: 200kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPU	-	45.39580	0 ft	-	Padova "Gino Allegri"
APT	-	11.84700	0 m		
INBUT	-	45.41330	800 ft	3	-
FIX	-	11.91750	244 m		
LIPZ	-	45.50480	0 ft	19	Venezia-Tessera "Marco Polo"
APT	-	12.34970	0 m		

LIPU

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 42 ft / 13 m
Location: 45.395800 11.847000
Magnetic Var: 3.793 E

METAR

LIPU 080750Z VRB01KT CAVOK 17/13 Q1016

TAF

UNKNOWN

Frequencies

REC - 123.25 MHz - AFIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	98 ft	3,685 ft	39.77	ASPHALT	203 ft	0 ft
	30 m	1,123 m	35.98		62 m	0 m
22	98 ft	3,685 ft	219.78	ASPHALT	735 ft	0 ft
	30 m	1,123 m	215.99		224 m	0 m
04L	98 ft	1,478 ft	39.39	GRASS	0 ft	0 ft
	30 m	451 m	35.60		0 m	0 m
22R	98 ft	1,478 ft	219.40	GRASS	0 ft	0 ft
	30 m	451 m	215.60		0 m	0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	PDV	111.30 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
04	LOC-ILS	PDV	111.30 MHz	18 nm	43.73	-	44 ft
				33 km	39.94		44 m
04	GS	PDV	111.30 MHz	10 nm	40.31	3.00	44 ft
				19 km	36.52		44 m

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.904 E

METAR

LIPZ 080820Z 07004KT 340V130 9999 SCT015 18/13 Q1016 NOSIG

TAF

TAF LIPZ 080500Z 0806/0912 VRB05KT 8000 BKN008 BECMG 0808/0810 SCT020 BECMG 0810/0812 14010KT BECMG 0818/0820 040

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH
GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	10,836 ft	42.03	ASPHALT	0 ft	0 ft
	45 m	3,303 m	38.12		0 m	0 m
22L	148 ft	10,836 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	3,303 m	218.14		0 m	0 m
04L	148 ft	9,129 ft	42.03	ASPHALT	318 ft	0 ft
	45 m	2,782 m	38.13		97 m	0 m
22R	148 ft	9,129 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	2,782 m	218.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm	42.04	-	4 ft
				33 km	38.14		4 m
04R	GS	VTS	109.95 MHz	10 nm	42.04	3.00	4 ft
				19 km	38.14		4 m