

# VTBD

Don Mueang Intl


# WMKK

Kuala Lumpur Intl

2024/05/23 0400Z

VTBD KASNI **M757** KARMI **A464** DAKUS WMKK

682.26 nm / 1263.54 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 150kts
- Cruise Altitude: 9000ft
- Cruise Speed: 150kts
- Descent Rate: 1500ft/min
- Descent Speed: 150kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VTBD	-	13.91250	0 ft	-	Don Mueang Intl
APT	-	100.60700	0 m	-	
KASNI	-	13.08060	9,000 ft	50	-
FIX	-	100.67800	2,743 m	-	-
NULBO	M757	10.48870	9,000 ft	155	-
FIX	AWY-HI	100.61200	2,743 m	-	-
MABKO	M757	9.80249	9,000 ft	41	-
FIX	AWY-HI	100.59500	2,743 m	-	-
VALSI	M757	9.51900	9,000 ft	17	-
FIX	AWY-HI	100.58800	2,743 m	-	-
ROBDA	M757	9.43282	9,000 ft	5	-
FIX	AWY-HI	100.58600	2,743 m	-	-
LOSDA	M757	8.89892	9,000 ft	32	-
FIX	AWY-HI	100.57400	2,743 m	-	-
OBLEX	M757	7.49653	9,000 ft	84	-
FIX	AWY-HI	100.54100	2,743 m	-	-
KARMI	M757	6.49440	9,000 ft	60	-
FIX	AWY-HI	100.52200	2,743 m	-	-
VIH	A464	4.57361	9,000 ft	120	IPOH
VOR	AWY-HI	101.09400	2,743 m	-	-
DAKUS	A464	3.80390	9,000 ft	48	-
FIX	AWY-HI	101.31700	2,743 m	-	-
WMKK	-	2.73834	0 ft	68	Kuala Lumpur Intl
APT	-	101.70200	0 m	-	

## VTBD

Region: THAILAND  
Timezone: ASIA/BANGKOK  
Runways: 2

Elevation: 8 ft / 2 m  
Location: 13.912500 100.607000  
Magnetic Var: 0.541 W

## METAR

VTBD 230330Z 15008KT 9999 FEW020 SCT030 30/25 Q1008 NOSIG

## TAF

TAF VTBD 222300Z 2300/2406 16005KT 9000 SCT020 TEMPO 2304/2307 VRB15KT 4000 TSRA FEW018CB SCT030 BKN080 TEMPO 2312/2315

## Frequencies

REC - 118.55 MHz - ATIS	REC - 126.40 MHz - ATIS
GND - 122.50 MHz - DON MUEANG GROUND	GND - 121.90 MHz - DON MUEANG GROUND
TWR - 118.10 MHz - DON MUEANG TOWER	CLD - 127.70 MHz - DON MUEANG DELIVERY
APP - 118.40 MHz - DON MUEANG APPROACH	APP - 119.10 MHz - DON MUEANG APPROACH
APP - 121.70 MHz - BANGKOK APPROACH	APP - 124.35 MHz - BANGKOK APPROACH
APP - 125.20 MHz - BANGKOK APPROACH	APP - 125.50 MHz - DON MUEANG ARRIVAL

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03L	197 ft	12,191 ft	28.56	ASPHALT	0 ft	492 ft
	60 m	3,716 m	29.10		0 m	150 m
21R	197 ft	12,191 ft	208.56	ASPHALT	0 ft	492 ft
	60 m	3,716 m	209.10		0 m	150 m
03R	148 ft	11,543 ft	28.57	ASPHALT	0 ft	325 ft
	45 m	3,518 m	29.11		0 m	99 m
21L	148 ft	11,543 ft	208.57	ASPHALT	1,145 ft	0 ft
	45 m	3,518 m	209.11		349 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IBKD	109.70 MHz	18 nm	-	-	3 ft
				33 km	-		3 m
21L	DME	IDMG	110.30 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
03L	LOC-ILS	IBKD	109.70 MHz	18 nm	28.56	-	9 ft
				33 km	29.10		9 m
21L	LOC-ILS	IDMG	110.30 MHz	18 nm	208.57	-	9 ft
				33 km	209.11		9 m
21R	LOC-ILS	IBKK	109.30 MHz	18 nm	208.56	-	9 ft
				33 km	209.10		9 m
03L	GS	IBKD	109.70 MHz	10 nm	28.56	3.00	9 ft
				19 km	29.10		9 m
21L	GS	IDMG	110.30 MHz	10 nm	208.57	3.00	9 ft
				19 km	209.11		9 m
21R	GS	IBKK	109.30 MHz	10 nm	208.56	3.00	9 ft
				19 km	209.10		9 m

## WMKK

Region: MALAYSIA (PENINSULAR MALAYSIA)  
Timezone: ASIA/KUALA\_LUMPUR  
Runways: 3

Elevation: 68 ft / 21 m  
Location: 2.738340 101.702000  
Magnetic Var: 0.057 E

## METAR

WMKK 230330Z VRB02KT 9999 FEW018 32/25 Q1008 NOSIG

## TAF

TAF TAF WMKK 222300Z 2300/2406 VRB03KT 9000 FEW018 PROB30 TEMPO 2303/2305 5000 TSRA FEW017CB

## Frequencies

APP - 118.65 MHz - LUMPUR RADAR	APP - 121.25 MHz - LUMPUR RADAR
APP - 124.20 MHz - LUMPUR RADAR	APP - 125.80 MHz - LUMPUR RADAR
APP - 119.45 MHz - LUMPUR RADAR	APP - 120.35 MHz - LUMPUR RADAR
APP - 124.65 MHz - LUMPUR RADAR	APP - 125.10 MHz - LUMPUR RADAR
APP - 135.75 MHz - LUMPUR RADAR	DEP - 135.25 MHz - LUMPUR DEPARTURE
TWR - 118.80 MHz - LUMPUR TOWER	TWR - 118.50 MHz - LUMPUR TOWER
TWR - 119.80 MHz - LUMPUR TOWER	GND - 121.65 MHz - LUMPUR GROUND
GND - 121.80 MHz - LUMPUR GROUND	GND - 122.52 MHz - LUMPUR GROUND
GND - 118.05 MHz - LUMPUR GROUND	GND - 122.15 MHz - LUMPUR GROUND
GND - 122.85 MHz - LUMPUR GROUND	GND - 122.27 MHz - LUMPUR GROUND
GND - 123.25 MHz - LUMPUR GROUND	GND - 121.72 MHz - LUMPUR GROUND
GND - 122.55 MHz - LUMPUR GROUND	GND - 130.75 MHz - LUMPUR GROUND
CLD - 126.00 MHz - LUMPUR DELIVERY	REC - 126.45 MHz - LUMPUR TERMINAL INFORMATION
REC - 128.05 MHz - LUMPUR TERMINAL INFORMATION	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	197 ft	13,034 ft	146.21	ASPHALT	0 ft	390 ft
	60 m	3,973 m	146.16		0 m	119 m
33	197 ft	13,034 ft	326.21	ASPHALT	0 ft	394 ft
	60 m	3,973 m	326.16		0 m	120 m
14L	197 ft	13,248 ft	146.20	ASPHALT	0 ft	384 ft
	60 m	4,038 m	146.14		0 m	117 m
32R	197 ft	13,248 ft	326.20	ASPHALT	0 ft	0 ft
	60 m	4,038 m	326.14		0 m	0 m
14R	197 ft	13,185 ft	146.21	ASPHALT	0 ft	0 ft
	60 m	4,019 m	146.16		0 m	0 m
32L	197 ft	13,185 ft	326.21	ASPHALT	0 ft	390 ft
	60 m	4,019 m	326.16		0 m	119 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	IWK	110.10 MHz	18 nm	-	-	-1 ft
				33 km	-		-1 m
33	DME	IWM	111.50 MHz	18 nm	-	-	-1 ft
				33 km	-		-1 m
14L	DME	IEL	108.50 MHz	18 nm	-	-	59 ft
				33 km	-		59 m
14R	DME	IWR	110.70 MHz	18 nm	-	-	78 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	-		78 m
32L	DME	IWL	111.90 MHz	18 nm	-	-	81 ft
				33 km	-		81 m
32R	DME	IER	109.10 MHz	18 nm	-	-	70 ft
				33 km	-		70 m
14L	LOC-ILS	IEL	108.50 MHz	18 nm	146.20	-	68 ft
				33 km	146.14		68 m
14R	LOC-ILS	IWR	110.70 MHz	18 nm	146.21	-	68 ft
				33 km	146.15		68 m
15	LOC-ILS	IWK	110.10 MHz	18 nm	146.21	-	68 ft
				33 km	146.15		68 m
32L	LOC-ILS	IWL	111.90 MHz	18 nm	326.21	-	68 ft
				33 km	326.15		68 m
32R	LOC-ILS	IER	109.10 MHz	18 nm	326.20	-	68 ft
				33 km	326.14		68 m
33	LOC-ILS	IWM	111.50 MHz	18 nm	326.21	-	68 ft
				33 km	326.15		68 m
14L	GS	IEL	108.50 MHz	10 nm	146.20	3.00	68 ft
				19 km	146.14		68 m
14R	GS	IWR	110.70 MHz	10 nm	146.21	3.00	68 ft
				19 km	146.15		68 m
15	GS	IWK	110.10 MHz	10 nm	146.21	3.00	68 ft
				19 km	146.15		68 m
32L	GS	IWL	111.90 MHz	10 nm	326.21	3.00	68 ft
				19 km	326.15		68 m
32R	GS	IER	109.10 MHz	10 nm	326.20	3.00	68 ft
				19 km	326.14		68 m
33	GS	IWM	111.50 MHz	10 nm	326.21	3.00	68 ft
				19 km	326.15		68 m