


2024/05/04 2054Z

KFWS KISER **V571** LOA **V477** LOVAZ KGLS

237.89 nm / 440.57 km



Notes

Basic altitude profile:

- Ascent Rate: 721ft/min
- Ascent Speed: 65kts
- Cruise Altitude: 7500ft
- Cruise Speed: 122kts
- Descent Rate: 450ft/min
- Descent Speed: 55kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KFWS APT	-	32.56550 -97.30810	0 ft 0 m	-	Ft. Worth Spinks
KISER FIX	-	31.62240 -96.29110	7,500 ft 2,286 m	76	-
LOA VOR	V571 AWY-LO	31.12400 -95.96800	7,500 ft 2,286 m	34	LEONA
LOVAZ FIX	V477 AWY-LO	30.65880 -95.50100	7,500 ft 2,286 m	36	-
KGLS APT	-	29.26530 -94.86040	0 ft 0 m	90	SCHOLES

KFWS

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 700 ft / 213 m
Location: 32.565500 -97.308100
Magnetic Var: 2.894 E

METAR

KFWS 041949Z 11005KT 7SM BKN021 OVC026 25/21 A2997

TAF

UNKNOWN

Frequencies

REC - 120.02 MHz - AWOS 3
COM - 122.70 MHz - UNICOM
TWR - 124.62 MHz -

COM - 124.62 MHz - CTAF
GND - 119.47 MHz -
APP - 135.97 MHz - REGIONAL APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	98 ft	6,020 ft	180.10	ASPHALT	0 ft	0 ft
	30 m	1,835 m	177.21		0 m	0 m
35L	98 ft	6,020 ft	0.11	ASPHALT	0 ft	0 ft
	30 m	1,835 m	357.21		0 m	0 m
17L	59 ft	4,014 ft	180.00	GRASS	0 ft	0 ft
	18 m	1,223 m	177.11		0 m	0 m
35R	59 ft	4,014 ft	0.00	GRASS	0 ft	0 ft
	18 m	1,223 m	357.11		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35L	LOC-ILS	IJZW	110.95 MHz	18 nm	0.10	-	700 ft
				33 km	357.21		700 m
35L	GS	IJZW	110.95 MHz	10 nm	0.21	3.00	692 ft
				19 km	357.32		692 m

KGLS

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 5 ft / 2 m
Location: 29.265300 -94.860400
Magnetic Var: 1.459 E

METAR

KGLS 041952Z 10013KT 10SM BKN015 BKN020 BKN100 27/24 A2993 RMK A02 SLP136 T02720239

TAF

TAF KGLS 041722Z 0418/0518 13013KT P6SM SCT025 BKN035 FM050000 13014KT P6SM FEW015 SCT025 FM050300 14013KT P6SM B

Frequencies

REC - 119.27 MHz - ASOS
COM - 123.05 MHz - UNICOM
GND - 118.62 MHz -
APP - 134.45 MHz - HOUSTON APP/DEP
COM - 120.57 MHz - CTAF
CLD - 135.35 MHz - CLNC DEL
TWR - 120.57 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	151 ft	6,023 ft	180.86	CONCRETE	0 ft	0 ft
	46 m	1,836 m	179.40		0 m	0 m
35	151 ft	6,023 ft	0.86	CONCRETE	0 ft	0 ft
	46 m	1,836 m	359.40		0 m	0 m
13	151 ft	6,008 ft	140.26	ASPHALT	0 ft	0 ft
	46 m	1,831 m	138.80		0 m	0 m
31	151 ft	6,008 ft	320.26	ASPHALT	0 ft	0 ft
	46 m	1,831 m	318.80		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	LOC-ILS	IGLS	111.70 MHz	18 nm	140.26	-	7 ft
				33 km	138.80		7 m
13	GS	IGLS	111.70 MHz	10 nm	140.52	3.00	5 ft
				19 km	139.06		5 m