

WADD

Denpasar Ngurah Rai Intl


VHHH

Hong Kong Intl

2024/05/15 2024Z

WADD BLI **M522** ELANG **R223** BRU **L649** LAXOR **M772** DULOP **M771** DUMOL **J103** ISBAN VHHH

1869.44 nm / 3462.20 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 38000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WADD APT	-	-8.74840 115.16700	0 ft 0 m	-	Denpasar Ngurah Rai Intl
BLI VOR	-	-8.75057 115.16300	0 ft 0 m	0	BALI (DEN PASAR)
GALKO FIX	M522 AWY-HI	-6.82653 115.08200	38,000 ft 11,582 m	115	-
KEVOK FIX	M522 AWY-HI	-4.34093 114.94200	38,000 ft 11,582 m	149	-
ELANG FIX	M522 AWY-HI	-0.92657 114.83400	38,000 ft 11,582 m	205	-
AGSON FIX	R223 AWY-HI	2.25000 114.85700	38,000 ft 11,582 m	190	-
BUTAX FIX	R223 AWY-HI	4.43690 114.87600	38,000 ft 11,582 m	131	-
BRU VOR	R223 AWY-HI	4.87458 114.88500	38,000 ft 11,582 m	26	BRUNEI
AROB0 FIX	L649 AWY-HI	5.33333 114.87500	38,000 ft 11,582 m	27	-
ISKUD FIX	L649 AWY-HI	5.61000 114.87200	38,000 ft 11,582 m	16	-
DOTOX FIX	L649 AWY-HI	5.93833 114.86700	38,000 ft 11,582 m	19	-
PARLU FIX	L649 AWY-HI	6.32000 114.86000	38,000 ft 11,582 m	22	-
DAKIX FIX	L649 AWY-HI	7.14833 114.84800	38,000 ft 11,582 m	49	-
URKET FIX	L649 AWY-HI	8.19167 114.83300	38,000 ft 11,582 m	62	-
LAXOR FIX	L649 AWY-HI	9.82694 114.80800	38,000 ft 11,582 m	98	-
VAVUM FIX	M772 AWY-HI	11.49580 114.76500	38,000 ft 11,582 m	100	-
DODUG FIX	M772 AWY-HI	11.95080 114.74300	38,000 ft 11,582 m	27	-
EMPUL FIX	M772 AWY-HI	13.99500 114.67900	38,000 ft 11,582 m	122	-
DABGI FIX	M772 AWY-HI	14.17790 114.67300	38,000 ft 11,582 m	10	-
ATBUD FIX	M772 AWY-HI	15.90050 114.61800	38,000 ft 11,582 m	103	-
ASOBA FIX	M772 AWY-HI	17.37280 114.57000	38,000 ft 11,582 m	88	-
DULOP FIX	M772 AWY-HI	18.23670 114.54300	38,000 ft 11,582 m	51	-
DUMOL FIX	M771 AWY-HI	19.00000 114.44700	38,000 ft 11,582 m	46	-
ARROW FIX	J103 AWY-HI	19.83590 114.37400	32,300 ft 9,845 m	50	-
ISBAN FIX	J103 AWY-HI	20.82620 114.28700	19,500 ft 5,944 m	59	-
VHHH APT	-	22.30890 113.91500	0 ft 0 m	91	Hong Kong Intl

WADD

Region: INDONESIA
Timezone: ASIA/MAKASSAR
Runways: 1

Elevation: 14 ft / 4 m
Location: -8.748400 115.167000
Magnetic Var: 0.609 E

METAR

WADD 151930Z 13008KT 9999 FEW017 27/25 Q1010 NOSIG

TAF

TAF TAF WADD 151700Z 1518/1618 11013KT 9999 SCT016

Frequencies

REC - 126.20 MHz - ATIS
TWR - 118.10 MHz - NGURAH TOWER

GND - 118.80 MHz - NGURAH GROUND
APP - 119.70 MHz - BALI DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	9,828 ft	87.66	ASPHALT	0 ft	0 ft
	45 m	2,996 m	87.05		0 m	0 m
27	148 ft	9,828 ft	267.66	ASPHALT	0 ft	0 ft
	45 m	2,996 m	267.05		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	IDPS	110.30 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
27	LOC-ILS	IDPS	110.30 MHz	18 nm	267.70	-	10 ft
				33 km	267.10		10 m
27	GS	IDPS	110.30 MHz	10 nm	268.41	3.00	12 ft
				19 km	267.80		12 m

VHHH

Region: HONG KONG
Timezone: UNKNOWN
Runways: 2

Elevation: 27 ft / 8 m
Location: 22.308900 113.915000
Magnetic Var: 3.238 W

METAR

VHHH 152000Z 11008KT CAVOK 26/14 Q1014 NOSIG

TAF

TAF VHHH 152000Z 1521/1703 09010KT CAVOK TX30/1606Z TN25/1522Z TN24/1622Z TEMPO 1604/1611 08015G25KT

Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.01		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.03		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.03		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m