


2024/05/07 0124Z

OMDB IMLOT **A791** JI **G214** RK **G202** TIGER **L333** JJP VIJP

1175.05 nm / 2176.20 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMDB	-	25.25491	0 ft	-	DUBAI INTL
APT	-	55.36426	0 m		
IMLOT	-	25.28556	34,300 ft	96	-
FIX	-	57.13444	10,455 m		
KANAS	A791	25.26444	35,000 ft	35	-
FIX	AWY-LO	57.78333	10,668 m		
EGPIC	A791	25.14306	35,000 ft	147	-
FIX	AWY-LO	60.49250	10,668 m		
EGRON	A791	25.07889	35,000 ft	57	-
FIX	AWY-LO	61.54583	10,668 m		
JI	A791	25.06389	35,000 ft	13	JIWANI VOR-DME
VOR	AWY-LO	61.79556	10,668 m		
PG	G214	26.95561	35,000 ft	169	PANJGUR VOR-DME
VOR	AWY-LO	64.12528	10,668 m		
SHANO	G214	27.76000	35,000 ft	181	-
FIX	AWY-LO	67.41361	10,668 m		
ZEMKO	G214	28.06694	35,000 ft	72	-
FIX	AWY-LO	68.73333	10,668 m		
RK	G214	28.36565	35,000 ft	83	RAHIM YAR KHAN VOR-DME
VOR	AWY-LO	70.27315	10,668 m		
TIGER	G202	28.46694	35,000 ft	104	-
FIX	AWY-LO	72.24944	10,668 m		
KABEL	L333	27.73331	25,300 ft	94	-
FIX	AWY-LO	73.83769	7,711 m		
JJP	L333	26.82486	0 ft	118	JAIPUR VOR-DME
VOR	AWY-LO	75.80067	0 m		
VIJP	-	26.82672	0 ft	0	JAIPUR
APT	-	75.80574	0 m		

## OMDB

Region: UNITED ARAB EMIRATES  
Timezone: ASIA/DUBAI  
Runways: 2

Elevation: 62 ft / 19 m  
Location: 25.251100 55.371100  
Magnetic Var: 2.352 E

## METAR

OMDB 070100Z 14004KT CAVOK 30/13 Q1006 NOSIG

## TAF

TAF OMDB 062300Z 0700/0806 12005KT CAVOK PROB30 0703/0708 18012KT BECMG 0708/0710 32014KT BECMG 0716/0718 12005KT

## Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.18		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m

## VIJP

Region: INDIA  
Timezone: ASIA/KOLKATA  
Runways: 1

Elevation: 1,264 ft / 385 m  
Location: 26.824600 75.816300  
Magnetic Var: 1.372 E

## METAR

VIJP 070100Z 00000KT 4000 HZ FEW035 SCT100 30/12 Q1007 NOSIG

## TAF

TAF VIJP 062300Z 0700/0806 VRB03KT 3000 HZ NSC BECMG 0705/0707 18005KT 5000 HZ SCT030 SCT100 BECMG 0715/0717 VRB03

## Frequencies

REC - 126.60 MHz - ATIS

TWR - 124.30 MHz - JAIPUR TOWER

APP - 123.25 MHz - JAIPUR APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	11,163 ft	83.99	ASPHALT	0 ft	328 ft
	45 m	3,403 m	82.62		0 m	100 m
27	148 ft	11,163 ft	264.01	ASPHALT	0 ft	0 ft
	45 m	3,403 m	262.64		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	IJIP	109.90 MHz	18 nm	-	-	1,263 ft
				33 km	-		1,263 m
27	LOC-ILS	IJIP	109.90 MHz	18 nm	264.05	-	1,263 ft
				33 km	262.67		1,263 m
27	GS	IJIP	109.90 MHz	10 nm	264.97	3.00	1,263 ft
				19 km	263.59		1,263 m