

LFPG

Paris Charles De Gaulle


LPPT

Lisboa Humberto Delgado

2024/05/14 2200Z

LFPG LUMAN **H34** NTS **A5** NORMI **R14** ERIGA **UN872** ATLEN **G41** VES VES **G41** BARKO RALUS **UN872** VIS **G41** FTM
LPPT

812.38 nm / 1504.53 km



Notes

Basic altitude profile:

- Ascent Rate: 3600ft/min
- Ascent Speed: 230kts
- Cruise Altitude: 10000ft
- Cruise Speed: 300kts
- Descent Rate: 700ft/min
- Descent Speed: 175kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG APT	-	49.00970 2.56257	0 ft 0 m	-	Paris Charles De Gaulle
LUMAN FIX	-	47.93940 0.41333	10,000 ft 3,048 m	107	-
TUNAX FIX	H34 AWY-LO	47.91250 0.20167	10,000 ft 3,048 m	8	-
SABLE FIX	H34 AWY-LO	47.85310 -0.25000	10,000 ft 3,048 m	18	-
ANG VOR	H34 AWY-LO	47.53690 -0.85183	10,000 ft 3,048 m	30	ANGERS
TMA33 FIX	H34 AWY-LO	47.48690 -0.95389	10,000 ft 3,048 m	5	-
OGLOT FIX	H34 AWY-LO	47.27560 -1.38306	10,000 ft 3,048 m	21	-
NTS VOR	H34 AWY-LO	47.16090 -1.61297	10,000 ft 3,048 m	11	NANTES ATLANTIQUE
NORMI FIX	A5 AWY-LO	46.89610 -2.09194	10,000 ft 3,048 m	25	-
ERIGA FIX	R14 AWY-LO	46.86000 -2.36306	10,000 ft 3,048 m	11	-
INBAB FIX	UN872 AWY-HI	45.57360 -3.81000	10,000 ft 3,048 m	97	-
ATLEN FIX	UN872 AWY-HI	44.50540 -4.94753	10,000 ft 3,048 m	80	-
DEVAR FIX	G41 AWY-LO	43.94480 -5.57161	10,000 ft 3,048 m	43	-
VES VOR	G41 AWY-LO	43.55710 -6.00708	10,000 ft 3,048 m	29	ASTURIAS
VES DME	- -	43.56460 -6.03075	10,000 ft 3,048 m	1	ASTURIAS VOR-DME
KUVAN FIX	G41 AWY-LO	43.11100 -6.31700	10,000 ft 3,048 m	29	-
BISMU FIX	G41 AWY-LO	42.79660 -6.53856	10,000 ft 3,048 m	21	-
BARKO FIX	G41 AWY-LO	42.20060 -6.94461	10,000 ft 3,048 m	40	-
RALUS FIX	- -	41.93660 -7.11636	10,000 ft 3,048 m	17	-
ABUPI FIX	UN872 AWY-HI	41.75110 -7.23611	10,000 ft 3,048 m	12	-
CANAR FIX	UN872 AWY-HI	41.38580 -7.46972	10,000 ft 3,048 m	24	-
VIS VOR	UN872 AWY-HI	40.72340 -7.88583	10,000 ft 3,048 m	44	WISEU
FTM VOR	G41 AWY-LO	39.66570 -8.49264	8,500 ft 2,591 m	69	FATIMA
LPPT APT	- -	38.77880 -9.13519	0 ft 0 m	61	Lisboa Humberto Delgado

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.497 E

METAR

LFPG 142130Z 15007KT 110V170 9999 BKN007 SCT100 13/13 Q1005 NOSIG

TAF

TAF LFPG 141700Z 1418/1524 15008KT 9999 -RA SCT010 BKN060 TX21/1514Z TN12/1504Z PROB40 TEMPO 1421/1503 4000 -SHRA

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm 33 km	- -	-	338 ft 338 m
27L	DME	CGW	110.70 MHz	18 nm 33 km	- -	-	407 ft 407 m
27R	DME	PNW	110.35 MHz	18 nm 33 km	- -	-	392 ft 392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm 33 km	85.34 83.84	-	392 ft 392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm 33 km	85.32 83.82	-	392 ft 392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm 33 km	265.34 263.84	-	392 ft 392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm 33 km	265.32 263.82	-	392 ft 392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
08L	GS	GLE	108.70 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
08R	GS	DSE	108.55 MHz	10 nm 19 km	85.34 83.84	3.00	392 ft 392 m
09L	GS	PNE	109.35 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
09R	GS	CGE	110.10 MHz	10 nm 19 km	85.32 83.82	3.00	392 ft 392 m
26L	GS	DSU	108.35 MHz	10 nm 19 km	265.34 263.84	3.00	392 ft 392 m
26R	GS	GAU	111.95 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m
27L	GS	CGW	110.70 MHz	10 nm 19 km	265.32 263.82	3.00	392 ft 392 m
27R	GS	PNW	110.35 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m

LPPT

Region: PORTUGAL
Timezone: EUROPE/LISBON
Runways: 2

Elevation: 374 ft / 114 m
Location: 38.778800 -9.135190
Magnetic Var: 1.568 W

METAR

LPPT 142130Z 32004KT 280V360 9999 FEW025 13/09 Q1015

TAF

TAF LPPT 141700Z 1418/1524 31015KT 9999 SCT035 BECMG 1421/1423 33008KT SCT020 BECMG 1509/1511 30013KT SCT035 TEMP

Frequencies

REC - 121.95 MHz - ATIS	REC - 124.15 MHz - ATIS
TWR - 118.10 MHz - LISBOA TOWER	TWR - 118.50 MHz - LISBOA TOWER
GND - 121.75 MHz - LISBOA GROUND	CLD - 118.95 MHz - CLEARANCE DELIVERY
APP - 119.10 MHz - LISBOA APPROACH	APP - 119.55 MHz - LISBOA APPROACH
APP - 125.35 MHz - LISBOA ARRIVAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	12,505 ft	22.65	ASPHALT	302 ft	0 ft
	45 m	3,812 m	24.21		92 m	0 m
21	148 ft	12,505 ft	202.66	ASPHALT	1,965 ft	0 ft
	45 m	3,812 m	204.23		599 m	0 m
17	148 ft	7,612 ft	168.14	ASPHALT	0 ft	0 ft
	45 m	2,320 m	169.71		0 m	0 m
35	148 ft	7,612 ft	348.14	ASPHALT	194 ft	299 ft
	45 m	2,320 m	349.71		59 m	91 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	ILI	109.10 MHz	18 nm	-	-	419 ft
				33 km	-		419 m
21	DME	ILB	109.50 MHz	18 nm	-	-	423 ft
				33 km	-		423 m
03	LOC-ILS	ILI	109.10 MHz	18 nm	22.66	-	374 ft
				33 km	24.23		374 m
21	LOC-ILS	ILB	109.50 MHz	18 nm	202.59	-	335 ft
				33 km	204.15		335 m
03	GS	ILI	109.10 MHz	10 nm	22.66	3.00	374 ft
				19 km	24.23		374 m
21	GS	ILB	109.50 MHz	10 nm	203.42	3.00	423 ft
				19 km	204.99		423 m