


**SKBO**  
Eldorado Intl

**SEQU**  
Quito - Mariscal Sucre Intl

2024/05/09 0550Z

SKBO +04.76\_-074.21 +04.77\_-074.27 +04.77\_-074.32 +04.75\_-074.38 +04.71\_-074.42 +03.50\_-075.46  
+02.30\_-076.51 +00.09\_-078.41 +00.05\_-078.46 +00.00\_-078.49 +00.06\_-078.50 SEQU

399.79 nm / 740.41 km



## Notes

Departing runway 30 SKBO. Arriving runway 17 SEQU.

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SKB0	-	4.71339	0 ft	-	-
APT	-	-74.15206	0 m		
+04.76_-074.21	-	4.75715	910 ft	4	-
LATLON	-	-74.20989	277 m		
+04.77_-074.27	-	4.77428	2,540 ft	3	-
LATLON	-	-74.26538	774 m		
+04.77_-074.32	-	4.77146	4,090 ft	3	-
LATLON	-	-74.32341	1,247 m		
+04.75_-074.38	-	4.74904	4,800 ft	3	-
LATLON	-	-74.37697	1,463 m		
+04.71_-074.42	-	4.70971	4,800 ft	3	-
LATLON	-	-74.41960	1,463 m		
+03.50_-075.46	-	3.50444	4,800 ft	95	-
LATLON	-	-75.46279	1,463 m		
+02.30_-076.51	-	2.29815	4,800 ft	95	-
LATLON	-	-76.50549	1,463 m		
+00.09_-078.41	-	0.08657	4,790 ft	175	-
LATLON	-	-78.41410	1,460 m		
+00.05_-078.46	-	0.05049	4,090 ft	3	-
LATLON	-	-78.45937	1,247 m		
+00.00_-078.49	-	0.00111	2,540 ft	3	-
LATLON	-	-78.48958	774 m		
+00.06_-078.50	-	-0.05563	910 ft	3	-
LATLON	-	-78.50107	277 m		
SEQU	-	-0.12720	0 ft	4	-
APT	-	-78.49031	0 m		

## SKBO

Region: COLOMBIA  
Timezone: AMERICA/BOGOTA  
Runways: 2

Elevation: 8,358 ft / 2,548 m  
Location: 4.701600 -74.147000  
Magnetic Var: 8.192 W

## METAR

SKBO 090500Z 33003KT 270V020 7000 VCSH BKN015 15/14 Q1027 NOSIG

## TAF

TAF SKBO 082230Z 0900/0924 27010KT 9999 DZ BKN017 BECMG 0901/0903 VRB02KT NSW SCT017 TEMPO 0907/0910 DZ BKN017 TX2

## Frequencies

REC - 127.80 MHz - ATIS	TWR - 118.10 MHz - EL DORADO TOWER
TWR - 118.25 MHz - EL DORADO TOWER	GND - 121.80 MHz - EL DORADO GROUND
GND - 122.75 MHz - EL DORADO GROUND	APP - 121.30 MHz - BOGOTA APPROACH
APP - 119.50 MHz - BOGOTA APPROACH	APP - 119.65 MHz - BOGOTA APPROACH
APP - 119.95 MHz - BOGOTA APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	151 ft	12,479 ft	127.23	ASPHALT	0 ft	203 ft
	46 m	3,804 m	135.43		0 m	62 m
31L	151 ft	12,479 ft	307.24	ASPHALT	0 ft	203 ft
	46 m	3,804 m	315.43		0 m	62 m
13L	151 ft	12,479 ft	127.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	135.43		0 m	30 m
31R	151 ft	12,479 ft	307.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	315.43		0 m	30 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IEDR	111.30 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13R	DME	IADO	110.70 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13L	LOC-ILS	IEDR	111.30 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13R	LOC-ILS	IADO	110.70 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13L	GS	IEDR	111.30 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m
13R	GS	IADO	110.70 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m