EETN
TALLINN


-

EFHK
Helsinki Vantaa

2024/03/19 0406Z

EETN SORPA EFHK

54.62 nm / 101.15 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EETN APT	–	59.41326 24.83280	0 ft 0 m	–	TALLINN
SORPA FIX	–	59.61694 24.84694	4,300 ft 1,311 m	12	–
EFHK APT	–	60.32057 24.95267	0 ft 0 m	42	Helsinki Vantaa

EETN

Region: ESTONIA
Timezone: EUROPE/TALLINN
Runways: 1

Elevation: 128 ft / 39 m
Location: 59.413300 24.836500
Magnetic Var: 9.596 E

METAR

EETN 190320Z 10004KT 4600 SN BR BKN022 OVC027 M01/M01 Q1024

TAF

TAF AMD EETN 190345Z 1903/1924 VRB02KT 9999 OVC020 TEMPO 1903/1906 2000 SN BKN010 TEMPO 1914/1921 BKN012 TEMPO 192

Frequencies

REC - 124.87 MHz - ATIS
TWR - 135.90 MHz - TALLIN TOWER
APP - 125.40 MHz - TALLINN RADAR

REC - 464.50 MHz - ATIS
APP - 127.90 MHz - TALLINN RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft 45 m	11,379 ft 3,468 m	90.27 80.68	ASPHALT	774 ft 236 m	810 ft 247 m
26	148 ft 45 m	11,379 ft 3,468 m	270.33 260.73	ASPHALT	0 ft 0 m	203 ft 62 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	IIB	108.30 MHz	18 nm 33 km	90.30 80.70	-	128 ft 128 m
26	LOC-ILS	ILK	109.30 MHz	18 nm 33 km	270.30 260.70	-	128 ft 128 m
08	GS	IIB	108.30 MHz	10 nm 19 km	90.30 80.70	3.00	128 ft 128 m
26	GS	ILK	109.30 MHz	10 nm 19 km	270.30 260.70	3.00	128 ft 128 m

EFHK

Region: FINLAND
Timezone: EUROPE/HELSINKI
Runways: 3

Elevation: 180 ft / 55 m
Location: 60.320400 24.952200
Magnetic Var: 9.939 E

METAR

EFHK 190320Z 05003KT 9999 BKN013 M03/M04 Q1024 TEMPO BKN015

TAF

TAF AMD EFHK 190342Z 1903/2003 05004KT 9999 BKN013 TEMPO 1903/1908 BKN015 BECMG 1908/1910 BKN018

Frequencies

REC - 135.07 MHz - ATIS ARRIVAL
TWR - 119.70 MHz - HELSINKI TOWER
TWR - 118.60 MHz - HELSINKI TOWER
GND - 118.12 MHz - HELSINKI GROUND
APP - 119.10 MHz - HELSINKI RADAR APPROACH
APP - 119.70 MHz - HELSINKI RADAR APPROACH
APP - 119.90 MHz - HELSINKI ARRIVAL

REC - 114.20 MHz - ATIS DEPARTURE
TWR - 118.85 MHz - HELSINKI TOWER
GND - 121.80 MHz - HELSINKI GROUND
GND - 121.65 MHz - HELSINKI RAMP/TAXI
APP - 129.85 MHz - HELSINKI RADAR APPROACH
APP - 124.32 MHz - HELSINKI ARRIVAL
GND - 127.02 MHz - HELSINKI DE-ICING

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	197 ft 60 m	11,459 ft 3,493 m	47.48 37.54	ASPHALT	978 ft 298 m	210 ft 64 m
22L	197 ft 60 m	11,459 ft 3,493 m	227.52 217.59	ASPHALT	0 ft 0 m	207 ft 63 m
04L	197 ft 60 m	10,047 ft 3,062 m	47.42 37.48	ASPHALT	0 ft 0 m	236 ft 72 m
22R	197 ft 60 m	10,047 ft 3,062 m	227.46 217.52	ASPHALT	253 ft 77 m	177 ft 54 m
15	197 ft 60 m	9,497 ft 2,895 m	153.07 143.13	ASPHALT	0 ft 0 m	194 ft 59 m
33	197 ft 60 m	9,497 ft 2,895 m	333.09 323.15	ASPHALT	0 ft 0 m	197 ft 60 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	HTV	111.90 MHz	18 nm 33 km	- -	-	165 ft 165 m
04R	DME	HG	111.50 MHz	18 nm 33 km	- -	-	206 ft 206 m
15	DME	HL	109.10 MHz	18 nm 33 km	- -	-	220 ft 220 m
22L	DME	HK	110.30 MHz	18 nm 33 km	- -	-	205 ft 205 m
22R	DME	HUO	110.70 MHz	18 nm 33 km	- -	-	207 ft 207 m
04L	LOC-ILS	HTV	111.90 MHz	18 nm 33 km	47.45 37.51	-	180 ft 180 m
04R	LOC-ILS	HG	111.50 MHz	18 nm 33 km	47.51 37.57	-	180 ft 180 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	HL	109.10 MHz	18 nm 33 km	153.08 143.14	-	180 ft 180 m
22L	LOC-ILS	HK	110.30 MHz	18 nm 33 km	227.51 217.57	-	180 ft 180 m
22R	LOC-ILS	HUO	110.70 MHz	18 nm 33 km	227.45 217.51	-	180 ft 180 m
04L	GS	HTV	111.90 MHz	10 nm 19 km	47.45 37.51	3.00	180 ft 180 m
04R	GS	HG	111.50 MHz	10 nm 19 km	47.51 37.57	3.00	180 ft 180 m
15	GS	HL	109.10 MHz	10 nm 19 km	153.08 143.14	3.00	180 ft 180 m
22L	GS	HK	110.30 MHz	10 nm 19 km	227.51 217.57	3.00	180 ft 180 m
22R	GS	HUO	110.70 MHz	10 nm 19 km	227.45 217.51	3.00	180 ft 180 m