


2024/06/16 0914Z

KDTO ADM KADM

70.04 nm / 129.72 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KDTP	-	33.20070	0 ft	-	Denton Enterprise
APT	-	-97.19800	0 m		
ADM	-	34.21160	1,900 ft	60	ARDMORE
VOR	-	-97.16820	579 m		
KADM	-	34.30320	0 ft	9	ARDMORE MUNI
APT	-	-97.01680	0 m		

KDTO

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 1

Elevation: 642 ft / 196 m
Location: 33.200700 -97.198000
Magnetic Var: 2.818 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

REC - 119.32 MHz - ASOS
COM - 122.95 MHz - UNICOM
TWR - 119.95 MHz -
COM - 119.95 MHz - CTAF
GND - 123.95 MHz - GND/CLNC DEL
APP - 118.10 MHz - RGNL APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	151 ft	7,008 ft	181.06	ASPHALT	0 ft	0 ft
	46 m	2,136 m	178.24		0 m	0 m
36	151 ft	7,008 ft	1.06	ASPHALT	105 ft	0 ft
	46 m	2,136 m	358.24		32 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	LOC-ILS	IDTO	109.10 MHz	18 nm	181.06	-	642 ft
				33 km	178.24		642 m
18	GS	IDTO	109.10 MHz	10 nm	181.06	3.00	642 ft
				19 km	178.24		642 m

KADM

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 4

Elevation: 762 ft / 232 m
Location: 34.303200 -97.016800
Magnetic Var: 2.712 E

METAR

KADM 160855Z AUTO 00000KT 10SM CLR 22/20 A2983 RMK A02

TAF

UNKNOWN

Frequencies

REC - 125.60 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 118.50 MHz -
COM - 118.50 MHz - CTAF
GND - 121.80 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	150 ft	7,211 ft	84.93	CONCRETE	0 ft	0 ft
	46 m	2,198 m	82.22		0 m	0 m
26	150 ft	7,211 ft	264.94	CONCRETE	0 ft	0 ft
	46 m	2,198 m	262.23		0 m	0 m
13	150 ft	7,223 ft	135.54	ASPHALT	0 ft	300 ft
	46 m	2,201 m	132.83		0 m	91 m
31	150 ft	7,223 ft	315.55	ASPHALT	300 ft	300 ft
	46 m	2,201 m	312.84		91 m	91 m
04	150 ft	6,763 ft	45.27	CONCRETE	0 ft	0 ft
	46 m	2,061 m	42.56		0 m	0 m
22	150 ft	6,763 ft	225.28	CONCRETE	0 ft	0 ft
	46 m	2,061 m	222.57		0 m	0 m
17	100 ft	5,019 ft	180.41	ASPHALT	0 ft	0 ft
	30 m	1,530 m	177.70		0 m	0 m
35	100 ft	5,019 ft	0.41	ASPHALT	0 ft	0 ft
	30 m	1,530 m	357.70		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31	LOC-ILS	IAIW	108.90 MHz	18 nm	315.54	-	788 ft
				33 km	312.83		788 m
31	GS	IAIW	108.90 MHz	10 nm	316.09	3.00	729 ft
				19 km	313.38		729 m