

# WIII

Jakarta Soekarno-Hatta Intl


# HTIR

IRINGA

2024/05/15 1453Z

WIII ENSIB **B325** MUPAP 800S10400E 800S10300E 800S10200E 800S10100E 800S10000E 800S09900E  
800S09800E 800S09700E 800S09600E 800S09500E 800S09400E PIBED **R212** TOPAN **UA474** KANDA 1000S06100E  
1000S06000E 1000S05900E 1000S05800E 1000S05700E ALRAN 1000S05600E AMBAN 1000S05500E 1000S05400E  
1000S05300E MIROV 1000S05200E 1000S05100E ANKOR DENLI 1000S05000E 1000S04900E NESAM 1000S04800E  
1000S04700E ATOLA 1000S04600E BERIL **UN305** VOHID TABNO **UG661** DV **UG424** ITLAN HTIR

4579.96 nm / 8482.08 km



## Notes

Basic altitude profile:

- Ascent Rate: 5000ft/min
- Ascent Speed: 260kts
- Cruise Altitude: 40000ft
- Cruise Speed: 450kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes

- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WIII APT	-	-6.11981 106.65700	0 ft 0 m	-	Jakarta Soekarno-Hatta Intl
ENSIB FIX	-	-7.05608 105.61900	40,000 ft 12,192 m	83	-
MUPAP FIX	B325 AWY-HI	-7.83138 104.36400	40,000 ft 12,192 m	88	-
800S10400E LATLON	-	-8.00000 104.00000	40,000 ft 12,192 m	23	-
800S10300E LATLON	-	-8.00000 103.00000	40,000 ft 12,192 m	59	-
800S10200E LATLON	-	-8.00000 102.00000	40,000 ft 12,192 m	59	-
800S10100E LATLON	-	-8.00000 101.00000	40,000 ft 12,192 m	59	-
800S10000E LATLON	-	-8.00000 100.00000	40,000 ft 12,192 m	59	-
800S09900E LATLON	-	-8.00000 99.00000	40,000 ft 12,192 m	59	-
800S09800E LATLON	-	-8.00000 98.00000	40,000 ft 12,192 m	59	-
800S09700E LATLON	-	-8.00000 97.00000	40,000 ft 12,192 m	59	-
800S09600E LATLON	-	-8.00000 96.00000	40,000 ft 12,192 m	59	-
800S09500E LATLON	-	-8.00000 95.00000	40,000 ft 12,192 m	59	-
800S09400E LATLON	-	-8.00000 94.00000	40,000 ft 12,192 m	59	-
PIBED FIX	-	-5.33667 90.73330	40,000 ft 12,192 m	252	-
IDEVI FIX	R212 AWY-HI	-6.21667 83.31500	40,000 ft 12,192 m	446	-
GUDUG FIX	R212 AWY-HI	-7.07667 75.00000	40,000 ft 12,192 m	498	-
NKW VOR	R212 AWY-HI	-7.31667 72.41170	40,000 ft 12,192 m	154	DIEGO GARCIA
TOLID FIX	R212 AWY-HI	-6.97861 68.91830	40,000 ft 12,192 m	209	-
TOPAN FIX	R212 AWY-HI	-6.36833 63.19080	40,000 ft 12,192 m	343	-
KANDA FIX	UA474 AWY-HI	-10.00000 61.82250	40,000 ft 12,192 m	232	-
1000S06100E LATLON	-	-10.00000 61.00000	40,000 ft 12,192 m	48	-
1000S06000E LATLON	-	-10.00000 60.00000	40,000 ft 12,192 m	59	-
1000S05900E LATLON	-	-10.00000 59.00000	40,000 ft 12,192 m	59	-
1000S05800E LATLON	-	-10.00000 58.00000	40,000 ft 12,192 m	59	-
1000S05700E LATLON	-	-10.00000 57.00000	40,000 ft 12,192 m	59	-
ALRAN	-	-10.00000	40,000 ft	37	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	56.37250	12,192 m		
1000S05600E	-	-10.00000	40,000 ft	22	-
LATLON	-	56.00000	12,192 m		
AMBAN	-	-10.00000	40,000 ft	20	-
FIX	-	55.64870	12,192 m		
1000S05500E	-	-10.00000	40,000 ft	38	-
LATLON	-	55.00000	12,192 m		
1000S05400E	-	-10.00000	40,000 ft	59	-
LATLON	-	54.00000	12,192 m		
1000S05300E	-	-10.00000	40,000 ft	59	-
LATLON	-	53.00000	12,192 m		
MIROV	-	-10.00000	40,000 ft	23	-
FIX	-	52.60220	12,192 m		
1000S05200E	-	-10.00000	40,000 ft	35	-
LATLON	-	52.00000	12,192 m		
1000S05100E	-	-10.00000	40,000 ft	59	-
LATLON	-	51.00000	12,192 m		
ANKOR	-	-10.00000	40,000 ft	24	-
FIX	-	50.57830	12,192 m		
DENLI	-	-10.00000	40,000 ft	6	-
FIX	-	50.47000	12,192 m		
1000S05000E	-	-10.00000	40,000 ft	27	-
LATLON	-	50.00000	12,192 m		
1000S04900E	-	-10.00000	40,000 ft	59	-
LATLON	-	49.00000	12,192 m		
NESAM	-	-10.00000	40,000 ft	27	-
FIX	-	48.53170	12,192 m		
1000S04800E	-	-10.00000	40,000 ft	31	-
LATLON	-	48.00000	12,192 m		
1000S04700E	-	-10.00000	40,000 ft	59	-
LATLON	-	47.00000	12,192 m		
ATOLA	-	-10.00000	40,000 ft	30	-
FIX	-	46.47670	12,192 m		
1000S04600E	-	-10.00000	40,000 ft	28	-
LATLON	-	46.00000	12,192 m		
BERIL	-	-10.00000	40,000 ft	0	-
FIX	-	45.99600	12,192 m		
VOHID	UN305	-10.92940	40,000 ft	113	-
FIX	AWY-HI	44.32780	12,192 m		
TABNO	-	-10.39500	40,000 ft	51	-
FIX	-	43.63670	12,192 m		
DASTA	UG661	-8.71780	40,000 ft	162	-
FIX	AWY-HI	41.49280	12,192 m		
BIGAS	UG661	-8.18948	40,000 ft	50	-
FIX	AWY-HI	40.83950	12,192 m		
DARAS	UG661	-7.93315	40,000 ft	25	-
FIX	AWY-HI	40.50390	12,192 m		
DV	UG661	-6.88801	40,000 ft	100	DAR-ES-SALAAM
VOR	AWY-HI	39.19270	12,192 m		
ITLAN	UG424	-7.54374	22,600 ft	99	-
FIX	AWY-HI	37.65080	6,888 m		
HTIR	-	-7.66863	0 ft	113	IRINGA
APT	-	35.75210	0 m		

## WIII

Region: INDONESIA  
Timezone: ASIA/JAKARTA  
Runways: 3

Elevation: 34 ft / 10 m  
Location: -6.119810 106.657000  
Magnetic Var: 0.529 E

## METAR

WIII 151430Z VRB02KT 5000 HZ SCT020 29/25 Q1010 NOSIG

## TAF

TAF WIII 151100Z 1512/1618 VRB02KT 8000 SCT020 BECMG 1518/1520 20005KT 4000 HZ BECMG 1600/1602 08012KT 9000 NSW

## Frequencies

REC - 126.85 MHz - ATIS	CLD - 121.95 MHz -
CLD - 124.25 MHz -	SOEKARNO-HATTA CLEARANCE DELIVERY
SOEKARNO-HATTA CLEARANCE DELIVERY	CLD - 125.15 MHz -
GND - 121.60 MHz - SOEKARNO-HATTA GROUND	SOEKARNO-HATTA CLEARANCE DELIVERY
GND - 128.85 MHz - SOEKARNO-HATTA GROUND	GND - 121.00 MHz - SOEKARNO-HATTA GROUND
TWR - 118.20 MHz - SOEKARNO-HATTA TOWER	GND - 128.95 MHz - SOEKARNO-HATTA GROUND
TWR - 119.30 MHz - SOEKARNO-HATTA TOWER	TWR - 118.75 MHz - SOEKARNO-HATTA TOWER
APP - 124.20 MHz - JAKARTA ARRIVAL	TWR - 120.25 MHz - SOEKARNO-HATTA TOWER
APP - 119.75 MHz - JAKARTA DIRECTOR	APP - 125.45 MHz - JAKARTA ARRIVAL
APP - 124.55 MHz - JAKARTA DIRECTOR	APP - 123.75 MHz - JAKARTA DIRECTOR
APP - 125.05 MHz - JAKARTA DIRECTOR	APP - 124.95 MHz - JAKARTA DIRECTOR
APP - 124.15 MHz - JAKARTA RADAR	APP - 127.90 MHz - JAKARTA DIRECTOR
APP - 125.35 MHz - JAKARTA RADAR	APP - 124.35 MHz - JAKARTA RADAR
APP - 127.95 MHz - JAKARTA RADAR	APP - 126.45 MHz - JAKARTA RADAR
	APP - 130.10 MHz - JAKARTA RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,202 ft	68.13	ASPHALT	328 ft	846 ft
	46 m	2,500 m	67.61		100 m	258 m
24	150 ft	8,202 ft	248.13	ASPHALT	0 ft	0 ft
	46 m	2,500 m	247.60		0 m	0 m
07L	197 ft	11,820 ft	68.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	67.62		0 m	0 m
25R	197 ft	11,820 ft	248.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	247.62		0 m	0 m
07R	197 ft	12,015 ft	68.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	67.59		0 m	0 m
25L	197 ft	12,015 ft	248.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	247.59		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	ICHL	111.50 MHz	18 nm	68.13	-	21 ft
				33 km	67.60		21 m
07R	LOC-ILS	ICHR	110.50 MHz	18 nm	68.13	-	27 ft
				33 km	67.60		27 m
25L	LOC-ILS	ICGL	111.10 MHz	18 nm	248.12	-	34 ft
				33 km	247.59		34 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ICGR	110.90 MHz	18 nm	248.13	-	29 ft
				33 km	247.60		29 m
07L	GS	ICHL	111.50 MHz	10 nm	68.25	3.00	29 ft
				19 km	67.72		29 m
07R	GS	ICHR	110.50 MHz	10 nm	68.24	3.00	34 ft
				19 km	67.71		34 m
25L	GS	ICGL	111.10 MHz	10 nm	248.24	3.00	27 ft
				19 km	247.71		27 m
25R	GS	ICGR	110.90 MHz	10 nm	248.25	3.00	21 ft
				19 km	247.72		21 m