

VOTR

Tiruchirappalli Intl


VOMM

Chennai International Airport

2024/06/15 1205Z

VOTR TANGO VOMM

158.72 nm / 293.95 km



Notes

Basic altitude profile:

- Ascent Rate: 1800ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 22000ft
- Cruise Speed: 330kts
- Descent Rate: 1800ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
VOTR	-	10.76620	0 ft	-		Tiruchirappalli Intl
APT	-	78.71770	0 m			
TANGO	-	11.58640	19,000 ft	58	-	
FIX	-	79.24830	5,791 m			
VOMM	-	12.99510	0 ft	100		Chennai International Airport
APT	-	80.16900	0 m			

VOTR

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 1

Elevation: 292 ft / 89 m
Location: 10.766200 78.717700
Magnetic Var: 1.090 W

METAR

VOTR 151130Z 26012KT 6000 SCT016 SCT100 37/21 Q1004 NOSIG

TAF

VOTR 151100Z 1512/1618 27010KT 5000 HZ SCT020 SCT100 BECMG 1521/1522 27005KT 3000 BR BECMG 1603/1604 27010KT 5000

Frequencies

REC - 127.80 MHz - TIRUCHIRAPPALLI ATIS
APP - 124.00 MHz - TIRUCHIRAPPALLI APPROACH
TWR - 118.30 MHz - TIRUCHIRAPPALLI TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	7,938 ft	85.43	ASPHALT	486 ft	62 ft
	45 m	2,420 m	86.52		148 m	19 m
27	148 ft	7,938 ft	265.44	ASPHALT	0 ft	203 ft
	45 m	2,420 m	266.53		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	ITCY	110.90 MHz	18 nm	-	-	288 ft
				33 km	-		288 m
27	LOC-ILS	ITCY	110.90 MHz	18 nm	265.44	-	292 ft
				33 km	266.53		292 m
27	GS	ITCY	110.90 MHz	10 nm	265.44	3.00	292 ft
				19 km	266.53		292 m

VOMM

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 2

Elevation: 51 ft / 16 m
Location: 12.995100 80.169000
Magnetic Var: 0.772 W

METAR

VOMM 151130Z 22006KT 5000 HZ SCT020 BKN100 34/26 Q1003 NOSIG

TAF

TAF VOMM 151100Z 1512/1618 18010KT 6000 SCT020 BKN100 TEMPO 1512/1518 SCT018 FEW025TCU/CB BKN100 BECMG 1518/1519

Frequencies

REC - 127.45 MHz - ATIS
TWR - 118.10 MHz -
APP - 124.45 MHz -
GND - 121.90 MHz -
APP - 127.90 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	12,013 ft	68.92	ASPHALT	0 ft	476 ft
	45 m	3,661 m	69.69		0 m	145 m
25	148 ft	12,013 ft	248.93	ASPHALT	0 ft	492 ft
	45 m	3,661 m	249.70		0 m	150 m
12	148 ft	10,604 ft	117.74	ASPHALT	2,556 ft	0 ft
	45 m	3,232 m	118.51		779 m	0 m
30	148 ft	10,604 ft	297.74	ASPHALT	1,135 ft	0 ft
	45 m	3,232 m	298.51		346 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	IMAS	110.30 MHz	18 nm	-	-	52 ft
				33 km	-		52 m
07	LOC-ILS	IMAS	110.30 MHz	18 nm	68.92	-	51 ft
				33 km	69.69		51 m
25	LOC-ILS	ICHN	109.70 MHz	18 nm	248.92	-	51 ft
				33 km	249.69		51 m
07	GS	IMAS	110.30 MHz	10 nm	68.92	3.00	51 ft
				19 km	69.69		51 m
25	GS	ICHN	109.70 MHz	10 nm	248.92	3.00	51 ft
				19 km	249.69		51 m