

SKBO

Bogota - El Dorado Intl


SKCL

ALFONSO BONILLA ARAGON INTL

2024/05/09 0515Z

SKBO OREGA SKCL

151.58 nm / 280.73 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 21000ft
- Cruise Speed: 250kts
- Descent Rate: 1500ft/min
- Descent Speed: 200kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
SKBO	-	4.70159	0 ft	-	Bogota - El Dorado Intl	
APT	-	-74.14695	0 m			
OREGA	-	3.86861	12,100 ft	95	-	
FIX	-	-75.49667	3,688 m			
SKCL	-	3.54322	0 ft	56	ALFONSO BONILLA ARAGON INTL	
APT	-	-76.38159	0 m			

SKBO

Region: COLOMBIA
Timezone: AMERICA/BOGOTA
Runways: 2

Elevation: 8,358 ft / 2,548 m
Location: 4.701600 -74.147000
Magnetic Var: 8.192 W

METAR

SKBO 090500Z 33003KT 270V020 7000 VCSH BKN015 15/14 Q1027 NOSIG RMK VCSH/NE/N

TAF

TAF SKBO 082230Z 0900/0924 27010KT 9999 DZ BKN017 BECMG 0901/0903 VRB02KT NSW SCT017 TEMPO 0907/0910 DZ BKN017 TX2

Frequencies

REC - 127.80 MHz - ATIS	TWR - 118.10 MHz - EL DORADO TOWER
TWR - 118.25 MHz - EL DORADO TOWER	GND - 121.80 MHz - EL DORADO GROUND
GND - 122.75 MHz - EL DORADO GROUND	APP - 121.30 MHz - BOGOTA APPROACH
APP - 119.50 MHz - BOGOTA APPROACH	APP - 119.65 MHz - BOGOTA APPROACH
APP - 119.95 MHz - BOGOTA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	151 ft	12,479 ft	127.23	ASPHALT	0 ft	203 ft
	46 m	3,804 m	135.43		0 m	62 m
31L	151 ft	12,479 ft	307.24	ASPHALT	0 ft	203 ft
	46 m	3,804 m	315.43		0 m	62 m
13L	151 ft	12,479 ft	127.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	135.43		0 m	30 m
31R	151 ft	12,479 ft	307.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	315.43		0 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IEDR	111.30 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13R	DME	IADO	110.70 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13L	LOC-ILS	IEDR	111.30 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13R	LOC-ILS	IADO	110.70 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13L	GS	IEDR	111.30 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m
13R	GS	IADO	110.70 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m

SKCL

Region: COLOMBIA
Timezone: AMERICA/BOGOTA
Runways: 1

Elevation: 3,162 ft / 964 m
Location: 3.543180 -76.381700
Magnetic Var: 6.551 W

METAR

SKCL 090500Z 15004KT 120V180 9999 SCT023 BKN080 22/21 Q1017 NOSIG

TAF

TAF SKCL 082230Z 0900/0924 04004KT 9999 SCT025 BKN100 PROB40 TEMPO 0905/0908 DZ PROB40 0910/0914 4000 BR TEMPO 0914/0917 4000 BR

Frequencies

GND - 121.90 MHz - CALI GROUND
REC - 115.50 MHz - ATIS

TWR - 118.10 MHz - CALI TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	9,852 ft	9.83	ASPHALT	0 ft	131 ft
	45 m	3,003 m	16.38		0 m	40 m
20	148 ft	9,852 ft	189.83	ASPHALT	0 ft	118 ft
	45 m	3,003 m	196.38		0 m	36 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IPAS	109.90 MHz	18 nm	9.91	-	3,162 ft
				33 km	16.46		3,162 m
02	GS	IPAS	109.90 MHz	10 nm	9.91	3.00	3,162 ft
				19 km	16.46		3,162 m