

EDDF

Frankfurt


MDPP

Puerto Plata Gregorio Luperon International

2024/06/01 0713Z

EDDF IDOSA **UN857** GIMER **UT300** EVX EVX **N160** CAN **R111** EKRAS **UN491** UPALO **UN585** REGHI **UN480** ETIKI
4800N0900W 4800N01000W 4800N01100W 4800N01200W 4800N01300W 4800N01400W 4800N01500W 4800N01600W
4800N01700W 4700N01900W 4700N02000W 4700N02100W 4700N02200W 4600N02400W 4600N02500W 4600N02600W
4600N02700W 4500N02900W 4500N03000W 4400N03200W 4300N03400W 4300N03500W 4300N03600W 4300N03700W
4200N03900W 4100N04100W 4000N04300W 3900N04500W 3800N04700W 3700N04900W 3600N05000W 3500N05200W
3400N05300W 3300N05400W 3200N05500W 3000N05700W 2900N05800W 2800N05900W SIFEN **M596** WATRS **B891**
NOPIT MDPP

4179.10 nm / 7739.69 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDF	-	50.03260	0 ft	-	Frankfurt
APT	-	8.54067	0 m		
IDOSA	-	49.74170	35,000 ft	104	-
FIX	-	5.86972	10,668 m		
TOLVU	UN857	49.62530	35,000 ft	20	-
FIX	AWY-HI	5.37167	10,668 m		
RAPOR	UN857	49.59140	35,000 ft	6	-
FIX	AWY-HI	5.21306	10,668 m		
RENSA	UN857	49.53310	35,000 ft	13	-
FIX	AWY-HI	4.88556	10,668 m		
NITEP	UN857	49.41170	35,000 ft	26	-
FIX	AWY-HI	4.22000	10,668 m		
GIMER	UN857	49.36560	35,000 ft	10	-
FIX	AWY-HI	3.97389	10,668 m		
PODUK	UT300	49.24610	35,000 ft	25	-
FIX	AWY-HI	3.35056	10,668 m		
BSN	UT300	49.18830	35,000 ft	12	BOURSONNE VOR-DME
DME	AWY-HI	3.05647	10,668 m		
PON	UT300	49.09610	35,000 ft	40	PONTOISE CORMEILLES
VOR	AWY-HI	2.03589	10,668 m		
EVX	UT300	49.03170	35,000 ft	32	EVREUX FAUVILLE
VOR	AWY-HI	1.22086	10,668 m		
EVX	-	49.02850	35,000 ft	0	EVREUX FAUVILLE VORTAC
DME	-	1.21403	10,668 m		
EVruk	N160	49.07860	35,000 ft	20	-
FIX	AWY-LO	0.69167	10,668 m		
BERNO	N160	49.08330	35,000 ft	2	-
FIX	AWY-LO	0.63333	10,668 m		
LISEU	N160	49.10330	35,000 ft	9	-
FIX	AWY-LO	0.40194	10,668 m		
FIR75	N160	49.15500	35,000 ft	25	-
FIX	AWY-LO	-0.25000	10,668 m		
CAN	N160	49.17320	35,000 ft	8	CAEN CARPIQUET
VOR	AWY-LO	-0.45528	10,668 m		
EKRAS	R111	48.89940	35,000 ft	44	-
FIX	AWY-LO	-1.49917	10,668 m		
UPALO	UN491	48.91030	35,000 ft	9	-
FIX	AWY-HI	-1.75194	10,668 m		
BADUR	UN585	48.71080	35,000 ft	48	-
FIX	AWY-HI	-2.95111	10,668 m		
REGHI	UN585	48.00000	35,000 ft	205	-
FIX	AWY-HI	-8.00000	10,668 m		
ETIKI	UN480	48.00000	35,000 ft	30	-
FIX	AWY-HI	-8.75000	10,668 m		
4800N0900W	-	48.00000	35,000 ft	10	-
LATLON	-	-9.00000	10,668 m		
4800N01000W	-	48.00000	35,000 ft	40	-
LATLON	-	-10.00000	10,668 m		
4800N01100W	-	48.00000	35,000 ft	40	-
LATLON	-	-11.00000	10,668 m		
4800N01200W	-	48.00000	35,000 ft	40	-
LATLON	-	-12.00000	10,668 m		
4800N01300W	-	48.00000	35,000 ft	40	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-13.00000	10,668 m		
4800N01400W	-	48.00000	35,000 ft	40	-
LATLON	-	-14.00000	10,668 m		
4800N01500W	-	48.00000	35,000 ft	40	-
LATLON	-	-15.00000	10,668 m		
4800N01600W	-	48.00000	35,000 ft	40	-
LATLON	-	-16.00000	10,668 m		
4800N01700W	-	48.00000	35,000 ft	40	-
LATLON	-	-17.00000	10,668 m		
4700N01900W	-	47.00000	35,000 ft	100	-
LATLON	-	-19.00000	10,668 m		
4700N02000W	-	47.00000	35,000 ft	40	-
LATLON	-	-20.00000	10,668 m		
4700N02100W	-	47.00000	35,000 ft	40	-
LATLON	-	-21.00000	10,668 m		
4700N02200W	-	47.00000	35,000 ft	40	-
LATLON	-	-22.00000	10,668 m		
4600N02400W	-	46.00000	35,000 ft	102	-
LATLON	-	-24.00000	10,668 m		
4600N02500W	-	46.00000	35,000 ft	41	-
LATLON	-	-25.00000	10,668 m		
4600N02600W	-	46.00000	35,000 ft	41	-
LATLON	-	-26.00000	10,668 m		
4600N02700W	-	46.00000	35,000 ft	41	-
LATLON	-	-27.00000	10,668 m		
4500N02900W	-	45.00000	35,000 ft	103	-
LATLON	-	-29.00000	10,668 m		
4500N03000W	-	45.00000	35,000 ft	42	-
LATLON	-	-30.00000	10,668 m		
4400N03200W	-	44.00000	35,000 ft	104	-
LATLON	-	-32.00000	10,668 m		
4300N03400W	-	43.00000	35,000 ft	105	-
LATLON	-	-34.00000	10,668 m		
4300N03500W	-	43.00000	35,000 ft	43	-
LATLON	-	-35.00000	10,668 m		
4300N03600W	-	43.00000	35,000 ft	43	-
LATLON	-	-36.00000	10,668 m		
4300N03700W	-	43.00000	35,000 ft	43	-
LATLON	-	-37.00000	10,668 m		
4200N03900W	-	42.00000	35,000 ft	106	-
LATLON	-	-39.00000	10,668 m		
4100N04100W	-	41.00000	35,000 ft	108	-
LATLON	-	-41.00000	10,668 m		
4000N04300W	-	40.00000	35,000 ft	109	-
LATLON	-	-43.00000	10,668 m		
3900N04500W	-	39.00000	35,000 ft	110	-
LATLON	-	-45.00000	10,668 m		
3800N04700W	-	38.00000	35,000 ft	111	-
LATLON	-	-47.00000	10,668 m		
3700N04900W	-	37.00000	35,000 ft	112	-
LATLON	-	-49.00000	10,668 m		
3600N05000W	-	36.00000	35,000 ft	77	-
LATLON	-	-50.00000	10,668 m		
3500N05200W	-	35.00000	35,000 ft	114	-
LATLON	-	-52.00000	10,668 m		
3400N05300W	-	34.00000	35,000 ft	77	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-53.00000	10,668 m		
3300N05400W	-	33.00000	35,000 ft	78	-
LATLON	-	-54.00000	10,668 m		
3200N05500W	-	32.00000	35,000 ft	78	-
LATLON	-	-55.00000	10,668 m		
3000N05700W	-	30.00000	35,000 ft	158	-
LATLON	-	-57.00000	10,668 m		
2900N05800W	-	29.00000	35,000 ft	79	-
LATLON	-	-58.00000	10,668 m		
2800N05900W	-	28.00000	35,000 ft	79	-
LATLON	-	-59.00000	10,668 m		
SIFEN	-	27.00000	35,000 ft	80	-
FIX	-	-60.00000	10,668 m		
NUBUS	M596	23.50000	35,000 ft	366	-
FIX	AWY-HI	-65.53660	10,668 m		
PRCHA	M596	22.92450	35,000 ft	56	-
FIX	AWY-HI	-66.35290	10,668 m		
MACOR	M596	22.22990	35,000 ft	68	-
FIX	AWY-HI	-67.32140	10,668 m		
WATRS	M596	21.88760	35,000 ft	33	-
FIX	AWY-HI	-67.79220	10,668 m		
KNDLL	B891	21.54400	35,000 ft	33	-
FIX	AWY-HI	-68.26070	10,668 m		
MYSTR	B891	21.31150	31,300 ft	22	-
FIX	AWY-HI	-68.56590	9,540 m		
FDLEE	B891	21.21790	29,400 ft	9	-
FIX	AWY-HI	-68.69330	8,961 m		
NOFIT	B891	20.77070	20,100 ft	43	-
FIX	AWY-HI	-69.29760	6,126 m		
MDPP	-	19.75790	0 ft	94	Puerto Plata Gregorio Luperon International
APT	-	-70.57000	0 m		

EDDF

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 4

Elevation: 362 ft / 110 m
Location: 50.032600 8.540670
Magnetic Var: 3.181 E

METAR

EDDF 010650Z AUTO 32007KT 270V350 9999 -RA FEW019 BKN035 17/12 Q1013 NOSIG

TAF

TAF TAF EDDF 010500Z 0106/0212 28009KT 9999 BKN040 TEMPO 0109/0114 RA TEMPO 0114/0201 SHRA BKN020CB BECMG 0116/01

Frequencies

REC - 118.02 MHz - ATIS ARRIVAL
GND - 121.80 MHz - GROUND
GND - 121.70 MHz - APRON RAMP/TAXI
GND - 121.85 MHz - APRON RAMP/TAXI
TWR - 118.77 MHz - TOWER
TWR - 124.85 MHz - TOWER
TWR - 136.50 MHz - TOWER
APP - 127.27 MHz - FRANKFURT DIRECT
APP - 125.35 MHz - LANGEN RADAR
APP - 120.80 MHz - LANGEN RADAR
APP - 136.12 MHz - LANGEN RADAR

REC - 118.72 MHz - ATIS DEPARTURE
GND - 121.65 MHz - APRON RAMP/TAXI
GND - 121.95 MHz - APRON RAMP/TAXI
GND - 121.75 MHz - APRON RAMP/TAXI
TWR - 119.90 MHz - TOWER
TWR - 127.32 MHz - TOWER
CLD - 121.90 MHz - CLEARANCE DELIVERY
APP - 118.50 MHz - FRANKFURT DIRECT
APP - 126.55 MHz - LANGEN RADAR
APP - 120.15 MHz - LANGEN RADAR
APP - 119.02 MHz - LANGEN RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	148 ft	9,194 ft	69.56	CONCRETE	0 ft	0 ft
	45 m	2,802 m	66.38		0 m	0 m
25R	148 ft	9,194 ft	249.59	CONCRETE	0 ft	0 ft
	45 m	2,802 m	246.41		0 m	0 m
07C	197 ft	13,134 ft	69.57	ASPHALT	0 ft	203 ft
	60 m	4,003 m	66.39		0 m	62 m
25C	197 ft	13,134 ft	249.61	ASPHALT	0 ft	935 ft
	60 m	4,003 m	246.43		0 m	285 m
07R	148 ft	13,134 ft	69.59	ASPHALT	0 ft	213 ft
	45 m	4,003 m	66.41		0 m	65 m
25L	148 ft	13,134 ft	249.63	ASPHALT	0 ft	1,775 ft
	45 m	4,003 m	246.45		0 m	541 m
18	148 ft	13,083 ft	179.64	ASPHALT	0 ft	0 ft
	45 m	3,988 m	176.46		0 m	0 m
36	148 ft	13,083 ft	359.64	ASPHALT	0 ft	121 ft
	45 m	3,988 m	356.46		0 m	37 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IFNE	111.75 MHz	18 nm	-	-	357 ft
				33 km	-		357 m
25C	DME	IFCW	111.55 MHz	18 nm	-	-	364 ft
				33 km	-		364 m
25R	DME	IFNW	111.35 MHz	18 nm	-	-	357 ft
				33 km	-		357 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07C	LOC-ILS	IFCE	110.55 MHz	18 nm	69.59	-	362 ft
				33 km	66.41		362 m
07L	LOC-ILS	IFNE	111.75 MHz	18 nm	69.58	-	362 ft
				33 km	66.40		362 m
07R	LOC-ILS	IFSE	110.95 MHz	18 nm	69.61	-	362 ft
				33 km	66.43		362 m
25C	LOC-ILS	IFCW	111.55 MHz	18 nm	249.59	-	362 ft
				33 km	246.41		362 m
25L	LOC-ILS	IFSW	111.15 MHz	18 nm	249.61	-	362 ft
				33 km	246.43		362 m
25R	LOC-ILS	IFNW	111.35 MHz	18 nm	249.58	-	362 ft
				33 km	246.40		362 m
07C	GS	IFCE	110.55 MHz	10 nm	69.59	3.00	362 ft
				19 km	66.41		362 m
07L	GS	IFNE	111.75 MHz	10 nm	69.58	3.00	362 ft
				19 km	66.40		362 m
07R	GS	IFSE	110.95 MHz	10 nm	69.61	3.00	362 ft
				19 km	66.43		362 m
25C	GS	IFCW	111.55 MHz	10 nm	249.59	3.00	362 ft
				19 km	246.41		362 m
25L	GS	IFSW	111.15 MHz	10 nm	249.61	3.00	362 ft
				19 km	246.43		362 m
25R	GS	IFNW	111.35 MHz	10 nm	249.58	3.00	362 ft
				19 km	246.40		362 m