

LGKL

Kalamata Intl. Airport


EHAM

Amsterdam Schiphol

2024/05/10 2140Z

LGKL KFN **UM872** LATAN **N1** VIE **T415** DIPEP **L613** AKADO **T101** NAXAV **L12** SUDUX **UL12** MOGTI **UP66** NESES **P66**
KPT **UL608** TEDGO **UZ210** LAMGO **UM150** KRH **UZ210** LIRSU **UL608** BATTY EHAM

1187.82 nm / 2199.84 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LGKL APT	-	37.06860 22.02540	0 ft 0 m	-	Kalamata Intl. Airport
KFN VOR	-	38.11300 20.50470	34,200 ft 10,424 m	95	KEFALLINIA
ENESI FIX	UM872 AWY-HI	38.31390 20.25360	35,000 ft 10,668 m	16	-
ASTUS FIX	UM872 AWY-HI	38.41060 20.13220	35,000 ft 10,668 m	8	-
LATAN FIX	UM872 AWY-HI	39.29330 19.00000	35,000 ft 10,668 m	74	-
VIE VOR	N1 AWY-LO	41.91280 16.04920	35,000 ft 10,668 m	206	VIESTE
DIPEP FIX	T415 AWY-HI	43.34170 14.49190	35,000 ft 10,668 m	109	-
LISK0 FIX	L613 AWY-HI	43.57140 14.13220	35,000 ft 10,668 m	20	-
BUSER FIX	L613 AWY-HI	44.10670 13.64890	35,000 ft 10,668 m	38	-
AGOMO FIX	L613 AWY-HI	45.01690 12.80190	35,000 ft 10,668 m	65	-
AKADO FIX	L613 AWY-HI	45.33330 12.50000	35,000 ft 10,668 m	22	-
LAMPO FIX	T101 AWY-HI	46.10580 11.70140	35,000 ft 10,668 m	57	-
GIKEB FIX	T101 AWY-HI	46.18250 11.62080	35,000 ft 10,668 m	5	-
NAXAV FIX	T101 AWY-HI	46.46390 11.32220	35,000 ft 10,668 m	20	-
UNIMI FIX	L12 AWY-HI	46.86080 11.06520	35,000 ft 10,668 m	26	-
SUDUX FIX	L12 AWY-HI	46.94500 11.00870	35,000 ft 10,668 m	5	-
MOGTI FIX	UL12 AWY-HI	47.38900 10.71680	35,000 ft 10,668 m	29	-
NESES FIX	UP66 AWY-HI	47.54810 10.55470	35,000 ft 10,668 m	11	-
KPT VOR	P66 AWY-HI	47.74580 10.34980	35,000 ft 10,668 m	14	KEMPTEN
KUNOD FIX	UL608 AWY-HI	48.33880 9.61854	35,000 ft 10,668 m	46	-
TEDGO FIX	UL608 AWY-HI	48.61840 9.25921	35,000 ft 10,668 m	22	-
LAMGO FIX	UZ210 AWY-HI	48.88580 8.77917	35,000 ft 10,668 m	24	-
KRH VOR	UM150 AWY-HI	48.99290 8.58424	35,000 ft 10,668 m	10	KARLSRUHE
NOSPA FIX	UZ210 AWY-HI	50.02060 6.71139	33,800 ft 10,302 m	95	-
LIRSU FIX	UZ210 AWY-HI	50.18670 6.45333	30,700 ft 9,357 m	14	-
BATTY FIX	UL608 AWY-HI	50.64920 5.84878	23,000 ft 7,010 m	36	-
EHAM APT	-	52.30810 4.76417	0 ft 0 m	107	Amsterdam Schiphol

EHAM

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 6

Elevation: -11 ft / -3 m
Location: 52.308100 4.764170
Magnetic Var: 2.043 E

METAR

EHAM 102125Z 04007KT CAVOK 15/13 Q1023 NOSIG

TAF

TAF EHAM 101701Z 1018/1124 06008KT CAVOK PROB30 TEMPO 1102/1105 5000 BR BKN005

Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND	GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND	GND - 121.90 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND	TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.10 MHz - SCHIPHOL TOWER	TWR - 118.27 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER	APP - 118.80 MHz - AMSTERDAM RADAR
APP - 120.55 MHz - AMSTERDAM RADAR	APP - 127.78 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH	APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH	APP - 118.40 MHz - SCHIPHOL ARRIVAL
APP - 131.15 MHz - SCHIPHOL ARRIVAL	DEP - 121.20 MHz - SCHIPHOL DEPARTURE
REC - 122.20 MHz - SCHIPHOL ATIS	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft	11,319 ft	86.77	ASPHALT	325 ft	0 ft
	44 m	3,450 m	84.73		99 m	0 m
27	145 ft	11,319 ft	266.81	ASPHALT	0 ft	0 ft
	44 m	3,450 m	264.77		0 m	0 m
18L	150 ft	11,150 ft	183.24	ASPHALT	1,886 ft	0 ft
	46 m	3,399 m	181.20		575 m	0 m
36R	150 ft	11,150 ft	3.24	ASPHALT	0 ft	0 ft
	46 m	3,399 m	1.20		0 m	0 m
18C	145 ft	10,813 ft	183.22	ASPHALT	0 ft	0 ft
	44 m	3,296 m	181.17		0 m	0 m
36C	145 ft	10,813 ft	3.22	ASPHALT	1,473 ft	0 ft
	44 m	3,296 m	1.17		449 m	0 m
18R	190 ft	12,467 ft	183.19	ASPHALT	886 ft	0 ft
	58 m	3,800 m	181.15		270 m	0 m
36L	190 ft	12,467 ft	3.19	ASPHALT	0 ft	0 ft
	58 m	3,800 m	1.15		0 m	0 m
06	150 ft	11,288 ft	57.85	ASPHALT	814 ft	0 ft
	46 m	3,441 m	55.81		248 m	0 m
24	150 ft	11,288 ft	237.89	ASPHALT	0 ft	0 ft
	46 m	3,441 m	235.85		0 m	0 m
04	140 ft	6,624 ft	41.18	ASPHALT	0 ft	0 ft
	43 m	2,019 m	39.14		0 m	0 m
22	140 ft	6,624 ft	221.20	ASPHALT	0 ft	0 ft
	43 m	2,019 m	219.16		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm	-	-	-11 ft
				33 km	-		-11 m
18R	DME	VPB	110.10 MHz	18 nm	-	-	-11 ft
				33 km	-		-11 m
22	DME	SCH	109.15 MHz	18 nm	-	-	-11 ft
				33 km	-		-11 m
27	DME	BVB	111.55 MHz	18 nm	-	-	-11 ft
				33 km	-		-11 m
36C	DME	MSA	108.75 MHz	18 nm	-	-	-11 ft
				33 km	-		-11 m
36R	DME	ABA	111.95 MHz	18 nm	-	-	-11 ft
				33 km	-		-11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm	57.88	-	-11 ft
				33 km	55.84		-11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm	183.22	-	-11 ft
				33 km	181.18		-11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm	183.19	-	-11 ft
				33 km	181.15		-11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm	221.20	-	-11 ft
				33 km	219.16		-11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm	266.79	-	-11 ft
				33 km	264.75		-11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm	3.22	-	-11 ft
				33 km	1.18		-11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm	3.24	-	-11 ft
				33 km	1.20		-11 m
06	GS	KAG	110.55 MHz	10 nm	57.88	3.00	-11 ft
				19 km	55.84		-11 m
18C	GS	ZWA	109.50 MHz	10 nm	183.22	3.00	-11 ft
				19 km	181.18		-11 m
18R	GS	VPB	110.10 MHz	10 nm	183.19	3.00	-11 ft
				19 km	181.15		-11 m
22	GS	SCH	109.15 MHz	10 nm	221.20	3.00	-11 ft
				19 km	219.16		-11 m
27	GS	BVB	111.55 MHz	10 nm	266.79	3.00	-11 ft
				19 km	264.75		-11 m
36C	GS	MSA	108.75 MHz	10 nm	3.22	3.00	-11 ft
				19 km	1.18		-11 m
36R	GS	ABA	111.95 MHz	10 nm	3.24	3.00	-11 ft
				19 km	1.20		-11 m