

LFPO

Paris Orly


HESH

Sharm El-Sheikh Intl

2024/05/10 0356Z

LFPO ERTIP **G4** HR **W110** WIL BERSU **Z55** GERSA **Z50** RESIA **N1** VIE **L612** BRD **L995** TIGRA **UL995** KRK **UL53** KOR
UN134 MIL **UL617** SIT **A10** PAXIS **A727** NOZ **A1** CVO **L677** SHM HESH

1953.76 nm / 3618.37 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPO APT	-	48.72630 2.36698	0 ft 0 m	-	Paris Orly
ERTIP FIX	-	48.13440 4.40667	31,600 ft 9,632 m	88	-
RLP VOR	G4 AWY-LO	47.90630 5.24917	35,000 ft 10,668 m	36	ROLAMPONT
RESPO FIX	G4 AWY-LO	47.83280 5.60800	35,000 ft 10,668 m	15	-
LUL VOR	G4 AWY-LO	47.68830 6.29558	35,000 ft 10,668 m	29	LUXEUIL
HR NDB	G4 AWY-LO	47.56170 6.73225	35,000 ft 10,668 m	19	HERICOURT
HR12 FIX	W110 AWY-LO	47.46970 6.99444	35,000 ft 10,668 m	11	-
LUMEL FIX	W110 AWY-LO	47.40720 7.15389	35,000 ft 10,668 m	7	-
LEPLA FIX	W110 AWY-LO	47.34340 7.36611	35,000 ft 10,668 m	9	-
WIL VOR	W110 AWY-LO	47.17830 7.90592	35,000 ft 10,668 m	24	WILLISAU
BERSU FIX	-	47.13550 7.94131	35,000 ft 10,668 m	2	-
URIGI FIX	Z55 AWY-HI	47.05890 8.41361	35,000 ft 10,668 m	19	-
GERSA FIX	Z55 AWY-HI	47.03940 8.53211	35,000 ft 10,668 m	4	-
KELIP FIX	Z50 AWY-HI	46.95620 8.76167	35,000 ft 10,668 m	10	-
SOPER FIX	Z50 AWY-HI	46.88940 8.94444	35,000 ft 10,668 m	8	-
PELAD FIX	Z50 AWY-HI	46.59890 9.72583	35,000 ft 10,668 m	36	-
RESIA FIX	Z50 AWY-HI	46.47830 10.04330	35,000 ft 10,668 m	14	-
BELOV FIX	N1 AWY-HI	44.54250 12.71330	35,000 ft 10,668 m	161	-
BEDEG FIX	N1 AWY-HI	43.27720 14.36970	35,000 ft 10,668 m	104	-
VIE VOR	N1 AWY-HI	41.91280 16.04920	35,000 ft 10,668 m	110	VIESTE
PISIP FIX	L612 AWY-HI	41.53030 16.63640	35,000 ft 10,668 m	34	-
UVOKA FIX	L612 AWY-HI	41.37970 16.86360	35,000 ft 10,668 m	13	-
PIKEL FIX	L612 AWY-HI	41.18420 17.15830	35,000 ft 10,668 m	17	-
DOLON FIX	L612 AWY-HI	40.88920 17.59440	35,000 ft 10,668 m	26	-
BRD VOR	L612 AWY-HI	40.61090 18.00290	35,000 ft 10,668 m	24	BRINDISI
ORSOM FIX	L995 AWY-HI	40.36580 18.44670	35,000 ft 10,668 m	25	-
TIGRA	L995	40.05670	35,000 ft	31	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	19.00000	10,668 m		
KRK	UL995	39.44390	35,000 ft	61	KERKIRA
VOR	AWY-HI	20.07280	10,668 m		
PARNA	UL53	39.26220	35,000 ft	19	-
FIX	AWY-HI	20.43030	10,668 m		
GARTA	UL53	38.98500	35,000 ft	30	-
FIX	AWY-HI	20.96830	10,668 m		
ELVAS	UL53	38.52470	35,000 ft	49	-
FIX	AWY-HI	21.84190	10,668 m		
IXONI	UL53	38.31500	35,000 ft	22	-
FIX	AWY-HI	22.23220	10,668 m		
PIKAD	UL53	38.06140	35,000 ft	26	-
FIX	AWY-HI	22.69780	10,668 m		
KOR	UL53	37.93040	35,000 ft	13	KORINTHOS
NDB	AWY-HI	22.93590	10,668 m		
MIL	UN134	36.74750	35,000 ft	103	MILOS
VOR	AWY-HI	24.51950	10,668 m		
ALIKI	UL617	35.92500	35,000 ft	63	-
FIX	AWY-HI	25.34890	10,668 m		
XAVIS	UL617	35.69470	35,000 ft	17	-
FIX	AWY-HI	25.57690	10,668 m		
SIT	UL617	35.06840	35,000 ft	48	SITIA
VOR	AWY-HI	26.18910	10,668 m		
PAXIS	A10	33.95170	35,000 ft	87	-
FIX	AWY-LO	27.33330	10,668 m		
GESAD	A727	32.94470	35,000 ft	78	-
FIX	AWY-HI	28.33500	10,668 m		
OTIKO	A727	31.57250	35,000 ft	104	-
FIX	AWY-HI	29.61000	10,668 m		
NOZ	A727	31.18760	35,000 ft	28	ALEXANDRIA
VOR	AWY-HI	29.95070	10,668 m		
MENKU	A1	31.09190	35,000 ft	18	-
FIX	AWY-HI	30.30170	10,668 m		
CVO	A1	30.09230	35,000 ft	82	CAIRO
VOR	AWY-HI	31.38840	10,668 m		
MENLI	L677	29.78330	35,000 ft	31	-
FIX	AWY-HI	31.86830	10,668 m		
KAPIT	L677	29.28330	26,600 ft	48	-
FIX	AWY-HI	32.60170	8,108 m		
SHM	L677	27.99800	300 ft	122	SHARM EL SHEIKH
VOR	AWY-HI	34.41340	91 m		
HESH	-	27.97730	0 ft	1	Sharm El-Sheikh Intl
APT	-	34.39490	0 m		

LFPO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 291 ft / 89 m
Location: 48.726300 2.366980
Magnetic Var: 1.450 E

METAR

LFPO 100330Z AUTO 01005KT 9000 NSC 13/10 Q1021 NOSIG

TAF

TAF LFPO 092300Z 1000/1106 03005KT CAVOK BECMG 1009/1011 09010KT BECMG 1022/1024 03005KT

Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.33		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.93		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm 33 km	74.37 72.92	-	291 ft 291 m
02	GS	OLN	110.30 MHz	10 nm 19 km	18.31 16.86	3.00	291 ft 291 m
06	GS	ORE	108.50 MHz	10 nm 19 km	61.80 60.35	3.00	291 ft 291 m
07	GS	OLE	108.15 MHz	10 nm 19 km	74.36 72.91	3.00	291 ft 291 m
24	GS	OLO	110.90 MHz	10 nm 19 km	241.80 240.35	3.00	291 ft 291 m
25	GS	OLW	111.75 MHz	10 nm 19 km	254.36 252.91	3.00	291 ft 291 m

HESH

Region: EGYPT
Timezone: AFRICA/CAIRO
Runways: 2

Elevation: 143 ft / 44 m
Location: 27.977300 34.394900
Magnetic Var: 4.783 E

METAR

HESH 100300Z 33003KT CAVOK 24/00 Q1007 NOSIG

TAF

TAF HESH 092300Z 1000/1106 31009KT CAVOK BECMG 1007/1009 17010KT BECMG 1019/1021 32008KT

Frequencies

REC - 134.00 MHz - ATIS
TWR - 118.90 MHz -
APP - 122.60 MHz - RADAR

GND - 121.90 MHz -
APP - 121.10 MHz - RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	148 ft	10,116 ft	42.65	ASPHALT	0 ft	207 ft
	45 m	3,083 m	37.86		0 m	63 m
22R	148 ft	10,116 ft	222.66	ASPHALT	0 ft	200 ft
	45 m	3,083 m	217.87		0 m	61 m
04R	148 ft	10,121 ft	42.65	ASPHALT	0 ft	200 ft
	45 m	3,085 m	37.87		0 m	61 m
22L	148 ft	10,121 ft	222.66	ASPHALT	0 ft	200 ft
	45 m	3,085 m	217.88		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	KIL	109.50 MHz	18 nm	-	-	160 ft
				33 km	-		160 m
04L	LOC-ILS	KIL	109.50 MHz	18 nm	42.67	-	130 ft
				33 km	37.89		130 m
04L	GS	KIL	109.50 MHz	10 nm	43.31	3.00	160 ft
				19 km	38.52		160 m