


2024/05/16 0724Z

LFKB ANAKI **L50** TOP LSGG

269.37 nm / 498.87 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFKB	-	42.55260	0 ft	-	Bastia Poretta
APT	-	9.48375	0 m		
ANAKI	-	44.20110	35,000 ft	104	-
FIX	-	8.72556	10,668 m		
LAGEN	L50	44.39420	32,100 ft	15	-
FIX	AWY-HI	8.49806	9,784 m		
NEDED	L50	44.69390	27,000 ft	23	-
FIX	AWY-HI	8.14056	8,230 m		
TOP	L50	44.92540	23,100 ft	18	TORINO
VOR	AWY-HI	7.86167	7,041 m		
LSGG	-	46.23810	0 ft	107	Geneva
APT	-	6.10901	0 m		

LFKB

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 24 ft / 7 m
Location: 42.552600 9.483750
Magnetic Var: 3.178 E

METAR

LFKB 160700Z AUTO VRB03KT 9999 FEW034 BKN045 19/16 Q1005 TEMPO BKN011

TAF

TAF LFKB 160200Z 1603/1703 24005KT 9999 BKN016 SCT030 TX22/1611Z TN14/1604Z TEMPO 1603/1609 BKN011 TEMPO 1610/1616

Frequencies

REC - 125.92 MHz - LFKB ATIS
TWR - 118.00 MHz - BASTIA TWR
APP - 127.25 MHz - BASTIA APP

GND - 121.82 MHz - BASTIA GND
APP - 123.82 MHz - BASTIA APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	8,273 ft	162.83	ASPHALT	0 ft	102 ft
	45 m	2,522 m	159.66		0 m	31 m
34	148 ft	8,273 ft	342.84	ASPHALT	0 ft	0 ft
	45 m	2,522 m	339.66		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	DME	BP	111.35 MHz	18 nm	-	-	69 ft
				33 km	-		69 m
34	LOC-ILS	BP	111.35 MHz	18 nm	342.81	-	25 ft
				33 km	339.63		25 m
34	GS	BP	111.35 MHz	10 nm	343.62	3.00	25 ft
				19 km	340.44		25 m

LSGG

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 1

Elevation: 1,411 ft / 430 m
Location: 46.238100 6.109010
Magnetic Var: 2.512 E

METAR

LSGG 160650Z AUTO VRB01KT 9999 SCT008 SCT053 12/10 Q1007 TEMPO BKN007

TAF

TAF TAF LSGG 160525Z 1606/1712 VRB02KT 9999 FEW025 BKN050 TX17/1615Z TN11/1606Z TN09/1705Z TEMPO 1608/1618 SHRA P

Frequencies

REC - 124.75 MHz - ATIS	REC - 135.57 MHz - ATIS
GND - 121.75 MHz - GENEVA APRON	GND - 121.85 MHz - GENEVA APRON
GND - 121.67 MHz - GENEVA GROUND	GND - 119.70 MHz - GENEVA GROUND
TWR - 118.70 MHz - GENEVA TOWER	TWR - 119.90 MHz - GENEVA TOWER
DEP - 131.32 MHz - GENEVA DEPARTURE	DEP - 119.52 MHz - GENEVA DEPARTURE
APP - 136.45 MHz - GENEVA TRANSIT	APP - 136.25 MHz - GENEVA ARRIVAL
APP - 130.55 MHz - GENEVA APPROACH	APP - 120.30 MHz - GENEVA FINAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	164 ft	12,806 ft	45.42	CONCRETE	1,076 ft	0 ft
	50 m	3,903 m	42.91		328 m	0 m
22	164 ft	12,806 ft	225.45	CONCRETE	0 ft	0 ft
	50 m	3,903 m	222.94		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	INE	110.90 MHz	18 nm	45.44	-	1,411 ft
				33 km	42.93		1,411 m
22	LOC-ILS	ISW	109.90 MHz	18 nm	225.44	-	1,411 ft
				33 km	222.93		1,411 m
04	GS	INE	110.90 MHz	10 nm	45.44	3.00	1,411 ft
				19 km	42.93		1,411 m
22	GS	ISW	109.90 MHz	10 nm	225.44	3.00	1,411 ft
				19 km	222.93		1,411 m