

EDDN

Nuernberg Airport


LICJ

Palermo-Punta Raisi "Falcone e Borsellino"

2024/05/16 0139Z

EDDN KONIN M726 INN UM726 BRENO M726 GAVRA Z806 GIKIN Q789 PNZ M726 DORAS LICJ

690.80 nm / 1279.37 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDN	-	49.49870	0 ft	-	Nuernberg Airport
APT	-	11.07760	0 m	-	
KONIN	-	47.85580	35,000 ft	99	-
FIX	-	11.36810	10,668 m	-	-
KOGOL	M726	47.62220	35,000 ft	14	-
FIX	AWY-LO	11.39970	10,668 m	-	-
NORIN	M726	47.38660	35,000 ft	14	-
FIX	AWY-LO	11.40230	10,668 m	-	-
INN	M726	47.23000	35,000 ft	9	INNSBRUCK
NDB	AWY-LO	11.40190	10,668 m	-	
BRENO	UM726	46.98000	35,000 ft	15	-
FIX	AWY-HI	11.37670	10,668 m	-	-
EKPIS	M726	46.78720	35,000 ft	11	-
FIX	AWY-LO	11.35560	10,668 m	-	-
NAXAV	M726	46.46390	35,000 ft	19	-
FIX	AWY-HI	11.32220	10,668 m	-	-
SUMIR	M726	46.25890	35,000 ft	12	-
FIX	AWY-HI	11.35970	10,668 m	-	-
DIKEM	M726	46.03970	35,000 ft	13	-
FIX	AWY-HI	11.39940	10,668 m	-	-
VADIK	M726	45.64000	35,000 ft	24	-
FIX	AWY-HI	11.47140	10,668 m	-	-
ALBET	M726	45.42670	35,000 ft	12	-
FIX	AWY-HI	11.50920	10,668 m	-	-
LUMAV	M726	44.81440	35,000 ft	37	-
FIX	AWY-HI	11.61640	10,668 m	-	-
SUKOM	M726	44.55250	35,000 ft	15	-
FIX	AWY-HI	11.66970	10,668 m	-	-
PELEG	M726	44.22780	35,000 ft	19	-
FIX	AWY-HI	11.73530	10,668 m	-	-
BAGNO	M726	43.89060	35,000 ft	20	-
FIX	AWY-HI	11.80220	10,668 m	-	-
GAVRA	M726	43.77610	35,000 ft	6	-
FIX	AWY-HI	11.82470	10,668 m	-	-
VERUN	Z806	43.28140	35,000 ft	30	-
FIX	AWY-HI	11.92140	10,668 m	-	-
OKBIS	Z806	43.00220	35,000 ft	16	-
FIX	AWY-HI	11.97560	10,668 m	-	-
UPONO	Z806	42.84920	35,000 ft	9	-
FIX	AWY-HI	12.00470	10,668 m	-	-
GIKIN	Z806	42.61830	35,000 ft	14	-
FIX	AWY-HI	12.04860	10,668 m	-	-
PNZ	Q789	40.91190	35,000 ft	110	PONZA
VOR	AWY-HI	12.95740	10,668 m	-	
ENSOT	M726	40.53330	30,300 ft	22	-
FIX	AWY-LO	12.98750	9,235 m	-	-
BEROL	M726	40.20470	26,100 ft	19	-
FIX	AWY-LO	13.01310	7,955 m	-	-
DORAS	M726	39.59890	18,200 ft	36	-
FIX	AWY-LO	13.06000	5,547 m	-	-
LICJ	-	38.17750	0 ft	85	Palermo-Punta Raisi "Falcone e Borsellino"
APT	-	13.09720	0 m	-	

EDDN

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 1

Elevation: 1,043 ft / 318 m
Location: 49.498700 11.077600
Magnetic Var: 3.826 E

METAR

EDDN 160120Z AUTO 11009KT CAVOK 16/07 Q1005

TAF

TAF TAF EDDN 152300Z 1600/1624 12008KT CAVOK TEMPO 1612/1618 20015G25KT 4000 TSRA BKN040CB BECMG 1618/1620 03003K

Frequencies

REC - 123.08 MHz - NUERNBERG ATIS
GND - 118.10 MHz - NUERNBERG GROUND
APP - 129.53 MHz - MUENCHEN RADAR

COM - 122.80 MHz - NUERNBERG UNICOM
TWR - 118.30 MHz - NUERNBERG TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	8,835 ft	98.58	ASPHALT	0 ft	102 ft
	45 m	2,693 m	94.76		0 m	31 m
28	148 ft	8,835 ft	278.61	ASPHALT	0 ft	108 ft
	45 m	2,693 m	274.79		0 m	33 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	LOC-ILS	INUE	109.55 MHz	18 nm	98.60	-	1,043 ft
				33 km	94.77		1,043 m
28	LOC-ILS	INUW	109.10 MHz	18 nm	278.60	-	1,043 ft
				33 km	274.77		1,043 m
10	GS	INUE	109.55 MHz	10 nm	98.60	3.00	1,043 ft
				19 km	94.77		1,043 m
28	GS	INUW	109.10 MHz	10 nm	278.60	3.00	1,043 ft
				19 km	274.77		1,043 m

LICJ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 63 ft / 19 m
Location: 38.177500 13.097200
Magnetic Var: 3.575 E

METAR

LICJ 160050Z VRB02KT CAVOK 19/18 Q1006

TAF

TAF LICJ 152300Z 1600/1624 VRB05KT 9999 FEW015 BECMG 1608/1610 27010KT BECMG 1618/1620 VRB05KT

Frequencies

GND - 121.62 MHz - RAISI GROUND
APP - 120.20 MHz - PALERMO APPROACH
REC - 123.87 MHz - ATIS

TWR - 119.05 MHz - RAISI TOWER
APP - 118.65 MHz - PALERMO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	6,791 ft	23.79	ASPHALT	0 ft	0 ft
	45 m	2,070 m	20.22		0 m	0 m
20	148 ft	6,791 ft	203.80	ASPHALT	0 ft	0 ft
	45 m	2,070 m	200.22		0 m	0 m
07	197 ft	10,922 ft	66.82	ASPHALT	404 ft	577 ft
	60 m	3,329 m	63.25		123 m	176 m
25	197 ft	10,922 ft	246.84	ASPHALT	669 ft	302 ft
	60 m	3,329 m	243.27		204 m	92 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	DME	ITO	110.55 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
25	DME	RAI	109.50 MHz	18 nm	-	-	65 ft
				33 km	-		65 m
20	LOC-ILS	ITO	110.55 MHz	18 nm	203.92	-	64 ft
				33 km	200.34		64 m
25	LOC-ILS	RAI	109.50 MHz	18 nm	246.80	-	64 ft
				33 km	243.22		64 m
20	GS	ITO	110.55 MHz	10 nm	203.92	3.00	64 ft
				19 km	200.34		64 m
25	GS	RAI	109.50 MHz	10 nm	246.80	3.00	64 ft
				19 km	243.22		64 m