

LFPG

Paris Charles De Gaulle


VTSP

Phuket Intl

2024/06/05 1644Z

LFPG RENSA J115 RAPOR UN857 IDOSA J910 DIK Y180 BITBU UN858 NOSPA UL984 FFM L984 BOMBI UL984
PIGMI L984 OKL UL984 SOPAV L984 PADKA UL984 SKAVI L984 ADOKI UL984 KOROP B493 NM UM991 OLGIN B494
TESMI B450 BIBIM N644 LEMOD M696 MURAD A453 RAMSO A455 KOTAL PS J161 LA SAMAR A466 ELKUX W31E DPN
L760 AGG L759 PUT VTSP

5327.68 nm / 9866.87 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG APT	-	49.00974 2.56262	0 ft 0 m	-	Paris Charles De Gaulle
RENSA FIX	-	49.53306 4.88556	34,300 ft 10,455 m	96	-
RAPOR FIX	J115 AWY-LO	49.59139 5.21306	35,000 ft 10,668 m	13	-
TOLVU FIX	UN857 AWY-HI	49.62528 5.37167	35,000 ft 10,668 m	6	-
IDOSA FIX	UN857 AWY-HI	49.74165 5.86978	35,000 ft 10,668 m	20	-
DIK NDB	J910 AWY-LO	49.86139 6.12972	35,000 ft 10,668 m	12	DIEKIRCH NDB
NUDRI FIX	Y180 AWY-LO	49.89333 6.24139	35,000 ft 10,668 m	4	-
BITBU FIX	Y180 AWY-LO	49.98222 6.56045	35,000 ft 10,668 m	13	-
NOSPA FIX	UN858 AWY-HI	50.02056 6.71139	35,000 ft 10,668 m	6	-
ADENU FIX	UL984 AWY-HI	50.02555 6.90833	35,000 ft 10,668 m	7	-
OBIGA FIX	UL984 AWY-HI	50.03083 7.13833	35,000 ft 10,668 m	8	-
RUDUS FIX	UL984 AWY-HI	50.04750 8.07833	35,000 ft 10,668 m	36	-
FFM VOR	UL984 AWY-HI	50.05374 8.63709	35,000 ft 10,668 m	21	FRANKFURT VORTAC
BOMBI FIX	L984 AWY-LO	50.05667 8.80028	35,000 ft 10,668 m	6	-
ESATI FIX	UL984 AWY-HI	50.06306 9.19000	35,000 ft 10,668 m	15	-
LOHRE FIX	UL984 AWY-HI	50.06694 9.48639	35,000 ft 10,668 m	11	-
PIGMI FIX	UL984 AWY-HI	50.07389 10.32306	35,000 ft 10,668 m	32	-
SULUS FIX	L984 AWY-LO	50.07528 10.72889	35,000 ft 10,668 m	15	-
LONLI FIX	L984 AWY-LO	50.07472 11.22639	35,000 ft 10,668 m	19	-
KULOK FIX	L984 AWY-LO	50.07278 11.63056	35,000 ft 10,668 m	15	-
ABERU FIX	L984 AWY-LO	50.06936 12.02787	35,000 ft 10,668 m	15	-
OKG06 FIX	L984 AWY-LO	50.06763 12.26397	35,000 ft 10,668 m	9	-
OKG VOR	L984 AWY-LO	50.06515 12.40574	35,000 ft 10,668 m	5	CHEB VOR-DME
DONAD FIX	L984 AWY-LO	50.08081 13.00000	35,000 ft 10,668 m	22	-
BALTU FIX	L984 AWY-LO	50.08946 13.32652	35,000 ft 10,668 m	12	-
RAK NDB	L984 AWY-LO	50.09706 13.69072	35,000 ft 10,668 m	14	RAKOVNIK NDB
OKL	L984	50.09648	35,000 ft	22	PRAHA VOR-DME

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-LO	14.26281	10,668 m		
LETNA	UL984	50.09203	35,000 ft	6	-
FIX	AWY-HI	14.42218	10,668 m		
PEMUR	UL984	50.05467	35,000 ft	43	-
FIX	AWY-HI	15.53824	10,668 m		
DOBIL	UL984	50.03869	35,000 ft	15	-
FIX	AWY-HI	15.93739	10,668 m		
VAMBO	UL984	50.01708	35,000 ft	19	-
FIX	AWY-HI	16.43003	10,668 m		
SOPAV	UL984	49.93092	35,000 ft	62	-
FIX	AWY-HI	18.05238	10,668 m		
PADKA	L984	49.93388	35,000 ft	8	-
FIX	AWY-LO	18.28327	10,668 m		
SKAVI	UL984	49.94028	35,000 ft	62	-
FIX	AWY-HI	19.90000	10,668 m		
ADOKI	L984	49.93583	35,000 ft	28	-
FIX	AWY-LO	20.64583	10,668 m		
LUXAR	UL984	49.93000	35,000 ft	20	-
FIX	AWY-HI	21.17528	10,668 m		
DIBED	UL984	49.88833	35,000 ft	72	-
FIX	AWY-HI	23.05833	10,668 m		
NALAD	UL984	49.38803	35,000 ft	135	-
FIX	AWY-HI	26.44989	10,668 m		
KOROP	UL984	49.14971	35,000 ft	56	-
FIX	AWY-HI	27.84324	10,668 m		
NM	B493	48.96639	35,000 ft	41	NEMYRIV NDB
NDB	AWY-LO	28.84826	10,668 m		
REPLI	UM991	48.11810	35,000 ft	168	-
FIX	AWY-HI	32.88666	10,668 m		
RASPU	UM991	47.24646	35,000 ft	128	-
FIX	AWY-HI	35.78839	10,668 m		
OLGIN	UM991	46.65833	35,000 ft	75	-
FIX	AWY-HI	37.42167	10,668 m		
RAMKA	B494	46.49667	35,000 ft	23	-
FIX	AWY-LO	37.95000	10,668 m		
UBARO	B494	46.26667	35,000 ft	33	-
FIX	AWY-LO	38.68500	10,668 m		
INSER	B494	46.18139	35,000 ft	12	-
FIX	AWY-LO	38.95833	10,668 m		
UH	B494	45.85194	35,000 ft	51	TIKHORETSK NDB
NDB	AWY-LO	40.09000	10,668 m		
LEGNA	B494	45.32139	35,000 ft	67	-
FIX	AWY-LO	41.50500	10,668 m		
TESMI	B494	45.10917	35,000 ft	28	-
FIX	AWY-LO	42.11250	10,668 m		
LASON	B450	44.69000	35,000 ft	67	-
FIX	AWY-LO	43.59167	10,668 m		
TONSO	B450	44.63500	35,000 ft	8	-
FIX	AWY-LO	43.78333	10,668 m		
IBOLI	B450	44.06500	35,000 ft	95	-
FIX	AWY-LO	45.87000	10,668 m		
KZ	B450	43.83472	35,000 ft	39	KIZLYAR NDB
NDB	AWY-LO	46.71389	10,668 m		
OLMAT	B450	42.52806	35,000 ft	137	-
FIX	AWY-LO	49.28361	10,668 m		
LASKA	B450	42.38500	35,000 ft	14	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	49.55333	10,668 m		
MARAL	B450	41.36000	35,000 ft	106	-
FIX	AWY-LO	51.50000	10,668 m		
TABAB	B450	40.90333	35,000 ft	57	-
FIX	AWY-LO	52.60833	10,668 m		
BIBIM	B450	39.69500	35,000 ft	145	-
FIX	AWY-LO	55.35833	10,668 m		
ABEKO	N644	39.57500	35,000 ft	25	-
FIX	AWY-LO	55.89833	10,668 m		
KEKAL	N644	39.36833	35,000 ft	43	-
FIX	AWY-LO	56.80833	10,668 m		
TABIP	N644	39.00000	35,000 ft	74	-
FIX	AWY-LO	58.33333	10,668 m		
BODBA	N644	38.88667	35,000 ft	15	-
FIX	AWY-LO	58.62833	10,668 m		
ABDAN	N644	38.59500	35,000 ft	38	-
FIX	AWY-LO	59.36667	10,668 m		
MEKOL	N644	37.50000	35,000 ft	140	-
FIX	AWY-LO	62.00000	10,668 m		
KENAL	N644	37.05667	35,000 ft	45	-
FIX	AWY-LO	62.77833	10,668 m		
LEMOD	N644	36.16667	35,000 ft	90	-
FIX	AWY-LO	64.29167	10,668 m		
RESOT	M696	35.92500	35,000 ft	27	-
FIX	AWY-LO	64.77000	10,668 m		
SERGO	M696	35.24028	35,000 ft	121	-
FIX	AWY-LO	67.12167	10,668 m		
VUSAR	M696	34.83950	35,000 ft	60	-
FIX	AWY-LO	68.25777	10,668 m		
MURAD	M696	34.51667	35,000 ft	48	-
FIX	AWY-LO	69.15000	10,668 m		
MIXEL	A453	34.45529	35,000 ft	46	-
FIX	AWY-LO	70.08185	10,668 m		
RAMSO	A453	34.43000	35,000 ft	19	-
FIX	AWY-LO	70.47500	10,668 m		
KOTAL	A455	34.09972	35,000 ft	38	-
FIX	AWY-LO	71.14944	10,668 m		
PS	-	33.97537	35,000 ft	19	PESHAWAR VOR-DME
VOR	-	71.51716	10,668 m		
BALKA	J161	32.98833	35,000 ft	83	-
FIX	AWY-LO	72.69611	10,668 m		
CADIZ	J161	32.63667	35,000 ft	29	-
FIX	AWY-LO	73.11611	10,668 m		
SARPO	J161	31.81333	35,000 ft	68	-
FIX	AWY-LO	74.04778	10,668 m		
LA	J161	31.49972	35,000 ft	26	LAHORE VOR-DME
VOR	AWY-LO	74.40002	10,668 m		
SAMAR	-	31.34667	35,000 ft	12	-
FIX	-	74.56583	10,668 m		
ASARI	A466	30.80425	35,000 ft	44	-
FIX	AWY-LO	75.15871	10,668 m		
ELKUX	A466	29.84158	35,000 ft	60	-
FIX	AWY-LO	75.51145	10,668 m		
DPN	W31E	28.56672	35,000 ft	112	DELHI VOR-DME
VOR	AWY-LO	77.09486	10,668 m		
ITBAN	L760	27.82872	35,000 ft	55	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	77.71321	10,668 m		
GURTI	L760	27.72931	35,000 ft	7	-
FIX	AWY-LO	77.79450	10,668 m		
AGG	L760	27.15075	35,000 ft	35	AGRA VOR-DME
VOR	AWY-LO	77.94753	10,668 m		
NOBOM	L759	26.15028	35,000 ft	76	-
FIX	AWY-LO	78.81519	10,668 m		
KKJ	L759	24.81487	35,000 ft	100	KHAJURAHO VOR-DME
VOR	AWY-LO	79.91868	10,668 m		
IBUDA	L759	23.06728	35,000 ft	161	-
FIX	AWY-LO	82.16481	10,668 m		
OTABA	L759	22.18403	35,000 ft	83	-
FIX	AWY-LO	83.32300	10,668 m		
BBS	L759	20.24478	35,000 ft	181	BHUBANESHWAR VOR-DME
VOR	AWY-LO	85.81131	10,668 m		
LEMEX	L759	19.90925	35,000 ft	28	-
FIX	AWY-LO	86.15600	10,668 m		
MABUR	L759	16.01667	35,000 ft	327	-
FIX	AWY-LO	90.16833	10,668 m		
LIBDI	L759	14.25142	35,000 ft	149	-
FIX	AWY-LO	91.99703	10,668 m		
NISUN	L759	13.93478	35,000 ft	27	-
FIX	AWY-LO	92.33033	10,668 m		
LADER	L759	12.20000	35,000 ft	144	-
FIX	AWY-LO	94.04167	10,668 m		
MIPAK	L759	11.89194	35,000 ft	28	-
FIX	AWY-LO	94.41667	10,668 m		
TAVUN	L759	10.00000	33,000 ft	169	-
FIX	AWY-LO	96.55333	10,058 m		
PUT	L759	8.11523	100 ft	153	PHUKET VOR-DME
VOR	AWY-LO	98.30630	30 m		
VTSP	-	8.11320	0 ft	0	Phuket Intl
APT	-	98.31687	0 m		

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.505 E

METAR

LFPG 051630Z 29010KT 260V320 9999 SCT043 21/11 Q1015 NOSIG

TAF

TAF LFPG 051100Z 0512/0618 25005KT 9999 SCT040 TX21/0515Z TN08/0604Z BECMG 0516/0518 CAVOK BECMG 0519/0521 02010KT

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.80		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.81		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.84		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.82		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.85		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.79		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m

VTSP

Region: THAILAND
Timezone: ASIA/BANGKOK
Runways: 1

Elevation: 82 ft / 25 m
Location: 8.113200 98.316900
Magnetic Var: 0.287 W

METAR

VTSP 051630Z 29004KT 260V320 9999 FEW020 28/24 Q1012 NOSIG

TAF

TAF VTSP 051100Z 0512/0618 27005KT 9999 SCT020

Frequencies

REC - 128.00 MHz - PHUKET ATIS
TWR - 118.10 MHz - PHUKET TOWER
APP - 124.70 MHz - PHUKET APPROACH
GND - 121.90 MHz - PHUKET GROUND
CLD - 118.55 MHz - PHUKET DELIVERY
APP - 120.70 MHz - PHUKET ARRIVAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	150 ft	9,851 ft	84.58	ASPHALT	0 ft	190 ft
	46 m	3,003 m	84.86		0 m	58 m
27	150 ft	9,851 ft	264.58	ASPHALT	0 ft	187 ft
	46 m	3,003 m	264.87		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	IPKT	109.90 MHz	18 nm	-	-	82 ft
				33 km	-		82 m
27	LOC-ILS	IPKT	109.90 MHz	18 nm	264.58	-	82 ft
				33 km	264.87		82 m
27	GS	IPKT	109.90 MHz	10 nm	264.58	3.20	82 ft
				19 km	264.87		82 m